VOLUME 83 • AUTHOR INDEX

Abe H *see* Shirakashi M *et al*
Abe K *see* Abe T *et al*
Abe T *see* Wada Y *et al*
Abe T *et al*. Corneal endothelial changes and trinucleotide repeat expansion of DRPLA gene: *letter*, **124**
Decreased tear lactoferrin concentration in patients with chronic hepatitis C, **684**
Lens epithelial changes and mutated gene expression in patients with myotonic dystrophy, **452**
Achard O *see* Safran AB *et al*
Adachi W *see* Koizumi N *et al*
Adams A *see* Wright M *et al*
Adams GGW, Karas MP. Effect of amblyopia on employment prospects: *letter*, **380**
Adams O *see* Sengler U *et al*
Adamson P *see* Okhravi N *et al*
Aduriz-Lorenzo PM *see* Mulhern MG *et al*
Ah-Fat FG *et al*. Trends in vitreoretinal surgery at a tertiary referral centre: 1987 to 1996, **396**
Ahmed R, Dua HS. Modified Sheridan–Gardiner vision test with a semitransparent card: *letter*, **1407**
Ahn Y-K *see* Ko M-K *et al*
Aitchison TC *see* Bowman RJC *et al*
Aitken PA *see* Tsao K *et al*
Ajao M *see* Mearza AA *et al*
Akao N *see* Takayanagi TH *et al*
Alexander RA *see* Chana JS *et al*
Ali RR *see* Cordeiro MF *et al*
Al-Kharashi SA *see* Tabbara KF and Al-Kharashi SA
Allan B. Closer to nature: new biomaterials and tissue engineering in ophthalmology: *perspective*, **1235**
Allen D *see* Crabtree HL *et al*
Alsing A *see* Kessel L *et al*
Althaus C *see* Reis A *et al*
Amato GP *see* Giovannini A *et al*
Ambati J *et al*. Anterior uveitis associated with intravenous cidofovir use in patients with cytomegalovirus retinitis, **1153**
Protein C and protein S deficiency associated with retinal, optic nerve, and cerebral ischaemia: *letter*, **754**
Ambrecht AM *et al*. Do patients with age related maculopathy and cataract benefit from cataract surgery?: *correspondence*, **253**
Anand AR *see* Okhravi N *et al*
Andrews RM *et al*. Histochemical localisation of mitochondrial enzyme activity in human optic nerve and retina, **231**
Angerame MC *see* Ambati J *et al*
Ansari EA *et al*. Ocular signs and symptoms and vitamin A status in patients with cystic fibrosis treated with daily vitamin A supplements, **688**
Anwar K *see* Bessant DAR *et al*
Aoki K *see* Uchio E *et al*
Aoyagi K *see* Si Y-J *et al*
Archer DB *see* Refson K *et al*
Armas R *see* Fontana L *et al*
Arnold JJ *see* Sarks SH *et al*
Asari S *see* Inoue T *et al*
Asaria RHY *et al*. Retinitis sclopeteria associated with airbag inflation: *letter*, **1094**
Aslanides IM *et al*. Hypotonic maculopathy following pneumatic retinopexy: a UBM study: *letter*, **1090**
Aso N *see* Inoue K *et al*
Aspinall P *see* Ambrecht AM *et al*
see Nelson P *et al*
Assi A *see* Holló G *et al*
Assi A *et al*. Corneal fleck dystrophy in an English family: *letter*, **1407**
Estimation of the retinal nerve fibre layer thickness in the papillomacular area of long standing stage IV macular holes, **573**
Atherton D *see* Tong L *et al*
Atta HR. New applications in ultrasound technology: *perspective*, **1246**
Aubry P *see* Cochereau I *et al*
Augsburger JJ *see* Azuara-Blanco A *et al*
see Azuara-Blanco A *et al*
Auw-Haedrich C *see* Sengler U *et al*
Avunduk AM *et al*. Arterial blood flow characteristics in central retinal vein occlusion and effects of panretinal photocoagulation treatment: an investigation by colour Doppler imaging, **50**
Ayliffe W *see* Newsom R *et al*
Aylward GW, Parmar DN. Information technology in ophthalmology—experience with an electronic patient record: *perspective*, **1264**
Azazi M *see* Holmström G *et al*
Azuara-Blanco A *see* Dua HS and Azuara-Blanco A
see Dua HS and Azuara-Blanco A
see Panda A *et al*
see Rao SK *et al*
see Young AL *et al*
Azuara-Blanco A *et al*. Amniotic membrane transplantation for ocular surface reconstruction, **399**
Comparison between laser scanning tomography and computerised image analysis of the optic disc, **295**
Filtration procedures supplemented with mitomycin C in the management of childhood glaucoma, **151**
Azuma N *see* Negishi K *et al*
see Nishina S *et al*

Baarsma SG *see* van Rooij J *et al*
Backhouse O *et al*. A case of reversible blindness in maple syrup urine disease: *letter*, **250**
Bae J-H *see* Osborne NN *et al*
Bailey AS *see* Elnifro EM *et al*
Bailey R *see* Mabey D and Bailey R
Baines PS *see* MacEwen CJ *et al*
Bains HS *see* Damji KF *et al*
Baker I *see* Spry PGD *et al*
Barash D *see* Lichter H *et al*
Barnes C *see* Cahill M *et al*
Barr DB *et al*. Vertical cup/disc ratio in relation to optic disc size: *letter*, **994**
Barrie T. Progress in diabetic maculopathy: *editorial*, **3**
Barry P *see* Nambiar AK *et al*
Bartz-Schmidt KU *see* Krott R *et al*
see Lüke C *et al*
Basci NE *see* Çekiç O *et al*
Batman C *see* Çekiç O *et al*
Beales PE *see* Mansfield KJ *et al*
Beatty S *et al*. Macular pigment and age related macular degeneration: *perspective*, **867**
Photocoagulation of subfoveal choroidal neovascular membranes in age related macular degeneration: the impact of the macular photocoagulation study in the United Kingdom and Republic of Ireland: *commentary*, **1103**
Beekhuis WH *see* Melles GRJ *et al*
Behrens A *et al*. "Orientation teeth" in non-mechanical laser corneal trephination for penetrating keratoplasty: 2.94 μm Er:YAG *v* 193 nm ArF excimer laser, **1008**
Behrens-Baumann W *see* Heilmann C *et al*
Bell D *see* Wright M *et al*
Bengtsson B *et al*. Measurement of optic disc size: *correspondence*, **252**
Benjamin L *see* Lawrence DJ *et al*
Berry V *see* Ionides A *et al*
Bessant DAR *et al*. Phenotype of autosomal recessive congenital microphthalmia mapping to chromosome 14q32, **919**
Beuerman RW *see* Chiou AG-Y *et al*
see Chiou AG-Y *et al*
Bhattacharya S *see* Ionides A *et al*
Bhattacharya SS *see* Bessant DAR *et al*
see Cordeiro MF *et al*
Bhermi GS *et al*. Inadvertent exposure of corneal endothelium to 5-fluorouracil: *letter*, **376**
Bialasiewicz AA, Richard G. Severe penetrating injury due to a burst compact disc in a child: *letter*, **628**
Bialasiewicz AA *et al*. α/β− and γ/δ TCR$^+$ lymphocyte infiltration in necrotising choroidal melanomas, **1069**
Binder PS *see* Melles GRJ *et al*
Bird AC *see* Chong NHV and Bird AC
see Flaxel CJ *et al*
see Lois N *et al*
Bird AG *see* Sewell WAC *et al*
Bishop PN *see* Beatty S *et al*
see Black GCM *et al*
Biswas J *et al*. Use of polymerase chain reaction in detection of *Mycobacterium tuberculosis* complex DNA from vitreous sample of Eales' disease: *letter*, **994**
Black GCM *et al*. Ophthalmology in the post-genomic era: *perspective*, **1215**
Bloom P *see* Howe LJ and Bloom P
Bodaghi B *see* Cassoux N *et al*
Bodner E *see* Müllner K *et al*
Bohnensack R *see* Heilmann C *et al*
Boom R *see* Verbraak FD *et al*
Borderie VM *et al*. The triple procedure: in the bag placement versus ciliary sulcus placement of the intraocular lens, **458**
Boulton M *see* Beatty S *et al*
see Smith G *et al*
see Xiao M *et al*
Boulton M. A role for hepatocyte growth factor in diabetic retinopathy?: *editorial*, **763**
Boulton ME *see* Black GCM *et al*
Bourcier T *see* Borderie VM *et al*
Bowell R *see* Flitcroft DI *et al*

Bowman RJC *et al.* Traumatic wound rupture after penetrating keratoplasty in Africa, **530**
Boyce JF *see* Sinthanayothin C *et al*
Bozkurt A *see* Çekiç O *et al*
Brackup A *see* Diniz WV *et al*
Bradbury J *see* Stewart O *et al*
Brasseur G *see* Muraine M *et al*
Bremner FD *et al.* Gaze evoked amaurosis in dysthyroid orbitopathy: *letter*, **501**
Bresnick GH *see* Ambati J *et al*
Brigatti L *see* Moya FJ *et al*
Briggs MC, Jay JL. Age over 46 years does not affect the pressure lowering effect of trabeculectomy in primary open angle glaucoma, **280**
Britt MT, Burnstine MA. Iopidine allergy causing lower eyelid ectropion progressing to cicatricial entropion: *letter*, **992**
Britton KE *see* Lewis KE *et al*
Brodsky MC. Central serous papillopathy: *letter*, **878**
Magnetic resonance imaging of colobomatous optic hypoplasia: *letter*, **755**
Brogan C *see* Lawrence DJ *et al*
Bron A *see* Yokoi N *et al*
Brookes ST *see* Spry PGD *et al*
Brosnahan D *see* Tong L *et al*
Brown N *see* Yokoi N *et al*
Brunner R *see* Lüke C *et al*
Bucheli B *see* Gasser P *et al*
Budde WM *see* Mardin CY *et al*
see Velten IM *et al*
Bunce C *see* Fraser S *et al*
see Kamal DS *et al*
see Lois N *et al*
see Yeo LMW *et al*
Bunce CV *see* Fontana L *et al*
Burden SK *see* Huo R *et al*
Burgess SEP *see* Sudha V and Burgess SEP
Burgett RA *see* Kawasaki A *et al*
Burgos R *see* Masmiquel LL *et al*
Burnstine MA *see* Britt MT and Burnstine MA
Burton BJL, Hamilton AMP. Inferior oblique myectomy using monopolar cutting diathermy resulting in bilateral retinal scarring: *letter*, **374**
Butcher J *see* Morlet N *et al*
Buys YM *see* Trope GE *et al*

Cahill M *see* Nambiar AK *et al*
Cahill M *et al.* Ocular adnexal lymphoma—comparison of MALT lymphoma with other histological types, **742**
Calenda E *see* Muraine M *et al*
Callaghan M *et al.* Homozygosity mapping and linkage analysis demonstrate that autosomal recessive congenital hereditary endothelial dystrophy (CHED) and autosomal dominant CHED are genetically distinct, **115**
Callear AB *et al.* Iris crystals in chronic uveitis, **703**
Canning CR *see* Zakir R *et al*
Cao J *et al.* Angiogenic factors in human proliferative sickle cell retinopathy, **838**
Caprioli J *see* Moya FJ *et al*
Cardon A *see* Muraine M *et al*
Carpineto P *see* Mastropasqua L *et al*
Carta F *see* Pinna A *et al*
Carvajal-Gonzalez S *see* Borderie VM *et al*
Cassidy LM, Sanders MD. Choroidal folds and papilloedema, **1139**
Cassoux N *et al.* Cystoid macular oedema and cytomegalovirus retinitis in patients with HIV disease treated with highly active antiretroviral therapy, **47**
Castillo Jr BV *et al.* Monckeberg's sclerosis in temporal artery biopsy specimens: *letter*, **1091**
Cates CA *et al.* Horner's syndrome in yolk sac tumour of the mediastinum: *letter*, **1406**
Çekiç O *et al.* Penetration of topical, oral, and combined administered ofloxacin into the subretinal fluid, **1183**
Cevallos V *see* Chern KC *et al*
Chakravarthy U *see* Hart PM *et al*
Chan CC *see* de Smet MD *et al*
Chan C-C *see* Whitcup SM *et al*
Chan T-K *see* Lee S-B *et al*
Chana JS *et al. c-myc*, *p53*, and *Bcl-2* expression and clinical outcome in uveal melanoma, **110**
Chang B *see* Stewart O *et al*
Chang B *et al.* Orbital Kimura's disease in a white child: *letter*, **1198**
Chang BL *see* Han SK *et al*
see Hwang J-M and Chang BL
Chang TS *et al.* Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole, **944**
Chang Y-S *see* Chou P-I *et al*
Char DH *see* Tunc M *et al*
see Tunç M *et al*
Charris D *see* Backhouse O *et al*
Charteris DG *see* Yeo LMW *et al*
Chatterjee A *see* Kapoor H *et al*
Chaudhary R *et al.* Macular hole following YAG capsulotomy: *letter*, **755**
Chawla H *see* Wright M *et al*
Chell PB *see* Vernon SA *et al*
Chen C-W *see* Lin C-P *et al*
Chen J-T *see* Chou P-I *et al*
Chen S *see* Nambiar AK *et al*
Chern KC *et al.* Alterations in the conjunctival bacterial flora following a single dose of azithromycin in a trachoma endemic area, **1332**
Chern L *see* Chern KC *et al*
Chidlow G *see* Osborne NN *et al*
Chignell AH *see* Limb GA and Chignell AH
Child A *see* Cordeiro MF *et al*
Chim CS *et al.* Kimura's disease: no evidence of clonality: *letter*, **880**
Chiodini P *see* Zakir R *et al*
Chiou AG-Y *et al.* Confocal microscopy in cornea guttata and Fuchs' endothelial dystrophy, **185**
Confocal microscopy in the iridocorneal endothelial syndrome, **697**
Chiquet C *see* Mauget-Faÿsse M *et al*
Chirambo M *see* van Dijk K *et al*
Chirila TV *see* Hicks CR *et al*
Chiu MT *see* Levinson RD *et al*
Choi-Miura N-H *see* Nishida K *et al*
Chong NHV, Bird AC. Management of inherited outer retinal dystrophies: present and future: *perspective*, **120**
Chou P-I *et al.* Optic canal mucocoele from anterior clinoid pneumatisation: *letter*, **1306**
Chowers I *et al.* Cone and rod dysfunction in the NARP syndrome, **190**
Chu TG *see* Mizoguchi MB *et al*
Chung HS *see* Evans DW *et al*
Chung HS *et al.* Peripapillary retinal blood flow in normal tension glaucoma, **466**
Churchill AJ. Science! Why should the clinician care?: *editorial*, **638**
Ciancaglini M *see* Mastropasqua L *et al*
Clarke MP *see* Pennefather PM *et al*
see Pennefather PM *et al*
Clarke MP *et al.* Cortically visually impaired children: *letter*, **759**
Clayton AB *see* Hicks CR *et al*
Clayton P *see* Backhouse O *et al*
Cleary PE *see* Minihan M *et al*
Cochereau I *et al.* AIDS related eye disease in Burundi, Africa, **339**
Collum LMT *see* Callaghan M *et al*
Condon PI *et al.* Double blind, randomised, placebo controlled, crossover, multicentre study to determine the efficacy of a 0.1% (w/v) sodium hyaluronate solution (Fermavisc) in the treatment of dry eye syndrome, **1121**
Constable IJ *see* Hicks CR *et al*
see Shen W-Y *et al*
Conway SP *see* Ansari EA *et al*
Cook HL *see* Sinthanayothin C *et al*
Cook HL *et al.* Natural history of diabetic macular streak exudates: evidence from a screening programme, **563**
Cook SD *see* Karabatsas CH *et al*
Coombes A, Seward H. Posterior capsular opacification prevention: IOL design and material: *commentary*, **640**
Cooper RJ *see* Elnifro EM *et al*
Cordeiro MF, Khaw PT. The healing optic nerve in glaucoma: transforming growth factor β and optic nerve head remodelling: *editorial*, **132**
Cordeiro MF *et al.* Molecular therapy in ocular wound healing: *perspective*, **1219**
Visual loss after primary trabeculectomy with mitomycin C in Ehlers-Danlos syndrome: *letter*, **1202**
Cordonnier M, Dramaix M. Screening for refractive errors in children: accuracy of the hand held refractor Retinomax to screen for astigmatism, **157**
Cornely OA *see* Lüke C *et al*
Coroneo MT *see* di Girolamo N *et al*
Coscas G *see* Donati G *et al*
Costen MTJ *et al.* Acute central retinal vein occlusion successfully treated with intravenous thrombolysis: *letter*, **1196**
Cottrell DG *see* Pennefather PM *et al*
Courtright P *see* van Dijk K *et al*
Crabtree HL *et al.* Measuring visual symptoms in British cataract patients: the cataract symptom scale, **519**
Cranley J *see* Xiao M *et al*
Crawford B *see* Tunc M *et al*
Crawford GJ *see* Hicks CR *et al*
Cree IA *see* Chana JS *et al*
see Foss AJE *et al*
see Lee V *et al*
see Lutz J-M *et al*
see McLean CJ *et al*
Cremers FPM *see* Klevering BJ *et al*
Croucher JJ *see* Sewell WAC *et al*
Cruz LD *see* Shen W-Y *et al*
Cryan B *see* Minihan M *et al*
Culham L *see* Harper R *et al*
Cunningham Jr ET *see* Rimpel NR *et al*

see Sykes SO *et al*
Curran R *see* Tsiaras WG *et al*

Daly P *see* Cahill M *et al*
Damji KF *et al.* Selective laser trabeculoplasty *v* argon laser trabeculoplasty: a prospective randomised clinical trial, **718**
Dandona L *et al.* Population based assessment of diabetic retinopathy in an urban population in southern India, **937**
Dandona R *see* Dandona L *et al*
Daneshvar H *et al.* Acute myelogenous leukaemia in an adult presenting with uveitis: *letter*, **882**
Daniel E *see* John D and Daniel E
Daniel R *see* Kapoor H *et al*
Dart J *see* Menon GJ *et al*
Dart JKG *see* Woodruff SA and Dart JKG
Das T *et al.* Intravitreal dexamethasone in exogenous bacterial endophthalmitis: results of a prospective randomised study, **1050**
Dawson WW *see* Shorstein NH *et al*
Dayan MR, Elston JS. Fluctuating oculomotor hyperfunction and hypofunction caused by aneurysmal compression of the third cranial nerve: *letter*, **1204**
Dayanır V *see* Avunduk AM *et al*
Dazza M-C *see* Cochereau I *et al*
de A Nishioka S. Ocular abnormalities in a cohort of children born prematurely: effects of selection bias and possible confounding: *letter*, **1411**
de Laey JJ *see* Kohno T *et al*
de Loos WS *see* Kerkhoff FT *et al*
den Otter W *see* Koten J-W *et al*
Denyer J *see* Tong L *et al*
Desai P *see* MacEwen CJ *et al*
Desai P *et al.* National cataract surgery survey 1997–8: a report of the results of the clinical outcomes, **1336**
Profile of patients presenting for cataract surgery in the UK: national data collection, **893**
de Smet MD *see* Ongkosuwito JV *et al*
see Verbraak FD *et al*
de Smet MD *et al.* Intravitreal chemotherapy for the treatment of recurrent intraocular lymphoma, **448**
Dhami HL *see* Chern KC *et al*
Dhar-Munshi S *see* Newsom R *et al*
Dhillon B *see* Ambrecht AM *et al*
see Khan MA and Dhillon B
Dick AD *see* Laliotou B and Dick AD
Dick AD, Isaacs JD. Immunomodulation of autoimmune responses with monoclonal antibodies and immunoadhesins: treatment of ocular inflammatory disease in the next millennium: *perspective*, **1230**
Dickinson C *see* Harper R *et al*
Diestelhorst M *see* Grisanti S *et al*
Dietlein TS *et al.* Prognosis of primary ab externo surgery for primary congenital glaucoma, **317**
di Girolamo N *et al.* Culture and characterisation of epithelial cells from human pterygia, **1077**
Dillen PMEW *see* Verbraak FD *et al*
Dinç H *see* Avunduk AM *et al*
Diniz WV *et al.* Orbital haemangiopericytoma simulating an intraocular mass: *letter*, **756**
Djano J *et al.* Environmental scanning electron microscopic study of macrophages associated with the tunica vasculosa lentis in the developing rat eye, **1384**
Dodson PM *see* Gillow JT *et al*
Dolin PJ *see* Foss AJE *et al*
Donaldson WBM *see* Costen MTJ *et al*
Donati G *et al.* Radiotherapy for isolated occult subfoveal neovascularisation in age related macular degeneration: a pilot study, **646**
Dorrell ED *see* Cates CA *et al*
Dota A *see* Koizumi N *et al*
see Nishida K *et al*
Doyle E, Liu C. A case of acquired iris depigmentation as a possible complication of levobunolol eye drops: *letter*, **1405**
Dramaix M *see* Cordonnier M and Dramaix M
Dua HS *see* Ahmed R and Dua HS
see Azuara-Blanco A *et al*
see El-Ghrably IA *et al*
see Haynes RJ *et al*
see Panda A *et al*
see Rao SK *et al*
see Young AL *et al*
Dua HS, Azuara-Blanco A. Allo-limbal transplantation in patients with limbal stem cell deficiency, **414**
Amniotic membrane transplantation: *perspective*, **748**
Dubler B *see* Gasser P *et al*
Dunlop AAS *et al.* Retinal neovascularisation in Goltz syndrome (focal dermal hypoplasia): *letter*, **1094**
Dupont J *see* Grunwald JE *et al*
Duret F *see* Safran AB *et al*
see Safran AB *et al*
Dusoir AE *see* Refson K *et al*
Dutton GN *see* Menon GJ and Dutton GN
Dutton J *see* Pennefather PM *et al*
see Pennefather PM *et al*

East MM *see* Newman DK and East MM
Easty DL *see* Smith VA *et al*
see Spry PGD *et al*
Ebenezer N *see* Assi A *et al*
Eckstein M *et al.* Randomised clinical trial of lensectomy versus lens aspiration and primary capsulotomy for children with bilateral cataract in south India, **524**
Edelsten C *see* Maini R and Edelsten C
Edgar DF *see* Pacheco-Cutillas M *et al*
Edward DP *see* Castillo Jr BV *et al*
El-Ghrably IA *et al.* Detection of cytokine mRNA production in infiltrating cells in proliferative vitreoretinopathy using reverse transcription polymerase chain reaction, **1296**
Ellis J *see* Vernon SA *et al*
Ellis JD *et al.* Should diabetic patients be screened for glaucoma?: *perspective*, **369**
Elnifro EM *et al.* Diagnosis of viral and chlamydial keratoconjunctivitis: which laboratory test?: *perspective*, **622**
Elpeleg ON *see* Chowers I *et al*
Elston J *see* Wheatcroft S and Elston J
see Wheatcroft S and Elston J
Elston JS *see* Dayan MR and Elston JS
Emi K *see* Oshima Y *et al*
Endo S *et al.* Ocular ball bullet injury: detection of gonioscopically unrecognisable cyclodialysis by ultrasound biomicroscopy: *letter*, **1306**
Eong KGA *see* Beatty S *et al*
Eong K-GA *see* Lee S-B *et al*
Erturk H *see* Yazici Z *et al*
Escaño MFT *see* Fujii S *et al*
Etchells DE *see* Cates CA *et al*
see Mearza AA *et al*
Etherington C *see* Ansari EA *et al*
Eupherte L *see* Muraine M *et al*
Eustace P *see* Mulhern MG *et al*
Evans DW *et al.* Glaucoma patients demonstrate faulty autoregulation of ocular blood flow during posture change, **809**
Evans J *see* Vernon SA *et al*

Fadda G *see* Pinna A *et al*
Falconio G *see* Mastropasqua L *et al*
Fallon MJ *see* Hicks CR *et al*
Fardeau C *see* Milea D *et al*
Farjo Q *see* Soong K *et al*
Felbor U *et al.* Ocular ochronosis in alkaptonuria patients carrying mutations in the homogentisate 1,2-dioxygenase gene, **680**
Feldon SE *see* Chou P-I *et al*
Feuer WJ *see* Joos KM *et al*
Ficker L *see* Assi A *et al*
Fielder A *et al.* Ophthalmic medical assistants: response: *commentary*, **512**
Filipec M *see* Kuffová L *et al*
Findlay C *see* Ambrecht AM *et al*
Fink M *see* Kuchar A *et al*
Fischer D *see* El-Ghrably IA *et al*
Fitzke FW *see* Lois N *et al*
Fitzsimon JS *see* Callaghan M *et al*
Flammer J *see* Gasser P *et al*
Flanagan J *see* Trope GE *et al*
Flaxel CJ *et al.* Difference between RP2 and RP3 phenotypes in X linked retinitis pigmentosa, **1144**
Fleck BW *see* Mohan M and Fleck BW
see Mohan M *et al*
Flitcroft DI *et al.* Intraocular lenses in children: changes in axial length, corneal curvature, and refraction, **265**
Fogla R *see* Rao SK *et al*
Fontana L *see* Garway-Heath DF *et al*
Fontana L *et al.* Clinical factors influencing the visual prognosis of the fellow eyes of normal tension glaucoma patients with unilateral field loss, **1002**
Foreman D *see* Smith G *et al*
Forrester JV *see* Kuffová L *et al*
Forrester JV. Impact of new technologies in ophthalmology: *editorial*, **1211**
The *BJO* goes full text on the web: *editorial*, **383**
Foss AJ *see* Lutz J-M *et al*
Foss AJE *see* Chana JS *et al*
Foss AJE *et al.* Modelling uveal melanoma, **588**
Foster A *see* Eckstein M *et al*
see Hornby SJ *et al*
see Kapoor H *et al*
see Rahi JS *et al*
see Yorston D and Foster A
Fowler C *see* Yokoi N *et al*
Francis P *see* Ionides A *et al*
Frank J *see* Wearne MJ *et al*
Fraser S *et al.* Retrospective analysis of risk factors for late presentation of chronic glaucoma, **24**
Frau E *et al.* Phacoemulsification combined with silicone oil removal through posterior capsulorhexis: *letter*, **1406**

Fredrick DR *see* Clarke MP *et al*
Fricke J *see* Lüke C *et al*
Fritz S *see* Pennefather PM *et al*
Fujihara T *see* Tsubota K *et al*
Fujii S *et al.* Multifocal electroretinography in patients with occult macular dystrophy: *letter*, **879**
Fujino Y *see* Inoue K *et al*
Fujisawa H *see* Nishina S *et al*
Fujisawa S *see* Endo S *et al*
Fujita H *see* Tsubota K *et al*
Fujita K *see* Takayanagi TH *et al*
Fukagawa K *see* Takano Y *et al*
Fukasaku K *see* Umihira J *et al*
Fukuda M *see* Ohguro N *et al*
Fukushima A *et al.* Suppression of induction of experimental immune mediated blepharoconjunctivitis by tolerogenic conjugates of the antigen and monomethoxypolyethylene glycol, **973**
Funaki H *see* Shirakashi M *et al*
Funaki S *see* Shirakashi M *et al*
Furber JE *see* Spry PGD *et al*

Gallenga PE *see* Mastropasqua L *et al*
Gardiner J *see* van Dijk K *et al*
Garrett KL *see* Shen W-Y *et al*
Garrett M *see* Evans DW *et al*
Garway-Heath DF *see* Barr DB *et al*
see Bengtsson B *et al*
see Fontana L *et al*
see Kamal DS *et al*
Garway-Heath DF *et al.* Inter- and intraobserver variation in the analysis of optic disc images: comparison of the Heidelberg retina tomograph and computer assisted planimetry, **664**
Gasch AT *et al.* Birdshot retinochoroidopathy: *perspective*, **241**
Gasser P *et al.* Relation between blood flow velocities in the ophthalmic artery and in nailfold capillaries: *letter*, **506**
Gazzard BG *see* Mitchell SM *et al*
Geiger GL *see* Whitcup SM *et al*
Gendron EK *see* Joos KM *et al*
George LD *et al.* Effect of software manipulation (Photoshop) of digitised retinal images on the grading of diabetic retinopathy, **911**
George RK *see* Whitcup SM *et al*
Georgopoulos M *see* Vécsei PV *et al*
Gérard J-P *see* Mauget-Faÿsse M *et al*
Giavedoni LR *see* Aslanides IM *et al*
Gibson JM *see* Gillow JT *et al*
Giesswein S *see* Tsiaras WG *et al*
Gilberg S *see* Daneshvar H *et al*
Gilbert C *see* Eckstein M *et al*
Gilbert CE *see* Hornby SJ *et al*
see Rahi JS *et al*
Gillardon F *see* Wickert H *et al*
Gillow JT *et al.* Hypertension and diabetic retinopathy—what's the story?: *perspective*, **1083**
Giovannini A *et al.* OCT imaging of choroidal neovascularisation and its role in the determination of patients' eligibility for surgery, **438**
Goddard AG *et al.* Delay in diagnosis of retinoblastoma: risk factors and treatment outcome, **1320**
Godehardt E *see* Reis A *et al*
Godinaud P *see* Cochereau I *et al*
Gohto Y *see* Obana A *et al*
Gomez-Ulla F, Gonzalez F. Retinal vascular abnormality in Poland's syndrome: *letter*, **1092**
Gonder JR *see* Chaudhary R *et al*
Gonzalez F *see* Gomez-Ulla F and Gonzalez F
Good WV *see* Huo R *et al*
Gothwal VK *see* Das T *et al*
Goto E *see* Tsubota K *et al*
see Tsubota K *et al*
Graham EM *see* Palmer HE *et al*
Grange J-D *see* Zech J-C *et al*
Grauer A *see* Wickert H *et al*
Gray CS *see* Crabtree HL *et al*
Gray S *see* Spry PGD *et al*
Gregor ZJ *see* Yeo LMW *et al*
Grehn F *see* Felbor U *et al*
Grey RHB *see* Sethi CS *et al*
Griffin B *see* Djano J *et al*
Griffiths PG *see* Andrews RM *et al*
see Stevenson R and Griffiths PG
Grisanti S *et al.* Cellular photoablation to control postoperative fibrosis in a rabbit model of filtration surgery, **1353**
Grönhagen-Riska C *see* Tuominen I *et al*
Grunwald JE *et al.* Effect of isosorbide mononitrate on the human optic nerve and choroidal circulations, **162**
Gunduz K *see* Diniz WV *et al*
Gunji K *see* Hosal BM *et al*

Halfyard AS *see* Lois N *et al*
Hall NF *et al.* Grading nuclear cataract: reproducibility and validity of a new method, **1159**
Hameed A *see* Bessant DAR *et al*
Hamilton AMP *see* Burton BJL and Hamilton AMP
see Dunlop AAS *et al*
Han SK *et al.* Effect of diode laser trans-scleral cyclophotocoagulation in the management of glaucoma after intravitreal silicone oil injection for complicated retinal detachments, **713**
Hand CK *see* Callaghan M *et al*
Handa H *see* Nishina S *et al*
Hanuch OE *see* Ambati J *et al*
Hardcastle AJ *see* Flaxel CJ *et al*
Harding JJ *see* Weale RA *et al*
Harper J *see* Tong L *et al*
Harper JI *see* Dunlop AAS *et al*
Harper R *et al.* Head mounted video magnification devices for low vision rehabilitation: a comparison with existing technology: *perspective*, **495**
Harrad RA *see* Ambrecht AM *et al*
Harris A *see* Chung HS *et al*
see Evans DW *et al*
see Joos KM *et al*
Harry J *see* Callear AB *et al*
Hart CD *see* Sethi CS *et al*
Hart PM *et al.* A vision specific functional index for use in patients with age related macular degeneration, **1115**
Hartmann C *see* Klebe S *et al*
Hashimoto Y *see* Endo S *et al*
Hay DA *see* Chang TS *et al*
Hayashi K *see* Kohno T *et al*
Hayashi M *see* Yamamoto S *et al*
Hayashi Y *see* Ikeda T *et al*
Haynes RJ *et al.* Antimicrobial defensin peptides of the human ocular surface, **737**
Hayreh SS *see* Jonas JB and Hayreh SS
Headon MP *see* Murray DC *et al*
Heilmann C *et al.* Effect of the cytostatic agent idarubicin on fibroblasts of the human Tenon's capsule compared with mitomycin C, **961**
Heimann K *see* Grisanti S *et al*
see Krott R *et al*
Henderson HWA, Mitchell SM. Treatment of immune recovery vitritis with local steroids, **540**
Henson D *see* Beatty S *et al*
Hernandez MR *see* Pena JDO *et al*
Herold J *see* Liu C *et al*
Hey EN *see* Pennefather PM *et al*
Heyworth P *see* Menon GJ *et al*
Hicks CR *et al.* Correlation of histological findings with gadolinium enhanced MRI scans during healing of a PHEMA orbital implant in rabbits, **616**
Hida T *see* Hotta K *et al*
Hildreth AJ *see* Crabtree HL *et al*
Hipwell JH *see* Sharp PF *et al*
Hirakata A *see* Hotta K *et al*
Hitchings RA *see* Barr DB *et al*
see Bengtsson B *et al*
see Fontana L *et al*
see Garway-Heath DF *et al*
see Kamal DS *et al*
Hjelmeland LM *see* Cao J *et al*
Hoar B *see* van Dijk K *et al*
Hodge W *see* Daneshvar H *et al*
Hodge WG *see* Damji KF *et al*
Hodgkins PR *see* Tong L *et al*
Hofeldt AJ *see* Hofeldt TS and Hofeldt AJ
Hofeldt TS, Hofeldt AJ. Measuring colour rivalry suppression in amblyopia, **1283**
Hoh HB *see* Smith VA *et al*
Holak S *see* Bhermi GS *et al*
Holáň V *see* Kuffová L *et al*
Hólló G *et al.* Plasma endothelin-1 concentrations in patients with retinal vein occlusions: *correspondence*, **127**
Retinal nerve fibre layer thickness: *letter*, **1411**
Holliman R *see* Minihan M *et al*
Holmström G *et al.* Ophthalmological follow up of preterm infants: a population based, prospective study of visual acuity and strabismus, **143**
Honma Y *see* Koizumi N *et al*
Hope-Ross MW *see* Lip PL *et al*
Horn FK *see* Mardin CY *et al*
see Velten IM *et al*
Hornby SJ *et al.* Causes of childhood blindness in the People's Republic of China: results from 1131 blind school students in 18 provinces, **929**
Hosal BM *et al.* Significance of serum antibodies reactive with flavoprotein subunit of succinate dehydrogenase in thyroid associated orbitopathy, **605**
Hosoda Y *see* Kato T *et al*

Hossain P. Scanning laser ophthalmoscopy and fundus fluorescent leucocyte angiography: *perspective*, **1250**
Hotta K *et al.* Retinoschisis associated with disc coloboma: *letter*, **124**
Howe LJ, Bloom P. Delayed suprachoroidal haemorrhage following trabeculectomy bleb needling: *letter*, **757**
Howes Jr EL *see* Rimpel NR *et al*
Hoyng CB *see* Klevering BJ *et al*
Hoyt CS *see* Clarke MP *et al*
see Huo R *et al*
Hsuan J *see* Yokoi N *et al*
Huang AJ *see* Liu Z *et al*
Hudde T *et al.* Randomised controlled trial of corticosteroid regimens in endothelial corneal allograft rejection, **1348**
Hull C *see* Liu C *et al*
Hull CC *et al.* Image quality in polypseudophakia for extremely short eyes, **656**
Hungerford J *see* Lewis KE *et al*
Hungerford JL *see* Chana JS *et al*
see Foss AJE *et al*
see Goddard AG *et al*
see Lee V *et al*
Huo R *et al.* Chronic cortical visual impairment in children: aetiology, prognosis, and associated neurological deficits, **670**
Huppertz H-I *et al.* Ocular manifestations in children and adolescents with Lyme arthritis, **1149**
Hussein K *see* Cates CA *et al*
Hutchinson S *see* Frau E *et al*
Hwang J-M, Chang BL. Combined effect of Interceed and 5-fluorouracil on delayed adjustable strabismus surgery, **788**

Iannaccone A *see* Grunwald JE *et al*
see Hólló G *et al*
Ikai N *see* Yawata N *et al*
Ikeda T *see* Inokuchi N *et al*
Ikeda T *et al.* Vitrectomy for cystoid macular oedema with attached posterior hyaloid membrane in patients with diabetes, **12**
Ikeda Y *see* Ogawa Y *et al*
Ikegami K *see* Kato T *et al*
Inokuchi N *et al.* Severe proliferative diabetic retinopathy associated with acromegaly: *letter*, **629**
Inoue H *see* Tsubota K *et al*
Inoue K *et al. Ochrobactrum anthropi* endophthalmitis after vitreous surgery: *letter*, **502**
Inoue T *et al.* Utility of Fungiflora Y stain in rapid diagnosis of *Acanthamoeba* keratitis: *letter*, **632**
Inoue Y *see* Inoue T *et al*
Ionides A *et al.* Clinical and genetic heterogeneity in autosomal dominant cataract, **802**
Isaacs JD *see* Dick AD and Isaacs JD
see McKibbin M *et al*
Isashiki Y *et al.* Retinitis pigmentosa with visual fluctuations and arrestin gene mutation: *letter*, **1197**
Ishibashi K *see* Fujii S *et al*
Ishida N *see* Endo S *et al*
Ishida S *see* Shinoda K *et al*
Ismail M *see* Bessant DAR *et al*
Issenhuth M *see* Safran AB *et al*
Itoh N *see* Kadonosono K *et al*

Jackson AJ *see* Refson K *et al*
Jackson TL, Williamson TH. Amikacin retinal toxicity: *letter*, **1199**
Jacobi PC *see* Dietlein TS *et al*
Jalali S *see* Das T *et al*
Jamison JQ *see* Hart PM *et al*
Jay JL *see* Briggs MC and Jay JL
Jay M *see* Flaxel CJ *et al*
Jeffrey MN *see* McDermott B *et al*
see Webber SK and Jeffrey MN
Jing H *see* Hornby SJ *et al*
John D, Daniel E. Infectious keratitis in leprosy, **173**
John M *see* Wickert H *et al*
Johns DR *see* Tsao K *et al*
Johnson MA *see* Andrews RM *et al*
Jonas JB *see* Mardin CY *et al*
see Papastathopoulos KI and Jonas JB
Jonas JB, Hayreh SS. Localised retinal nerve fibre layer defects in chronic experimental high pressure glaucoma in rhesus monkeys, **1291**
Jones B *see* Cordeiro MF *et al*
Joos KM *et al.* Effect of acute intraocular pressure changes on short posterior ciliary artery haemodynamics, **33**

Kadonosono K *et al.* Perifoveal microcirculation in eyes with epiretinal membranes, **1329**
Kagemann L *see* Chung HS *et al*
see Evans DW *et al*
Kaido M *see* Tsubota K *et al*
Kakiuchi T *see* Isashiki Y *et al*
Kalmann R, Mourits MP. Diabetes mellitus: a risk factor in patients with Graves' orbitopathy, **463**
Kamal D *see* Garway-Heath DF *et al*
Kamal DS *et al.* Detection of optic disc change with the Heidelberg retina tomograph before confirmed visual field change in ocular hypertensives converting to early glaucoma, **290**
Kamath GG *et al.* Peripapillary coloboma simulating double optic disc: *letter*, **1207**
Kanai A *see* Kato T *et al*
see Kato T *et al*
Kanai M *see* Yawata N *et al*
Kanayama T *see* Kato T *et al*
Kano K *see* Kohno T *et al*
Kano T *see* Abe T *et al*
Kapıcıoğlu Z *see* Avunduk AM *et al*
Kapoor H *et al.* Evaluation of visual outcome of cataract surgery in an Indian eye camp, **343**
Karabatsas CH *et al.* Proposed classification for topographic patterns seen after penetrating keratoplasty, **403**
Karas MP *see* Adams GGW and Karas MP
Karlen ME *et al.* Deep sclerectomy with collagen implant: medium term results, **6**
Katano T *see* Ikeda T *et al*
Katlama C *see* Cassoux N *et al*
Kato T *et al.* Analysis of glycosaminoglycans in rabbit cornea after excimer laser keratectomy, **609**
Corneal wound healing following laser in situ keratomileusis (LASIK): a histopathological study in rabbits, **1302**
Kaufman HE *see* Chiou AG-Y *et al*
see Chiou AG-Y *et al*
Kaufman SC *see* Chiou AG-Y *et al*
see Chiou AG-Y *et al*
Kawakami A *see* Nishina S *et al*
Kawasaki A *et al.* Hyperhomocysteinaemia in young patients with non-arteritic anterior ischaemic optic neuropathy, **1287**
Kawashima S *see* Shinoda K *et al*
Kay MD *see* Joos KM *et al*
Kayaalp SO *see* Çekiç O *et al*
Keeffe JE *see* McCarty CA *et al*
Keller C *see* Tsiaras WG *et al*
Kemp EG *see* O'Donnell NP *et al*
Kennedy S *see* Cahill M *et al*
see Chang B *et al*
Kennedy SM *see* Callaghan M *et al*
Kennerdell JS *see* Hosal BM *et al*
Kerkhoff FT *et al.* Presumed ocular bartonellosis, **270**
Kessel L *et al.* Diabetic versus non-diabetic colour vision after cataract surgery, **1042**
Keunen JEE *et al.* Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *commentary*, **1212**
Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *letter*, **987**
Khaliq S *see* Bessant DAR *et al*
Khan MA, Dhillon B. Epiphora due to Kaposi's sarcoma of the nasolacrimal duct: *letter*, **501**
Khaw PT *see* Cordeiro MF and Khaw PT
see Cordeiro MF *et al*
see Cordeiro MF *et al*
Khaw PT, Siriwardena D. "New" surgical treatments for glaucoma: *editorial*, **1**
Kijima M *see* Yawata N *et al*
Kijlstra A *see* Klok A-M *et al*
see Ongkosuwito JV *et al*
see Verbraak FD *et al*
Kijlstra A. Jan Kok (1952–1998), **507**
Kikuchi T *see* Kuroiwa S *et al*
Killingsworth MC *see* Sarks SH *et al*
Kim DM *see* Han SK *et al*
Kim D-S *see* Ko M-K *et al*
Kim RY *see* Rimpel NR *et al*
Kim S-Y *see* Min B-M *et al*
Kimura K *see* Isashiki Y *et al*
Kingston JE *see* Goddard AG *et al*
Kinoshita S *see* Koizumi N *et al*
see Nishida K *et al*
Kircher K *see* Vécsei PV *et al*
Kiritoshi A *see* Inoue T *et al*
Kirkham N *see* Newsom R *et al*
Kirkness CM *see* Bowman RJC *et al*
Kiryu J *see* Kobayashi H *et al*
see Kobayashi H *et al*
Kishi S *see* Si Y-J *et al*
Kisielewicz LT *see* Uchio E *et al*
Klapper PE *see* Elnifro EM *et al*
Klebe S *et al.* Immunohistological findings in a patient with unusual late onset manifestation of ligneous conjunctivitis: *letter*, **878**
Klemperer I *see* Schenek M *et al*
Klevering BJ *et al.* Phenotypic variations in a family with retinal dystrophy as result of different mutations in the *ABCR* gene, **914**
Klok A-M *et al.* Soluble ICAM-1 serum levels in patients with intermediate uveitis, **847**
Knabben H *see* Weinberger AWA *et al*
Knight-Nanan D *see* Flitcroft DI *et al*

Ko M-K *et al.* Morphological variations of the peripapillary circle of Zinn–Haller by flat section, **862**
Kobayashi H *et al.* Pilocarpine induces an increase in the anterior chamber angular width in eyes with narrow angles, **553**
Ultrasound biomicroscopic measurement of development of anterior chamber angle, **559**
Kobayashi K *see* Kobayashi H *et al*
see Kobayashi H *et al*
Kobayashi T *see* Trier K *et al*
Koenig F *see* Mauget-Faÿsse M *et al*
Koh H-H *see* Beatty S *et al*
Kohler D *see* de Smet MD *et al*
Kohno T *et al.* Subtraction ICG angiography in Harada's disease, **822**
Kohsaka S *see* Nishina S *et al*
Koizumi N *et al.* Detection of herpes simplex virus DNA in atypical epithelial keratitis using polymerase chain reaction, **957**
Kojima H *see* Kuroiwa S *et al*
see Yokoyama A *et al*
Komatsu M *see* Abe T *et al*
Kondo T *see* Kobayashi H *et al*
see Kobayashi H *et al*
Korkmaz E *see* Avunduk AM *et al*
Kortbeek LM *see* Ongkosuwito JV *et al*
Korth M *see* Velten IM *et al*
Korver JGJ *see* Keunen JEE *et al*
see Keunen JEE *et al*
Koten J-W *et al.* Suggestion for IL-2 treatment of conjunctival squamous carcinoma: *letter*, **995**
Koul RL *see* Mitra S and Koul RL
Kremer I *see* Lichter H *et al*
Kress W *see* Felbor U *et al*
Krieglstein G *see* Grisanti S *et al*
Krieglstein GK *see* Dietlein TS *et al*
see Mietz H *et al*
Kriss A *see* Backhouse O *et al*
Kroll P *et al.* Vitreopapillary traction in proliferative diabetic vitreoretinopathy, **261**
Krott R *et al.* Laceration of the eye with a fishing hook: *letter*, **1194**
Kuboki J *see* Abe T *et al*
Kubota S *see* Hosal BM *et al*
Kuchar A *see* Pieh S *et al*
Kuchar A *et al.* Endoscopic laser recanalisation of presaccal canalicular obstruction, **443**
Kuchle M *see* Behrens A *et al*
Kudoh J *see* Uchio E *et al*
Kuffová L *et al.* Cell subpopulations in failed human corneal grafts, **1364**
Kugelberg U *see* Holmström G *et al*
Kumar RK *see* di Girolamo N *et al*
Kunstfeld R *see* Pieh S *et al*
Kupersmith MJ *et al.* Visual performance in giant cell arteritis (temporal arteritis) after 1 year of therapy, **796**
Kurimoto Y *see* Umihira J *et al*
Kuroiwa S *et al.* ATP binding cassette transporter retina genotypes and age related macular degeneration: an analysis on exudative non-familial Japanese patients, **613**
Kurtenbach A *et al.* Preretinopic changes in the colour vision of juvenile diabetics, **43**
Kus MM *see* Behrens A *et al*
Kutkuhn B *see* Reis A *et al*
Kwong YL *see* Chim CS *et al*

Labétoulle M *see* Frau E *et al*
Lake SR, Vernon SA. Emergency contraception and retinal vein thrombosis: *letter*, **630**
Laliotou B, Dick AD. Modulating phenotype and cytokine production of leucocytic retinal infiltrate in experimental autoimmune uveoretinitis following intranasal tolerance induction with retinal antigens, **478**
Lam DSC *see* Young AL *et al*
Lander F *see* Melles GRJ *et al*
Landis T *see* Safran AB *et al*
Langenbucher A *see* Behrens A *et al*
Langer R *see* Kupersmith MJ *et al*
Langerhorst CT, Wenniger-Prick L. Intermittent ptosis due to large exophoria: *letter*, **1308**
Lanigan B *see* Flitcroft DI *et al*
Lanzetta P *et al.* Immediate intraocular pressure response to selective laser trabeculoplasty, **29**
Lanzl IM *see* Azuara-Blanco A *et al*
Larkin DFP *see* Hudde T *et al*
Laroche L *see* Borderie VM *et al*
Larouzé B *see* Cochereau I *et al*
Larsen M *see* Kessel L *et al*
Lautier-Frau M *see* Frau E *et al*
Lawless MA *see* Webber SK *et al*
Lawrence DJ *et al.* Measuring the effectiveness of cataract surgery: the reliability and validity of a visual function outcomes instrument, **66**
Leatherbarrow B *see* Wright M *et al*
Leaver PK. Trends in vitreoretinal surgery—time to stop and think: *editorial*, **385**
Lee H-P *see* Lee S-B *et al*
Lee J *see* McDermott B *et al*
Lee JP *see* Mohan M *et al*
Lee S-B *see* Min B-M *et al*
Lee S-B *et al.* Incidence of eyelid cancers in Singapore from 1968 to 1995, **595**
Lee V *et al.* Ring melanoma—a rare cause of refractory glaucoma, **194**
Leenders I *see* van den Bosch WA *et al*
Lehoang P *see* Cassoux N *et al*
see Milea D *et al*
Lehrer E *see* Lüke C *et al*
Leitch RJ *see* Backhouse O *et al*
Lempert P *see* Hall NF *et al*
Lempert P. Myopia in diethylstilboestrol exposed amblyopic subjects: *correspondence*, **126**
Lerman-Sagie T *see* Chowers I *et al*
Letizia C *see* Hólló G *et al*
Leung ATS *see* Young AL *et al*
Levinson RD *et al.* Acute retinal necrosis after neonatal herpes encephalitis: *letter*, **123**
Lewallen S *see* van Dijk K *et al*
Lewis KE *et al.* Somatostatin scan positive gastrinoma ocular metastasis: *letter*, **1093**
Li Y *see* Hornby SJ *et al*
Liang R *see* Chim CS *et al*
Liang X *see* Hornby SJ *et al*
Lichter H *et al.* Ultrasound biomicroscopy in juvenile xanthogranuloma of the iris: *letter*, **375**
Lieb W *see* Huppertz H-I *et al*
Lietman TM *see* Chern KC *et al*
Lifshitz T *see* Schenek M *et al*
Lightman S *see* Okhravi N *et al*
Limb GA, Chignell AH. Vitreous levels of intercellular adhesion molecule 1 (ICAM-1) as a risk indicator of proliferative vitreoretinopathy, **953**
Lin C-P *et al.* Corneal ectasia after trabeculectomy with mitomycin C application: *letter*, **629**
Lindley J *see* van Dijk K *et al*
Lip PL *et al.* Central serous retinopathy complicated by massive bilateral subretinal haemorrhage: *letter*, **990**
Littlewood JM *see* Ansari EA *et al*
Liu C *see* Doyle E and Liu C
see Newsom R *et al*
see Sciscio A and Liu C
Liu C *et al.* Osteon-odonto-keratoprosthesis surgery: *correspondence*, **127**
Liu CSC *see* Hull CC *et al*
Liu Y-T *see* Lin C-P *et al*
Liu Z *et al.* Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system, **774**
Lloyd A *see* di Girolamo N *et al*
Loeffler KU *see* Sekundo W *et al*
Loewe R *see* Radner W *et al*
Logan P *see* Mulhern MG *et al*
Lois N *see* Shields JA *et al*
Lois N *et al.* Reproducibility of fundus autofluorescence measurements obtained using a confocal scanning laser ophthalmoscope, **276**
Long V *see* Cook HL *et al*
Lowder CY *see* Sykes SO *et al*
Lowy C *see* Palmer HE *et al*
Luhishi EA *see* Ambrecht AM *et al*
Luke C *et al.* Late onset of Leber's hereditary optic neuropathy in HIV infection: *letter*, **1204**
Lumbroso L *see* Cassoux N *et al*
see Milea D *et al*
Lumsden L *see* Kuffová L *et al*
Lundström M *et al.* Outcome of cataract surgery considering the preoperative situation: a study of possible predictors of the functional outcome, **1272**
Lusty J *see* George LD *et al*
Luthert PJ *see* Yeo LMW *et al*
Lutty GA *see* Cao J *et al*
Lutz J-M *et al.* Risk factors for intraocular melanoma and occupational exposure: *perspective*, **1190**
Luyendijk L *see* Klok A-M *et al*

Ma J-X *see* Bialasiewicz AA *et al*
Ma PE *see* Chang TS *et al*
Maberley AL *see* Chang TS *et al*
Mabey D, Bailey R. Eradication of trachoma worldwide: *perspective*, **1261**
McAllister J *see* Assi A *et al*
see Hicks CR *et al*
McCarty CA *see* Dandona L *et al*
McCarty CA *et al.* The need for cataract surgery: projections based on lens opacity, visual acuity, and personal concern, **62**
McCasland BJ *et al.* Subretinal haemorrhage in idiopathic intracranial hypertension: *letter*, **883**

McCluskey P *see* di Girolamo N *et al*
McCormack P. Penetrating injury of the eye: *editorial*, **1101**
McDermott B *et al.* Ophthalmic medical assistants: *letter*, **634**
McDonald C *see* Condon PI *et al*
McDonnell PJ. Refractive surgery: *perspective*, **1257**
MacEwan CJ *see* Vernon SA *et al*
McEwen CG *see* Condon PI *et al*
MacEwen CJ *see* Ellis JD *et al*
MacEwen CJ *et al.* Eye injuries in children: the current picture, **933**
McGalliard JN *see* Ah-Fat FG *et al*
McGill E *see* Chang TS *et al*
McIntyre B *see* Bowman RJC *et al*
Mackay D *see* Ionides A *et al*
McKibbin M *et al.* Incidence of corneal melting in association with systemic disease in the Yorkshire Region, 1995–7, **941**
Mackintosh G *see* Condon PI *et al*
McLean CJ *et al.* Rhinostomies: an open and shut case?, **1300**
McLeod D *see* Beatty S *et al*
see Black GCM *et al*
see Smith G *et al*
see Xiao M *et al*
McLeod D. Diabetic tractional papillopathy: a new (and true) nosological entity?: *editorial*, **257**
McLeod DS *see* Cao J *et al*
McMenamin PG *see* Djano J *et al*
McMenamin PG. Dendritic cells and macrophages in the uveal tract of the normal mouse eye, **598**
Madhavan HN *see* Biswas J *et al*
see Okhravi N *et al*
Magone MT *see* Whitcup SM *et al*
Maguire AM *see* Thorne JE and Maguire AM
Maini R, Edelsten C. Uveitis associated with parvovirus infection: *letter*, **1403**
Majid MA *see* Ah-Fat FG *et al*
Malla KS. Pupillary abnormality: *letter*, **1207**
Mallinger R *see* Radner W *et al*
Ma'luf RN. Correction of the inadequate lower fornix in the anophthalmic socket: *letter*, **881**
Manivannan A *see* Sharp PF *et al*
Mannor GE *see* Müllner K *et al*
Mansfield KJ *et al.* A new substrain of the non-obese diabetic mouse which develops cataracts (NOD/Ba/Lop19): *letter*, **759**
Mardin CY *et al.* Preperimetric glaucoma diagnosis by confocal scanning laser tomography of the optic disc, **299**
Mariotti C *see* Giovannini A *et al*
Mars JS *see* Shaikh MH and Mars JS
Marsden J *see* McDermott B *et al*
Marti R *see* Masmiquel LL *et al*
Martin B *see* Chung HS *et al*
Martin P *see* Mauget-Faÿsse M *et al*
Mashima Y *see* Ogawa Y *et al*
Masmiquel LL *et al.* Effect of panretinal photocoagulation on serum levels of laminin in patients with diabetes: a prospective study, **1056**
Mastropasqua L *et al.* Treatment of retinal tears and lattice degenerations in fellow eyes in high risk patients suffering retinal detachment: a prospective study, **1046**
Mateo C *see* Masmiquel LL *et al*
Mathews MK *see* Cao J *et al*
Matsumoto M *see* Obana A *et al*
Matsumoto Y *see* Yato H and Matsumoto Y
Matsunaga M *see* Abe T *et al*
Matsuno K *see* Umihira J *et al*
Matsuo H *see* Fujii S *et al*
Matsushita M *see* Kohno T *et al*
Matsuzaki T *see* Shinoda K *et al*
Mauget-Faÿsse M *et al.* Long term results of radiotherapy for subfoveal choroidal neovascularisation in age related macular degeneration, **923**
Mearza AA *et al.* Familial amyloidosis of the Finnish type: *letter*, **1311**
Mehdi SQ *see* Bessant DAR *et al*
Meisler DM *see* Sykes SO *et al*
Melena J *see* Osborne NN *et al*
Melles GRJ *et al.* A new surgical technique for deep stromal, anterior lamellar keratoplasty, **327**
Membrey WL *see* Mitchell SM *et al*
Menchini U *see* Lanzetta P *et al*
Mendicino ME *see* McCasland BJ *et al*
Menon GJ, Dutton GN. Writing to our patients: *commentary*, **765**
Menon GJ *et al.* Recurrent corneal erosion syndrome: *letter*, **1312**
Mercado G *see* Shields JA *et al*
Merchea MM *see* Chaudhary R *et al*
Merges C *see* Cao J *et al*
Merin S *see* Chowers I *et al*
Mermoud A *see* Karlen ME *et al*
Mermoud C *see* Safran AB *et al*
Mietz H *et al.* Risk factors for failures of trabeculectomies performed without antimetabolites, **814**
Miki T *see* Kohno T *et al*
see Obana A *et al*
Milea D *see* Mauget-Faÿsse M *et al*
Milea D *et al.* Indocyanine green angiography in choroidal tuberculomas: *letter*, **753**
Miller NR. The "thin man" phenomenon: imperfect filling in of visual space: *editorial*, **131**
Miller T *see* Tunc M *et al*
Min B-M *et al.* Comparison of inferior oblique muscle weakening by anterior transposition or myectomy: a prospective study of 20 cases, **206**
Min W *see* Hornby SJ *et al*
Minassian D *see* Morlet N *et al*
see Rahi JS *et al*
Minassian DC *see* Desai P *et al*
see Desai P *et al*
see Hudde T *et al*
Minihan M *et al.* Diagnosis of an atypical case of ocular toxoplasmosis using the demonstration of intraocular antibody production and the polymerase chain reaction: *letter*, **753**
Mitchell KW *see* Clarke MP *et al*
Mitchell SM *see* Henderson HWA and Mitchell SM
Mitchell SM *et al.* Cytomegalovirus retinitis after the initiation of highly active antiretroviral therapy: a 2 year prospective study, **652**
Mitnick H *see* Kupersmith MJ *et al*
Mitra S, Koul RL. Paediatric neuro-Behçet's disease presenting with optic nerve head swelling: *letter*, **1096**
Mitsukawa G *see* Endo S *et al*
Mizoguchi MB *et al.* Dopamine use is an indicator for the development of threshold retinopathy of prematurity, **425**
Mlika-Cabanne N *see* Cochereau I *et al*
Mohan M, Fleck BW. Globe perforation during botulinum toxin injection: *letter*, **503**
Mohan M *et al.* Permanent extraocular muscle damage following botulinum toxin injection: *letter*, **1309**
Molicka E *see* Ongkosuwito JV *et al*
Molicka EW *et al.* Delayed diagnosis of homocystinuria as a cause of vascular retinal occlusion in young adults: *letter*, **1310**
Monden Y *see* Tsubota K *et al*
Moore A *see* Ionides A *et al*
Moore AT. Brain injury and ocular motor abnormalities in surviving preterm infants: *editorial*, **509**
Moriarty P *see* Cahill M *et al*
Morlet N *et al.* Risk factors for treatment outcome of suspected microbial keratitis, **1027**
Morrell AJ *see* McKibbin M *et al*
Morris AD *see* Ellis JD *et al*
see Vernon SA *et al*
Morris IT *see* Hicks CR *et al*
Morse LS *see* Mizoguchi MB *et al*
Morton A *see* Ansari EA *et al*
Motokura M *see* Oshima Y *et al*
Mourier F *see* Zech J-C *et al*
Mourits MP *see* Kalmann R and Mourits MP
Mourits MP, Sasim IV. A single technique to correct various degrees of upper lid retraction in patients with Graves' orbitopathy, **81**
Mowatt-Dixon L *see* Lip PL *et al*
Moya E *see* Ansari EA *et al*
Moya FJ *et al.* Effect of aging on optic nerve appearance: a longitudinal study, **567**
Mudrich C *see* Radner W *et al*
Mulder P *see* van den Bosch WA *et al*
Mulder PGH *see* van Rooij J *et al*
Mulhern MG *et al.* Ocular complications of acoustic neuroma surgery, **1389**
Muller CR *see* Felbor U *et al*
Mullner K *et al.* Endoscopy of the lacrimal system, **949**
Munchmeier D *see* Huppertz H-I *et al*
Muraine M *et al.* Peribulbar anaesthesia during keratoplasty: a prospective study of 100 cases, **104**
Murdoch I. Telemedicine: *perspective*, **1254**
Murdoch IE *see* Bhermi GS *et al*
Murphy FM *see* Mizoguchi MB *et al*
Murray DC *et al.* Asymmetric diabetic retinopathy associated with Fuchs' heterochromic cyclitis: *letter*, **988**
Murr[illegible] IJ *see* Beatty S *et al*
Murray PI *see* Callear AB *et al*
Mutsch Y *see* Felbor U *et al*
Myatt N *see* Chana JS *et al*

Naduvilath TJ *see* Dandona L *et al*
see Das T *et al*
Nagata Y *see* Inoue K *et al*
Nagel G *see* Pieh S *et al*
see Vécsei PV *et al*
Nakajima A *see* Abe T *et al*
Nakamura S *see* Yawata N *et al*
Nakayasu K *see* Kato T *et al*
see Kato T *et al*
Nakazawa M *see* Wada Y *et al*
see Yasuda K *et al*
Nambiar AK *et al.* Injury to the globe during periocular anaesthesia: *letter*, **378**

Nash MS *see* Osborne NN *et al*
Naumann GOH *see* Behrens A *et al*
Nayudu M *see* Flaxel CJ *et al*
Neale M *see* Chana JS *et al*
Negishi K *et al.* Various phenotypic expressions of familial aniridia with a *PAX6* mutation: *letter*, **991**
Nelson DB *see* Zagelbaum BM *et al*
Nelson JD. Much more than water: *editorial*, **384**
Nelson P *et al.* Patients' perception of visual impairment in glaucoma: a pilot study, **546**
Neu A *see* Kurtenbach A *et al*
Newman DK, East MM. Preschool vision screening: negative predictive value for amblyopia, **676**
Newman NJ *see* McCasland BJ *et al*
Newsom R *see* Cook HL *et al*
Newsom R *et al.* Management of corneal opacification associated with epibulbar choristomata: *letter*, **1404**
Ngayiragije A *see* Cochereau I *et al*
Nicholl J *see* Azuara-Blanco A *et al*
Nishida K *see* Koizumi N *et al*
Nishida K *et al.* Apolipoproteins J and E co-localise with amyloid in gelatinous drop-like and lattice type I corneal dystrophies, **1178**
Nishiguti K *see* Obana A *et al*
Nishina S *et al.* PAX6 expression in the developing human eye, **723**
Nishino K *see* Fukushima A *et al*
Niyongabo T *see* Cochereau I *et al*
Nolan DJ *see* Barr DB *et al*
Nomura E *see* Kadonosono K *et al*
Noro M *see* Yasuda K *et al*
Novak P *see* Kuchar A *et al*
see Pieh S *et al*
Numaga J *see* Inoue K *et al*

Obana A *et al.* Indocyanine green angiographic features prognostic of visual outcome in the natural course of patients with age related macular degeneration, **429**
Obara T *see* Kato T *et al*
Obi A *see* Mitchell SM *et al*
O'Brien C *see* Nelson P *et al*
O'Connell JE *see* Crabtree HL *et al*
O'Connor G *see* Chang B *et al*
O'Donnell NP *et al.* Hertel exophthalmometry: the most appropriate measuring technique: *letter*, **1097**
Offret H *see* Frau E *et al*
Ogawa Y *et al.* Dry eye after haematopoietic stem cell transplantation, **1125**
Oguchi K *see* Umihira J *et al*
Oguchi Y *see* Ogawa Y *et al*
see Takano Y *et al*
Ohba N *see* Isashiki Y *et al*
Ohguro N *et al.* Concentration dependent effects of hydrogen peroxide on lens epithelial cells, **1064**
Ohno S *see* Kadonosono K *et al*
see Uchio E *et al*
see Yawata N *et al*
Ohta K *see* Yokoyama A *et al*
Ohta T *see* Chiou AG-Y *et al*
see Chiou AG-Y *et al*
Okamoto S *see* Ogawa Y *et al*
O'Keefe M *see* Flitcroft DI *et al*
Okhravi N *et al.* Polymerase chain reaction in the diagnosis of bacterial endophthalmitis: *letter*, **378**
Olivestedt G *see* Zaczek A *et al*
Ollerton RL *see* George LD *et al*
Olsen EB *see* Trier K *et al*
Olson JA *see* Costen MTJ *et al*
Ongkosuwito JV *et al.* Aetiological study of the presumed ocular histoplasmosis syndrome in the Netherlands, **535**
Ono H *see* Kobayashi H *et al*
Ono M *see* Ogawa Y *et al*
see Tsubota K *et al*
Oosterhuis JA *see* Keunen JEE *et al*
see Keunen JEE *et al*
Orchard G *see* Scarisbrick JJ *et al*
Orgül S *see* Gasser P *et al*
Orr GM *see* El-Ghrably IA *et al*
Osborne NN *et al.* Ganglion cell death in glaucoma: what do we really know?: *perspective*, **980**
Oshima Y *et al.* Quantitative assessment of macular thickness in normal subjects and patients with diabetic retinopathy by scanning retinal thickness analyser, **54**
Ossewaarde JM *see* Kerkhoff FT *et al*
Owens DR *see* George LD *et al*
Ozawa T *see* Isashiki Y *et al*

Pacheco-Cutillas M *et al.* Acquired colour vision defects in glaucoma—their detection and clinical significance: *perspective*, **1396**
Padmanabhan P *see* Rao SK *et al*
Paget S *see* Kupersmith MJ *et al*
Palmer HE *et al.* The pituitary-adrenal axis in idiopathic retinal vasculitis, **1393**
Panda A *et al.* Amniotic membrane transplantation in ophthalmology (fresh *v* preserved tissue): *letter*, **1410**
Pande M *see* Stewart O *et al*
Papastathopoulos KI, Jonas JB. Follow up of focal narrowing of retinal arterioles in glaucoma, **285**
Parfrey NA *see* Callaghan M *et al*
Park J-H *see* Min B-M *et al*
Park KH *see* Han SK *et al*
Parlak M *see* Yazici Z *et al*
Parmar DN *see* Aylward GW and Parmar DN
Patwala YJ *see* Kamath GG *et al*
Pavlin CJ *see* Aslanides IM *et al*
Payne AM *see* Bessant DAR *et al*
Pels E, Vrensen GFJM. Microbial decontamination of human donor eyes with povidone-iodine: penetration, toxicity, and effectiveness, **1019**
Pena JDO *et al.* Transforming growth factor β isoforms in human optic nerve heads, **209**
Pennefather PM *et al.* Bias due to incomplete follow up in a cohort study, **643**
Risk factors for strabismus in children born before 32 weeks' gestation, **514**
Peters TJ *see* Spry PGD *et al*
Pflugfelder SC *see* Liu Z *et al*
Phelan PS *see* Crabtree HL *et al*
Phillips D *see* Hall NF *et al*
Pickard D *see* Lawrence DJ *et al*
Pieh S *see* Kuchar A *et al*
Pieh S *et al.* Long term results after surgical basal cell carcinoma excision in the eyelid region, **85**
Pillai C *see* Panda A *et al*
Pillai CT *see* Azuara-Blanco A *et al*
Pillunat LE *see* Joos KM *et al*
Pinckers AJLG *see* Klevering BJ *et al*
Pinna A *et al.* Identification and antibiotic susceptibility of coagulase negative staphylococci isolated in corneal/external infections, **771**
Pitts J *see* Wearne MJ *et al*
Plant GT *see* Cordeiro MF *et al*
Plauchu H *see* Zech J-C *et al*
Pleyer U *see* Klebe S *et al*
Plowman PN *see* Lewis KE *et al*
Poinoosawmy D *see* Fontana L *et al*
see Garway-Heath DF *et al*
see Kamal DS *et al*
Pointer H *see* Fielder A *et al*
Poole TRG *see* Koten J-W *et al*
Poole TRG. Conjunctival squamous cell carcinoma in Tanzania, **177**
Popovic V, Sjöstrand J. Course of exfoliation and simplex glaucoma after primary trabeculectomy, **305**
Poste B *see* Cochereau I *et al*
Potgieter F *see* Vernon SA *et al*
Potter MJ *see* Chang TS *et al*
Pozzilli P *see* Mansfield KJ *et al*
Prasad S *see* Kamath GG *et al*
Prescott RJ *see* Condon PI *et al*
Preslan M *see* Simons K and Preslan M
Proust N *see* Muraine M *et al*
Pueschel S *see* Tsiaras WG *et al*
Punitham R *see* Sulochana KN *et al*
Purvin VA *see* Kawasaki A *et al*

Quantock AJ *see* Nishida K *et al*
Quaranta M *see* Donati G *et al*

Radner G *see* Radner W *et al*
Radner W *et al.* Effect of trephination technique on the ultrastructure of corneal transplants: guided trephine system *v* posterior punch technique, **1172**
Rahi JS *et al.* Measuring the burden of childhood blindness: *commentary*, **387**
Raina UK, Tuli D. Bilateral electrical cataract: *letter*, **1091**
Rait J. Ronald Francis Lowe, **128**
Rajagopal R *see* Rao SK *et al*
Rakoczy PE *see* Shen W-Y *et al*
Ramakrishnan S *see* Sulochana KN *et al*
Rao GN *see* Dandona L *et al*
Rao SK *et al.* Limbal allografting using FK-506: *letter*, **1409**
Raschka B *see* Mietz H *et al*
Rassam S *see* Nambiar AK *et al*
Rawluk D *see* Mulhern MG *et al*
Refson K *et al.* Ophthalmic and visual profile of guide dog owners in Scotland, **470**
Reidy A *see* Desai P *et al*
see Desai P *et al*
Reidy R *see* Levinson RD *et al*
Reinhard T *see* Reis A *et al*
see Sengler U *et al*
Reis A *et al.* Mycophenolate mofetil versus cyclosporin A in high risk keratoplasty patients: a prospectively randomised clinical trial, **1268**
Remeijer L *see* Melles GRJ *et al*
Reynolds A *see* Callear AB *et al*

Ribel-Madsen SM *see* Trier K *et al*
Ricard CS *see* Pena JDO *et al*
Richard G *see* Bialasiewicz AA and Richard G
see Bialasiewicz AA *et al*
Richmond M *see* Kupersmith MJ *et al*
Riemann C *see* Sykes SO *et al*
Rietveld FJR *see* Melles GRJ *et al*
Rimpel NR *et al.* Viridans group *Streptococcus* subretinal abscess: *letter*, **373**
Robinson MR *see* Ambati J *et al*
Rock WJ *see* Damji KF *et al*
Rodríguez JM *see* Tejedor J and Rodríguez JM
Rogers CM *see* Webber SK *et al*
Rogers PB *see* Lewis KE *et al*
Romestaing P *see* Mauget-Faÿsse M *et al*
Rose GE *see* McLean CJ *et al*
see Wearne MJ *et al*
Rosen ES. Viscoelastic: *letter*, **760**
Rosenthal G *see* Schenek M *et al*
Ross WH *see* Chang TS *et al*
Rothova A *see* Kerkhoff FT *et al*
see Klok A-M *et al*
Ruhswurm I *see* Vécsei PV *et al*
Rummelt C *see* Behrens A *et al*
Russell-Eggitt I *see* Backhouse O *et al*
see Tong L *et al*
Russell-Jones R *see* Scarisbrick JJ *et al*
Ryan D *see* Chang B *et al*

Sabri K, Vernon SA. Scleral perforation following trans-scleral cyclodiode: *letter*, **502**
Sadrí E *see* Tunç M *et al*
Safran AB *et al.* Full text reading with a central scotoma: pseudo regressions and pseudo line losses, **1341**
The "thin man" phenomenon: a sign of cortical plasticity following inferior homonymous paracentral scotomas, **137**
Sahni K *see* Ansari EA *et al*
Sahraie A *see* Pacheco-Cutillas M *et al*
Saito H *see* Takano Y *et al*
Saito I *see* Tsubota K *et al*
Sakuragi S *see* Abe T *et al*
Sakurai M *see* Inoue K *et al*
Sanchez E *see* Karlen ME *et al*
Sanders MD *see* Bremner FD *et al*
see Cassidy LM and Sanders MD
Santos CI *see* Sykes SO *et al*
Sarks JP *see* Sarks SH *et al*
Sarks SH *et al.* Early drusen formation in the normal and aging eye and their relation to age related maculopathy: a clinicopathological study, **358**
Sasabe T *see* Ohguro N *et al*
Sasim IV *see* Mourits MP and Sasim IV
Sato K *see* Ikeda T *et al*
Sato M *see* Abe T *et al*
Savci G *see* Yazici Z *et al*
Saw S-M *see* Lee S-B *et al*
Scarisbrick JJ *et al.* Lymphocytoma cutis with conjunctival lesions: *letter*, **882**
Scassellati-Sforzolini B *see* Giovannini A *et al*
Schenek M *et al.* Ultrasound guided cryotherapy for retinal tears in patients with opaque ocular media: *letter*, **628**
Schönfeld P *see* Heilmann C *et al*
Schiefer U *see* Kurtenbach A *et al*
Schlager A, Staud H. New equipment to prevent carbon dioxide rebreathing during eye surgery under retrobulbar anaesthesia, **1131**
Schlüter T *see* Heilmann C *et al*
Schmidt CM *see* Azuara-Blanco A *et al*
Schmidt J *see* Kroll P *et al*
Schnyder CC *see* Karlen ME *et al*
Schultz GS *see* Cordeiro MF *et al*
Schwartz BH *see* Zagelbaum BM *et al*
Schwartzenberg SGWST *see* van Rooij J *et al*
Sciscio A *see* Hull CC *et al*
see Liu C *et al*
Sciscio A, Liu C. Anterior capsular phimosis following Acrysof lens insertion: *letter*, **989**
Scott C *see* Wright M *et al*
Sechi LA *see* Pinna A *et al*
Segura RM *see* Masmiquel LL *et al*
Seifert P *see* Sekundo W *et al*
Seitz B *see* Behrens A *et al*
see Sekundo W *et al*
Sekundo W *et al.* Long term ultrastructural changes in human corneas after tattooing with non-metallic substances, **219**
Sengler U *et al.* Herpes simplex virus (HSV-1) infection in a donor cornea: *letter*, **1405**
Sethi CS *et al.* Laser pointers revisited: a survey of 14 patients attending casualty at the Bristol Eye Hospital, **1164**
Seward H *see* Coombes A and Seward H
Sewell WAC *et al.* Immunological investigations following an adverse reaction to oxybuprocaine eye drops: *letter*, **632**
Shaag A *see* Chowers I *et al*
Shah KC *see* Damji KF *et al*
Shaikh MH, Mars JS. Red-free light in applanation tonometry: *letter*, **378**
Sharif NA, Xu SX. Human retina contains polyamine sensitive [^{3}H]-ifenprodil binding sites: implications for neuroprotection?, **236**
Sharma MC *see* Ah-Fat FG *et al*
Sharma S *see* Das T *et al*
Sharp PF *et al.* Laser imaging of the retina: *perspective*, **1241**
Sheidow T *see* Chaudhary R *et al*
Shek WH *see* Chim CS *et al*
Shen W-Y *et al.* Dynamics of phosphorothioate oligonucleotides in normal and laser photocoagulated retina, **852**
Sherwood MB *see* Shorstein NH *et al*
Shi Y *see* Hornby SJ *et al*
Shields CL *see* Diniz WV *et al*
see Shields JA *et al*
Shields JA *see* Diniz WV *et al*
Shields JA. Importance of early diagnosis of retinoblastoma: *editorial*, **1315**
Shields JA *et al.* Iris cysts in children: classification, incidence, and management, **334**
Shiels A *see* Ionides A *et al*
Shier RP *see* Hall NF *et al*
Shilling JS *see* Cook HL *et al*
Shimmura S *see* Takano Y *et al*
see Tsubota K *et al*
see Tsubota K *et al*
see Tsubota K *et al*
Shimomura Y *see* Inoue T *et al*
Shimura M *see* Yasuda K *et al*
Shinmura K *see* Shinoda K *et al*
Shinoda K *et al.* Comparison of the levels of hepatocyte growth factor and vascular endothelial growth factor in aqueous fluid and serum with grades of retinopathy in patients with diabetes mellitus, **834**
Shiono T *see* Wada Y *et al*
Shirai S *see* Inokuchi N *et al*
Shirakashi M *et al.* Measurement of retinal nerve fibre layer by scanning laser polarimetry and high pass resolution perimetry in normal tension glaucoma with relatively high or low intraocular pressure, **353**
Shiraki K *see* Kohno T *et al*
Shorstein NH *et al.* Mid-peripheral pattern electrical retinal responses in normals, glaucoma suspects, and glaucoma patients, **15**
Shrestha SK *see* Chern KC *et al*
Shuttleworth GN *see* Ambrecht AM *et al*
Shuttleworth GN. A traumatic "peripheral iridotomy" protects against pigment dispersion and glaucoma: *letter*, **376**
Si Y-J *et al.* Assessment of macular function by multifocal electroretinogram before and after macular hole surgery, **420**
Sibley LM *see* Chang TS *et al*
Sickenberg M *see* Karlen ME *et al*
Simó R *see* Masmiquel LL *et al*
Similowski T *see* Milea D *et al*
Simons K, Preslan M. Natural history of amblyopia untreated owing to lack of compliance, **582**
Sinthanayothin C *et al.* Automated localisation of the optic disc, fovea, and retinal blood vessels from digital colour fundus images, **902**
Siriwardena D *see* Khaw PT and Siriwardena D
Sitalakshmi G *see* Rao SK *et al*
Sjöstrand J *see* Popovic V and Sjöstrand J
Skorpik C *see* Radner W *et al*
Sloper ML *see* Rao SK *et al*
see Young AL *et al*
Smith AF. Criteria for cataract surgery: the role of visual acuity and visual function: *editorial*, **510**
Smith G *see* Liu C *et al*
Smith G *et al.* Immunolocalisation of the VEGF receptors FLT-1, KDR, and FLT-4 in diabetic retinopathy, **486**
Smith JA *see* Gasch AT *et al*
Smith SA *see* Cook HL *et al*
Smith VA *et al.* Role of ocular matrix metalloproteinases in peripheral ulcerative keratitis, **1376**
Snir M *see* Lichter H *et al*
Solbach U *see* Weinberger AWA *et al*
Soliman H *see* Chiou AG-Y *et al*
Solomon D *see* de Smet MD *et al*
Sonoda S *see* Isashiki Y *et al*
Soong K *et al.* Late dehiscence of healed corneal scars: *letter*, **987**
Sotgiu M *see* Pinna A *et al*
Sotozono C *see* Koizumi N *et al*
Soubrane D *see* Donati G *et al*
Soubrane G *see* Donati G *et al*
Spaeth GL *see* Azuara-Blanco A *et al*
see Azuara-Blanco A *et al*
Sparrow JM *see* Karabatsas CH *et al*
see Spry PGD *et al*

Sparrow JM, Thompson JR. Bias: adding to the uncertainty: *editorial*, **637**
Spelsberg H *see* Reis A *et al*
see Sengler U *et al*
Spencer AF, Vernon SA. "Cyclodiode": results of a standard protocol, **311**
Spencer IC *see* Spry PGD *et al*
Spiera H *see* Kupersmith MJ *et al*
Spiera R *see* Kupersmith MJ *et al*
Spry PGD *et al.* The Bristol Shared Care Glaucoma Study: reliability of community optometric and hospital eye service test measures, **707**
Stanford MR *see* Bremner FD *et al*
see Cook HL *et al*
see Palmer HE *et al*
Staud H *see* Schlager A and Staud H
Steinkogler FJ *see* Kuchar A *et al*
see Pieh S *et al*
Steinwand BE *see* Joos KM *et al*
Stenevi U *see* Lundström M *et al*
Stephenson JR. Wellcome Trust support for vision research: *editorial*, **890**
Stevenson MR *see* Hart PM *et al*
Stevenson R. Automated perimetry by optometrists in patients at low risk of glaucoma: *letter*, **759**
Stevenson R, Griffiths PG. Automated perimetry by optometrists in patients at low risk of glaucoma: *letter*, **759**
Stewart O *et al.* Bilateral optic disc oedema associated with latanoprost: *letter*, **1092**
Simultaneous administration of hepatitis B and polio vaccines associated with bilateral optic neuritis: *letter*, **1200**
Stewart-Brown S *see* Lawrence DJ *et al*
Strong NP *see* Pennefather PM *et al*
Sudha V, Burgess SEP. Spontaneous intracorneal haemorrhage: *letter*, **757**
Sugar A *see* Soong K *et al*
Sugita M *see* Yawata N *et al*
Sullivan PM *see* Asaria RHY *et al*
Sulochana KN *et al.* Increased lens dipeptidase activity in aging and cataract: *letter*, **885**
Sundmacher R *see* Reis A *et al*
see Sengler U *et al*
Sung VCT *see* Murray DC *et al*
Sutton GL *see* Webber SK *et al*
Suttorp-Schulten MSA *see* Molicka EW *et al*
see Ongkosuwito JV *et al*
Suzuki R *see* Takayanagi TH *et al*
Swanson JK *see* Hosal BM *et al*
Sykes SO *et al. Haemophilus influenzae* associated scleritis, **410**

Tabbara KF, Al-Kharashi SA. Efficacy of nedocromil 2% versus fluorometholone 0.1%: a randomised, double masked trial comparing the effects on severe vernal keratoconjunctivitis, **180**
Tahara K *see* Inoue T *et al*
Takano Y *et al.* IL-4 regulates chemokine production induced by TNF-α in keratocytes and corneal epithelial cells, **1074**
Takata M *see* Fukushima A *et al*
Takayama M *see* Shinoda K *et al*
Takayanagi TH *et al.* New animal model for human ocular toxocariasis: ophthalmoscopic observation, **967**
Takeuchi S *see* Yamamoto S *et al*
Tamai M *see* Abe T *et al*
see Abe T *et al*
see Wada Y *et al*
see Yasuda K *et al*
Tano Y *see* Ohguro N *et al*
Taylor AW *see* Pena JDO *et al*
Taylor DSI *see* Tong L *et al*
Taylor HR *see* McCarty CA *et al*
see Taylor KI and Taylor HR
Taylor KI, Taylor HR. Distribution of azithromycin for the treatment of trachoma: *commentary*, **134**
Team Cell and protein adhesion studies in glaucoma drainage device development, **1168**
Tedla N *see* di Girolamo N *et al*
Tei M *see* Koizumi N *et al*
Tejedor J, Rodríguez JM. Early retreatment of infantile esotropia: comparison of reoperation and botulinum toxin, **783**
Teppo A-M *see* Tuominen I *et al*
Tervo T *see* Tuominen I *et al*
Therese KL *see* Okhravi N *et al*
Therese L *see* Biswas J *et al*
Thiselton DL *see* Flaxel CJ *et al*
Thompson CR *see* Hosal BM *et al*
Thompson D *see* Backhouse O *et al*
Thompson JR *see* Sparrow JM and Thompson JR
Thorburn W *see* Lundström M *et al*
Thorne JE, Maguire AM. Retinopathy after long term, standard doses of hydroxychloroquine: *letter*, **1201**
Tiffany J *see* Yokoi N *et al*
Tighe PJ *see* El-Ghrably IA *et al*
see Haynes RJ *et al*
Timms C *see* Fielder A *et al*
Tin W *see* Pennefather PM *et al*
see Pennefather PM *et al*
Tiwari P *see* Chern KC *et al*
Toma-Bstaendig S *see* Vécsei PV *et al*
Tomoda M *see* Takayanagi TH *et al*
Tong L *et al.* The eye in epidermolysis bullosa, **323**
Torczynski E *see* Castillo Jr BV *et al*
Totan Y *see* Çekiç O *et al*
Touzeau O *see* Borderie VM *et al*
Tow S *see* Mohan M *et al*
Trepsat C *see* Zech J-C *et al*
Trier K *et al.* Biochemical and ultrastructural changes in rabbit sclera after treatment with 7-methylxanthine, theobromine, acetazolamide, or l-ornithine, **1370**
Trope GE *et al.* Is a tight patch necessary after trabeculectomy?, **1006**
Tsao K *et al.* Smoking as an aetiological factor in a pedigree with Leber's hereditary optic neuropathy, **577**
Tsiaras WG *et al.* Amblyopia and visual acuity in children with Down's syndrome, **1112**
Tsubota K *see* Ogawa Y *et al*
see Takano Y *et al*
Tsubota K *et al.* Diseases associated with ocular surface abnormalities: the importance of reflex tearing, **89**
New treatment of dry eye: the effect of calcium ointment through eyelid skin delivery, **767**
Treatment of dry eye by autologous serum application in Sjögren's syndrome, **390**
Tsukidate S *see* Takayanagi TH *et al*
Tuli D *see* Raina UK and Tuli D
Tullo AB *see* Elnifro EM *et al*
Tunc M *et al.* Intraepithelial and invasive squamous cell carcinoma of the conjunctiva: analysis of 60 cases, **98**
Tunç M *et al.* Orbital lymphangioma: an analysis of 26 patients, **76**
Tuominen I *et al.* Soluble Fas and Fas ligand in human tear fluid after photorefractive keratectomy, **1360**
Turnbull DM *see* Andrews RM *et al*

Uchihori Y *see* Inokuchi N *et al*
Uchio E *et al.* Simulation model of an eyeball based on finite element analysis on a supercomputer, **1106**
Ueno H *see* Fukushima A *et al*
Uğurlu Ş *see* Avunduk AM *et al*
Umihira J *et al.* Optic nerve compression by the internal carotid artery in patients with normal tension and high tension glaucoma: *letter*, **1307**

van Bruggen I *see* Djano J *et al*
Vancs VS *see* de Smet MD *et al*
van den Bosch WA *et al.* Topographic anatomy of the eyelids, and the effects of sex and age, **347**
van den Horn GJ *see* Verbraak FD *et al*
van de Pol DJR *see* Klevering BJ *et al*
van der Lelij A *see* Molicka EW *et al*
see Ongkosuwito JV *et al*
van Dijk K *et al.* Creation and testing of a practical visual function assessment for use in Africa: correlation with visual acuity, contrast sensitivity, and near vision in Malawian adults, **792**
van Driel M *see* Klevering BJ *et al*
van Heyningen R *see* Weale RA *et al*
van Rooij J *et al.* Oral vitamins C and E as additional treatment in patients with acute anterior uveitis: a randomised double masked study in 145 patients, **1277**
van Slooten H *see* Molicka EW *et al*
Vécsei PV *et al.* Ocular arterial blood flow of choroidal melanoma eyes before and after stereotactic radiotherapy using Leksell gamma knife: 2 year follow up, **1324**
Velez G, Whitcup SM. New developments in sustained release drug delivery for the treatment of intraocular disease: *perspective*, **1225**
Velten IM *et al.* Temporal contrast sensitivity with peripheral and central stimulation in glaucoma diagnosis, **199**
Verbraak FD *et al.* Influence of highly active antiretroviral therapy on the development of CMV disease in HIV positive patients at high risk for CMV disease, **1186**
Vernon SA *see* Lake SR and Vernon SA
see Sabri K and Vernon SA
see Spencer AF and Vernon SA
Vernon SA. The well tempered crystal ball in normal tension glaucoma: *editorial*, **999**
Vernon SA *et al.* Should diabetic patients be screened for glaucoma?: *letter*, **1096**
Topographic and keratometric astigmatism up to 1 year following small flap trabeculectomy (microtrabeculectomy), **779**
Vesaluoma M *see* Tuominen I *et al*
Viani L *see* Mulhern MG *et al*
Vidal I *see* Pena JDO *et al*
Vieira P *see* Sharp PF *et al*
Vijayalakshmi P *see* Eckstein M *et al*
Vijayasekaran S *see* Hicks CR *et al*
Virdi M *see* O'Donnell NP *et al*
Virgili G *see* Lanzetta P *et al*
Vistica BP *see* Whitcup SM *et al*

Viswanathan A *see* Garway-Heath DF *et al*
Viswanathan AC *see* Kamal DS *et al*
Voiculescu A *see* Reis A *et al*
Vrensen GFJM *see* Pels E and Vrensen GFJM

Wada Y *et al.* Specular microscopic findings of corneal deposits in patients with Bietti's crystalline corneal retinal dystrophy: *letter*, **1095**
Wade NK *see* van Dijk K *et al*
Wakabayashi T *see* Shinoda K *et al*
Wakefield D *see* di Girolamo N *et al*
Wakui M *see* Ogawa Y *et al*
Waldock A, Waldock TA. Advancing microsurgical instrumentation into the 21st century: *commentary*, **1317**
Waldock TA *see* Waldock A and Waldock TA
Walkow T *see* Klebe S *et al*
Wall JR *see* Hosal BM *et al*
Wallace GR *see* Palmer HE *et al*
Walsh L *see* Stewart O *et al*
Wang L *see* Hornby SJ *et al*
see Trope GE *et al*
Wang X *see* Hornby SJ *et al*
Wasserman BN. Acute onset comitant esotropia as presenting sign of demyelinating disease: *letter*, **1205**
Watanabe R *see* Ogawa Y *et al*
Watanabe Y *see* Kato T *et al*
Watt L *see* Muraine M *et al*
Watts MT *see* Kamath GG *et al*
Watts P *see* Assi A *et al*
see Holló G *et al*
Weale RA *et al.* Cataract and season of birth: *correspondence*, **126**
Wearne MJ *et al.* Comparison of dacryocystography and lacrimal scintigraphy in the diagnosis of functional nasolacrimal duct obstruction, **1032**
Webber SK *see* McDermott B *et al*
Webber SK, Jeffrey MN. Ophthalmic medical assistants: *commentary*, **4**
Webber SK *et al.* LASIK for post penetrating keratoplasty astigmatism and myopia, **1013**
Weinberger AWA *et al.* Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation, **168**
Weinberger D *see* Lichter H *et al*
Wenniger-Prick L *see* Langerhorst CT and Wenniger-Prick L
Wheatcroft S, Elston J. Unilateral ptosis due to isolated involvement of the levator muscle in acute orbital myositis: *letter*, **505**
Unilateral ptosis due to isolated involvement of the levator muscle in acute orbital myositis: *letter*, **631**
Wheeler MJ *see* Palmer HE *et al*
Whitcher JP *see* Chern KC *et al*
see Sykes SO *et al*
Whitcup SM *see* Gasch AT *et al*
see Velez G and Whitcup SM
Whitcup SM *et al.* Diagnosis of corticosteroid resistant ocular sarcoidosis by chorioretinal biopsy: *letter*, **504**
Elevated serum levels of soluble ICAM-1 in uveitis patients predict underlying systemic disease: *correspondence*, **252**
Wickert H *et al.* Differential induction of proto-oncogene expression and cell death in ocular tissues following ultraviolet irradiation of the rat eye, **225**
Wiegand W *see* Kroll P *et al*
Williams G *see* Xiao M *et al*
Williamson TH *see* Jackson TL and Williamson TH
see Sinthanayothin C *et al*
Willits N *see* Mizoguchi MB *et al*
Wilson GD *see* Chana JS *et al*
Wilson JE *see* Mansfield KJ *et al*
Wilson RP *see* Azuara-Blanco A *et al*
Wissinger B *see* Lüke C *et al*
Witschel H *see* Sengler U *et al*
Wolf S *see* Weinberger AWA *et al*
Wollstein G *see* Garway-Heath DF *et al*
Wong D *see* Ah-Fat FG *et al*
Wood JPM *see* Osborne NN *et al*
Woodruff SA, Dart JKG. Acanthamoeba keratitis occurring with daily disposable contact lens wear: *letter*, **1088**
Wormald R *see* Fraser S *et al*
Wormald R. Cataract surgery—quantity and quality: *editorial*, **889**
Worrell S *see* Mitchell SM *et al*
Wright A *see* Flaxel CJ *et al*
Wright M *see* Condon PI *et al*
Wright M *et al.* Everting suture correction of lower lid involutional entropion, **1060**
Results of small incision extracapsular cataract surgery using the anterior chamber maintainer without viscoelastic, **71**
Wynne KB *see* Ambati J *et al*

Xiao M *et al.* Growth factor staining patterns in the pig retina following retinal laser photocoagulation, **728**
Xiao Y *see* Hornby SJ *et al*
Xu SX *see* Sharif NA and Xu SX

Yagev R *see* Schenek M *et al*
Yagi Y *see* Tsubota K *et al*
see Tsubota K *et al*
Yamada M *see* Negishi K *et al*
see Ogawa Y *et al*
see Shinoda K *et al*
Yamada N *see* Abe T *et al*
Yamaguchi T *see* Endo S *et al*
Yamaguchi Y *see* Nishina S *et al*
Yamamoto M *see* Fujii S *et al*
Yamamoto S *see* Koizumi N *et al*
Yamamoto S *et al.* Surgically removed submacular nematode: *letter*, **1088**
Yamanishi S *see* Oshima Y *et al*
Yang H-Y *see* Ogawa Y *et al*
Yaoeda K *see* Shirakashi M *et al*
Yasar [ ] *see* Çekiç O *et al*
Yassur Y *see* Lichter H *et al*
Yasuda F *see* Inokuchi N *et al*
Yasuda K *et al.* Clinical course of acute zonal occult outer retinopathy in visual field and multifocal electroretinogram: *letter*, **1089**
Yato H, Matsumoto Y. CD56+ T cells in the peripheral blood of uveitis patients, **1386**
Yawata N *et al.* High incidence of glucose intolerance in Vogt–Koyanagi–Harada disease, **39**
Yaylali V *see* Chiou AG-Y *et al*
Yazici B *see* Yazici Z *et al*
Yazici Z *et al.* Treatment of obstructive epiphora in adults by balloon dacryocystoplasty, **692**
Yeo LMW *et al.* Retained intravitreal lens fragments after phacoemulsification: a clinicopathological correlation, **1135**
Yokoi N *see* Koizumi N *et al*
Yokoi N *et al.* Reflective meniscometry: a non-invasive method to measure tear meniscus curvature, **92**
Yokoyama A *et al.* Vogt–Koyanagi–Harada disease masquerading anterior ischaemic optic neuropathy: *letter*, **123**
Yorston D *see* Bowman RJC *et al*
Yorston D, Foster A. Audit of extracapsular cataract extraction and posterior chamber lens implantation as a routine treatment for age related cataract in east Africa, **897**
Yoshida H *see* Fukushima A *et al*
Yoshimura N *see* Kuroiwa S *et al*
see Umihira J *et al*
see Yokoyama A *et al*
Yoshino M *see* Ogawa Y *et al*
Youle MS *see* Mitchell SM *et al*
Young AL *et al.* Allo-limbal transplantation in patients with limbal stem cell deficiency: *letter*, **1409**
Young JDH. Paediatric pseudophakia—choosing the implant power: *editorial*, **258**

Zaal MJW *see* Klok A-M *et al*
Zaar K *see* Wickert H *et al*
Zaczek A *et al.* Visual outcome after phacoemulsification and IOL implantation in diabetic patients, **1036**
Zagelbaum BM *et al.* Accidental instillation of N-butyl cyanoacrylate into the anterior chamber: *letter*, **884**
Zakir R *see* Hall NF *et al*
Zakir R *et al.* Intraocular infestation with the worm, *Thelazia callipaeda*: *letter*, **1194**
Zaman A *see* Asaria RHY *et al*
Zambarakji HJ *see* Vernon SA *et al*
Zanetti S *see* Pinna A *et al*
Zaouche S *see* Zech J-C *et al*
Zazoun L *see* Cassoux N *et al*
Zech J-C *et al.* Macular dystrophy of malattia leventinese. A 25 year follow up: *letter*, **1195**
Zehetmayer M *see* Vécsei PV *et al*
Zetterström C *see* Zaczek A *et al*
Zhong-Xia Z *see* Zakir R *et al*
Zilelioglu O *see* Çekiç O *et al*
Zimmermann M *see* Wickert H *et al*
Zrenner E *see* Kurtenbach A *et al*

VOLUME 83 • SUBJECT INDEX

***ABCR* gene,** Phenotypic variations in a family with retinal dystrophy as result of different mutations in the *ABCR* gene, **914**

acanthamoeba, Acanthamoeba keratitis occurring with daily disposable contact lens wear: *letter*, **1088**

Utility of Fungiflora Y stain in rapid diagnosis of *Acanthamoeba* keratitis: *letter*, **632**

acoustic neuroma surgery, Ocular complications of acoustic neuroma surgery, **1389**

acromegaly, Severe proliferative diabetic retinopathy associated with acromegaly: *letter*, **629**

Acrysof lens, Anterior capsular phimosis following Acrysof lens insertion: *letter*, **989**

acute myelogenous leukaemia, Acute myelogenous leukaemia in an adult presenting with uveitis: *letter*, **882**

acute onset comitant esotropia, Acute onset comitant esotropia as presenting sign of demyelinating disease: *letter*, **1205**

adhesion molecules, Elevated serum levels of soluble ICAM-1 in uveitis patients predict underlying systemic disease: *correspondence*, **252**

adrenocortical hormones, The pituitary-adrenal axis in idiopathic retinal vasculitis, **1393**

Africa, AIDS related eye disease in Burundi, Africa, **339**

Audit of extracapsular cataract extraction and posterior chamber lens implantation as a routine treatment for age related cataract in east Africa, **897**

Traumatic wound rupture after penetrating keratoplasty in Africa, **530**

African Caribbeans, Retrospective analysis of risk factors for late presentation of chronic glaucoma, **24**

age, Age over 46 years does not affect the pressure lowering effect of trabeculectomy in primary open angle glaucoma, **280**

age related cataract, Audit of extracapsular cataract extraction and posterior chamber lens implantation as a routine treatment for age related cataract in east Africa, **897**

age related macular degeneration, A vision specific functional index for use in patients with age related macular degeneration, **1115**

ATP binding cassette transporter retina genotypes and age related macular degeneration: an analysis on exudative non-familial Japanese patients, **613**

Do patients with age related maculopathy and cataract benefit from cataract surgery?: *correspondence*, **253**

Indocyanine green angiographic features prognostic of visual outcome in the natural course of patients with age related macular degeneration, **429**

Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation, **168**

Long term results of radiotherapy for subfoveal choroidal neovascularisation in age related macular degeneration, **923**

Macular pigment and age related macular degeneration: *perspective*, **867**

OCT imaging of choroidal neovascularisation and its role in the determination of patients' eligibility for surgery, **438**

Photocoagulation of subfoveal choroidal neovascular membranes in age related macular degeneration: the impact of the macular photocoagulation study in the United Kingdom and Republic of Ireland: *commentary*, **1103**

Radiotherapy for isolated occult subfoveal neovascularisation in age related macular degeneration: a pilot study, **646**

age related maculopathy, Macular pigment and age related macular degeneration: *perspective*, **867**

aging, Early drusen formation in the normal and aging eye and their relation to age related maculopathy: a clinicopathological study, **358**

Effect of aging on optic nerve appearance: a longitudinal study, **567**

Increased lens dipeptidase activity in aging and cataract: *letter*, **885**

Topographic anatomy of the eyelids, and the effects of sex and age, **347**

AIDS, AIDS related eye disease in Burundi, Africa, **339**

Cytomegalovirus retinitis after the initiation of highly active antiretroviral therapy: a 2 year prospective study, **652**

air, A new surgical technique for deep stromal, anterior lamellar keratoplasty, **327**

airbags, Retinitis sclopeteria associated with airbag inflation: *letter*, **1094**

alkaptonuria, Ocular ochronosis in alkaptonuria patients carrying mutations in the homogentisate 1,2-dioxygenase gene, **680**

allergy, Iopidine allergy causing lower eyelid ectropion progressing to cicatricial entropion: *letter*, **992**

allogeneic stem cell transplantation, Dry eye after haematopoietic stem cell transplantation, **1125**

allo-limbal transplantation, Allo-limbal transplantation in patients with limbal stem cell deficiency: *letter*, **1409**

amblyopia, Amblyopia and visual acuity in children with Down's syndrome, **1112**

Effect of amblyopia on employment prospects: *letter*, **380**

Measuring colour rivalry suppression in amblyopia, **1283**

Myopia in diethylstilboestrol exposed amblyopic subjects: *correspondence*, **126**

Natural history of amblyopia untreated owing to lack of compliance, **582**

Preschool vision screening: negative predictive value for amblyopia, **676**

amikacin, Amikacin retinal toxicity: *letter*, **1199**

amniotic membrane, Amniotic membrane transplantation for ocular surface reconstruction, **399**

amniotic membrane transplantation, Amniotic membrane transplantation in ophthalmology (fresh *v* preserved tissue): *letter*, **1410**

Amniotic membrane transplantation: *perspective*, **748**

amyloid, Apolipoproteins J and E co-localise with amyloid in gelatinous drop-like and lattice type I corneal dystrophies, **1178**

anomaloscope, Preretinopic changes in the colour vision of juvenile diabetics, **43**

anophthalmic socket, Correction of the inadequate lower fornix in the anophthalmic socket: *letter*, **881**

anterior capsular phimosis, Anterior capsular phimosis following Acrysof lens insertion: *letter*, **989**

anterior chamber, Accidental instillation of N-butyl cyanoacrylate into the anterior chamber: *letter*, **884**

Dendritic cells and macrophages in the uveal tract of the normal mouse eye, **598**

anterior chamber angle, Pilocarpine induces an increase in the anterior chamber angular width in eyes with narrow angles, **553**

Ultrasound biomicroscopic measurement of development of anterior chamber angle, **559**

anterior chamber depth, Ultrasound biomicroscopic measurement of development of anterior chamber angle, **559**

anterior chamber maintainer, Results of small incision extracapsular cataract surgery using the anterior chamber maintainer without viscoelastic, **71**

anterior clinoid pneumatisation, Optic canal mucocoele from anterior clinoid pneumatisation: *letter*, **1306**

anterior ischaemic optic neuropathy, Vogt–Koyanagi–Harada disease masquerading anterior ischaemic optic neuropathy: *letter*, **123**

anterior segment, Phenotype of autosomal recessive congenital microphthalmia mapping to chromosome 14q32, **919**

anterior transposition, Comparison of inferior oblique muscle weakening by anterior transposition or myectomy: a prospective study of 20 cases, **206**

anterior uveitis, Anterior uveitis associated with intravenous cidofovir use in patients with cytomegalovirus retinitis, **1153**

Ocular manifestations in children and adolescents with Lyme arthritis, **1149**

antibiotic susceptibility, Identification and antibiotic susceptibility of coagulase negative staphylococci isolated in corneal/external infections, **771**

antibodies, Aetiological study of the presumed ocular histoplasmosis syndrome in the Netherlands, **535**

Diagnosis of an atypical case of ocular toxoplasmosis using the demonstration of intraocular antibody production and the polymerase chain reaction: *letter*, **753**

antimetabolites, Risk factors for failures of trabeculectomies performed without antimetabolites, **814**

apolipoprotein E, Apolipoproteins J and E co-localise with amyloid in gelatinous drop-like and lattice type I corneal dystrophies, **1178**

apolipoprotein J, Apolipoproteins J and E co-localise with amyloid in gelatinous drop-like and lattice type I corneal dystrophies, **1178**

apoptosis, Soluble Fas and Fas ligand in human tear fluid after photorefractive keratectomy, **1360**

applanation tonometry, Red-free light in applanation tonometry: *letter*, **378**

apraclonidine, Iopidine allergy causing lower eyelid ectropion progressing to cicatricial entropion: *letter*, **992**

aqueous humour, Comparison of the levels of hepatocyte growth factor and vascular endothelial growth factor in aqueous fluid and serum with grades of retinopathy in patients with diabetes mellitus, **834**

argon laser trabeculoplasty, Selective laser trabeculoplasty *v* argon laser trabeculoplasty: a prospective randomised clinical trial, **718**

arterial circulation, Arterial blood flow characteristics in central retinal vein occlusion and effects of panretinal photocoagulation treatment: an investigation by colour Doppler imaging, **50**

astigmatism, LASIK for post penetrating keratoplasty astigmatism and myopia, **1013**

Proposed classification for topographic patterns seen after penetrating keratoplasty, **403**

Screening for refractive errors in children: accuracy of the hand held refractor Retinomax to screen for astigmatism, **157**

Topographic and keratometric astigmatism up to 1 year following small flap trabeculectomy (microtrabeculectomy), **779**
astrocytes, Transforming growth factor β isoforms in human optic nerve heads, **209**
ATP, ATP binding cassette transporter retina genotypes and age related macular degeneration: an analysis on exudative non-familial Japanese patients, **613**
atypical keratitis, Detection of herpes simplex virus DNA in atypical epithelial keratitis using polymerase chain reaction, **957**
autologous serum, Treatment of dry eye by autologous serum application in Sjögren's syndrome, **390**
automated perimetry, Automated perimetry by optometrists in patients at low risk of glaucoma: *letter*, **759**
Automated perimetry by optometrists in patients at low risk of glaucoma: *letter*, **759**
autoregulation, Glaucoma patients demonstrate faulty autoregulation of ocular blood flow during posture change, **809**
autosomal dominant cataract, Clinical and genetic heterogeneity in autosomal dominant cataract, **802**
azithromycin, Alterations in the conjunctival bacterial flora following a single dose of azithromycin in a trachoma endemic area, **1332**
Distribution of azithromycin for the treatment of trachoma: *commentary*, **134**

bacterial endophthalmitis, Polymerase chain reaction in the diagnosis of bacterial endophthalmitis: *letter*, **378**
Bartonella henselae, Presumed ocular bartonellosis, **270**
bartonellosis, Presumed ocular bartonellosis, **270**
basal cell carcinoma, Long term results after surgical basal cell carcinoma excision in the eyelid region, **85**
basement membrane, Effect of panretinal photocoagulation on serum levels of laminin in patients with diabetes: a prospective study, **1056**
basic fibroblast growth factor, Angiogenic factors in human proliferative sickle cell retinopathy, **838**
Growth factor staining patterns in the pig retina following retinal laser photocoagulation, **728**
Bcl-2, *c-myc*, *p53*, and *Bcl-2* expression and clinical outcome in uveal melanoma, **110**
Behçet's disease, Paediatric neuro-Behçet's disease presenting with optic nerve head swelling: *letter*, **1096**
bilateral optic neuritis, Simultaneous administration of hepatitis B and polio vaccines associated with bilateral optic neuritis: *letter*, **1200**
bilateral subretinal haemorrhage, Central serous retinopathy complicated by massive bilateral subretinal haemorrhage: *letter*, **990**
biochemistry, Biochemical and ultrastructural changes in rabbit sclera after treatment with 7-methylxanthine, theobromine, acetazolamide, or l-ornithine, **1370**
biocompatibility, Cell and protein adhesion studies in glaucoma drainage device development, **1168**
biointegration, Correlation of histological findings with gadolinium enhanced MRI scans during healing of a PHEMA orbital implant in rabbits, **616**
biomaterials, Closer to nature: new biomaterials and tissue engineering in ophthalmology: *perspective*, **1235**
biopsy specimens, Monckeberg's sclerosis in temporal artery biopsy specimens: *letter*, **1091**
birdshot retinochoroidopathy, Birdshot retinochoroidopathy: *perspective*, **241**
BJO, The *BJO* goes full text on the web: *editorial*, **383**
bleb needling, Delayed suprachoroidal haemorrhage following trabeculectomy bleb needling: *letter*, **757**
blindness, A case of reversible blindness in maple syrup urine disease: *letter*, **250**
Causes of childhood blindness in the People's Republic of China: results from 1131 blind school students in 18 provinces, **929**
Creation and testing of a practical visual function assessment for use in Africa: correlation with visual acuity, contrast sensitivity, and near vision in Malawian adults, **792**
Measuring the burden of childhood blindness: *commentary*, **387**
Retrospective analysis of risk factors for late presentation of chronic glaucoma, **24**
blood flow, Effect of acute intraocular pressure changes on short posterior ciliary artery haemodynamics, **33**
Ocular arterial blood flow of choroidal melanoma eyes before and after stereotactic radiotherapy using Leksell gamma knife: 2 year follow up, **1324**
Peripapillary retinal blood flow in normal tension glaucoma, **466**
blood flow velocities, Relation between blood flow velocities in the ophthalmic artery and in nailfold capillaries: *letter*, **506**
blood glucose, Preretinopic changes in the colour vision of juvenile diabetics, **43**
botulinum toxin, Early retreatment of infantile esotropia: comparison of reoperation and botulinum toxin, **783**
Globe perforation during botulinum toxin injection: *letter*, **503**
botulinum toxin injection, Permanent extraocular muscle damage following botulinum toxin injection: *letter*, **1309**
brachytherapy, Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *commentary*, **1212**
Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *letter*, **987**
brain injury, Brain injury and ocular motor abnormalities in surviving preterm infants: *editorial*, **509**
bullets, Ocular ball bullet injury: detection of gonioscopically unrecognisable cyclodialysis by ultrasound biomicroscopy: *letter*, **1306**

calcium ions, New treatment of dry eye: the effect of calcium ointment through eyelid skin delivery, **767**
capillary blood flow, Perifoveal microcirculation in eyes with epiretinal membranes, **1329**
capsulotomy, Randomised clinical trial of lensectomy versus lens aspiration and primary capsulotomy for children with bilateral cataract in south India, **524**
carbon dioxide rebreathing, New equipment to prevent carbon dioxide rebreathing during eye surgery under retrobulbar anaesthesia, **1131**
carboxyfluorescein, Cellular photoablation to control postoperative fibrosis in a rabbit model of filtration surgery, **1353**
carotenoids, Macular pigment and age related macular degeneration: *perspective*, **867**
cat scratch disease, Presumed ocular bartonellosis, **270**
cataract, Cataract and season of birth: *correspondence*, **126**
Diabetic versus non-diabetic colour vision after cataract surgery, **1042**
Grading nuclear cataract: reproducibility and validity of a new method, **1159**
Increased lens dipeptidase activity in aging and cataract: *letter*, **885**
Randomised clinical trial of lensectomy versus lens aspiration and primary capsulotomy for children with bilateral cataract in south India, **524**
cataract outcomes, Measuring the effectiveness of cataract surgery: the reliability and validity of a visual function outcomes instrument, **66**
cataract surgery, Cataract surgery—quantity and quality: *editorial*, **889**
Criteria for cataract surgery: the role of visual acuity and visual function: *editorial*, **510**
Do patients with age related maculopathy and cataract benefit from cataract surgery?: *correspondence*, **253**
Evaluation of visual outcome of cataract surgery in an Indian eye camp, **343**
National cataract surgery survey 1997–8: a report of the results of the clinical outcomes, **1336**
New equipment to prevent carbon dioxide rebreathing during eye surgery under retrobulbar anaesthesia, **1131**
Outcome of cataract surgery considering the preoperative situation: a study of possible predictors of the functional outcome, **1272**
Profile of patients presenting for cataract surgery in the UK: national data collection, **893**
The need for cataract surgery: projections based on lens opacity, visual acuity, and personal concern, **62**
cataract symptoms, Measuring visual symptoms in British cataract patients: the cataract symptom scale, **519**
cataracts, A new substrain of the non-obese diabetic mouse which develops cataracts (NOD/Ba/Lop19): *letter*, **759**
$CD3^+$ lymphocytes, α/β− and γ/δ TCR^+ lymphocyte infiltration in necrotising choroidal melanomas, **1069**
CD4+ lymphocyte count, AIDS related eye disease in Burundi, Africa, **339**
cell death, Differential induction of proto-oncogene expression and cell death in ocular tissues following ultraviolet irradiation of the rat eye, **225**
cellular photoablation, Cellular photoablation to control postoperative fibrosis in a rabbit model of filtration surgery, **1353**
central retinal vein occlusion, Acute central retinal vein occlusion successfully treated with intravenous thrombolysis: *letter*, **1196**
Arterial blood flow characteristics in central retinal vein occlusion and effects of panretinal photocoagulation treatment: an investigation by colour Doppler imaging, **50**
central scotoma, Full text reading with a central scotoma: pseudo regressions and pseudo line losses, **1341**
central serous papillopathy, Central serous papillopathy: *letter*, **878**
central serous retinopathy, Central serous retinopathy complicated by massive bilateral subretinal haemorrhage: *letter*, **990**
cerebral ischaemia, Protein C and protein S deficiency associated with retinal, optic nerve, and cerebral ischaemia: *letter*, **754**
chemokines, IL-4 regulates chemokine production induced by TNF-α in keratocytes and corneal epithelial cells, **1074**
childhood, Causes of childhood blindness in the People's Republic of China: results from 1131 blind school students in 18 provinces, **929**
children, Amblyopia and visual acuity in children with Down's syndrome, **1112**
Bias: adding to the uncertainty: *editorial*, **637**
Bias due to incomplete follow up in a cohort study, **643**
Chronic cortical visual impairment in children: aetiology, prognosis, and associated neurological deficits, **670**
Cortically visually impaired children: *letter*, **759**
Eye injuries in children: the current picture, **933**

Filtration procedures supplemented with mitomycin C in the management of childhood glaucoma, **151**
Iris cysts in children: classification, incidence, and management, **334**
Management of corneal opacification associated with epibulbar choristomata: *letter*, **1404**
Measuring the burden of childhood blindness: *commentary*, **387**
Natural history of amblyopia untreated owing to lack of compliance, **582**
Ocular abnormalities in a cohort of children born prematurely: effects of selection bias and possible confounding: *letter*, **1411**
Orbital Kimura's disease in a white child: *letter*, **1198**
Preschool vision screening: negative predictive value for amblyopia, **676**
Randomised clinical trial of lensectomy versus lens aspiration and primary capsulotomy for children with bilateral cataract in south India, **524**
Severe penetrating injury due to a burst compact disc in a child: *letter*, **628**

China, Causes of childhood blindness in the People's Republic of China: results from 1131 blind school students in 18 provinces, **929**

chlamydial keratoconjunctivitis, Diagnosis of viral and chlamydial keratoconjunctivitis: which laboratory test?: *perspective*, **622**

chorioretinal biopsy, Diagnosis of corticosteroid resistant ocular sarcoidosis by chorioretinal biopsy: *letter*, **504**

choroid, Dendritic cells and macrophages in the uveal tract of the normal mouse eye, **598**

choroidal circulation, Effect of isosorbide mononitrate on the human optic nerve and choroidal circulations, **162**

choroidal folds, Choroidal folds and papilloedema, **1139**

choroidal melanoma, $\alpha/\beta-$ and γ/δ TCR^+ lymphocyte infiltration in necrotising choroidal melanomas, **1069**
Ocular arterial blood flow of choroidal melanoma eyes before and after stereotactic radiotherapy using Leksell gamma knife: 2 year follow up, **1324**
Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *commentary*, **1212**
Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *letter*, **987**

choroidal neovascularisation, Indocyanine green angiographic features prognostic of visual outcome in the natural course of patients with age related macular degeneration, **429**
Long term results of radiotherapy for subfoveal choroidal neovascularisation in age related macular degeneration, **923**
OCT imaging of choroidal neovascularisation and its role in the determination of patients' eligibility for surgery, **438**

choroidal tuberculomas, Indocyanine green angiography in choroidal tuberculomas: *letter*, **753**

cidofovir, Anterior uveitis associated with intravenous cidofovir use in patients with cytomegalovirus retinitis, **1153**

clinical outcome, National cataract surgery survey 1997–8: a report of the results of the clinical outcomes, **1336**

clinical trial, Double blind, randomised, placebo controlled, crossover, multicentre study to determine the efficacy of a 0.1% (w/v) sodium hyaluronate solution (Fermavisc) in the treatment of dry eye syndrome, **1121**

CMV disease, Influence of highly active antiretroviral therapy on the development of CMV disease in HIV positive patients at high risk for CMV disease, **1186**

c-myc, *c-myc*, *p53*, and *Bcl-2* expression and clinical outcome in uveal melanoma, **110**

coagulase negative staphylococci, Identification and antibiotic susceptibility of coagulase negative staphylococci isolated in corneal/external infections, **771**

collagen implant, Deep sclerectomy with collagen implant: medium term results, **6**

collagen implants, "New" surgical treatments for glaucoma: *editorial*, **1**

colobomatous optic hypoplasia, Magnetic resonance imaging of colobomatous optic hypoplasia: *letter*, **755**

colour Doppler imaging, Arterial blood flow characteristics in central retinal vein occlusion and effects of panretinal photocoagulation treatment: an investigation by colour Doppler imaging, **50**
Effect of acute intraocular pressure changes on short posterior ciliary artery haemodynamics, **33**
Glaucoma patients demonstrate faulty autoregulation of ocular blood flow during posture change, **809**

colour Doppler sonography, Ocular arterial blood flow of choroidal melanoma eyes before and after stereotactic radiotherapy using Leksell gamma knife: 2 year follow up, **1324**

colour rivalry suppression, Measuring colour rivalry suppression in amblyopia, **1283**

colour vision, Diabetic versus non-diabetic colour vision after cataract surgery, **1042**
Preretinopic changes in the colour vision of juvenile diabetics, **43**

colour vision defects, Acquired colour vision defects in glaucoma—their detection and clinical significance: *perspective*, **1396**

communication, Writing to our patients: *commentary*, **765**

compact disc, Severe penetrating injury due to a burst compact disc in a child: *letter*, **628**

computer assisted, Grading nuclear cataract: reproducibility and validity of a new method, **1159**

cone-rod-like dystrophy, Phenotypic variations in a family with retinal dystrophy as result of different mutations in the *ABCR* gene, **914**

confocal microscopy, Confocal microscopy in cornea guttata and Fuchs' endothelial dystrophy, **185**
Confocal microscopy in the iridocorneal endothelial syndrome, **697**

confocal scanning laser ophthalmoscope, Reproducibility of fundus autofluorescence measurements obtained using a confocal scanning laser ophthalmoscope, **276**

confocal scanning laser tomography, Preperimetric glaucoma diagnosis by confocal scanning laser tomography of the optic disc, **299**

congenital hereditary endothelial dystrophy, Homozygosity mapping and linkage analysis demonstrate that autosomal recessive congenital hereditary endothelial dystrophy (CHED) and autosomal dominant CHED are genetically distinct, **115**

conjunctiva, Antimicrobial defensin peptides of the human ocular surface, **737**
Conjunctival squamous cell carcinoma in Tanzania, **177**
Culture and characterisation of epithelial cells from human pterygia, **1077**
Intraepithelial and invasive squamous cell carcinoma of the conjunctiva: analysis of 60 cases, **98**

conjunctival lesions, Lymphocytoma cutis with conjunctival lesions: *letter*, **882**

conjunctival squamous carcinoma, Suggestion for IL-2 treatment of conjunctival squamous carcinoma: *letter*, **995**

contraception, Emergency contraception and retinal vein thrombosis: *letter*, **630**

contrast sensitivity, Creation and testing of a practical visual function assessment for use in Africa: correlation with visual acuity, contrast sensitivity, and near vision in Malawian adults, **792**

cornea, Allo-limbal transplantation in patients with limbal stem cell deficiency, **414**
Amniotic membrane transplantation for ocular surface reconstruction, **399**
Corneal endothelial changes and trinucleotide repeat expansion of DRPLA gene: *letter*, **124**
Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system, **774**
Long term ultrastructural changes in human corneas after tattooing with non-metallic substances, **219**
Microbial decontamination of human donor eyes with povidone-iodine: penetration, toxicity, and effectiveness, **1019**
Role of ocular matrix metalloproteinases in peripheral ulcerative keratitis, **1376**

cornea guttata, Confocal microscopy in cornea guttata and Fuchs' endothelial dystrophy, **185**

corneal allograft rejection, Randomised controlled trial of corticosteroid regimens in endothelial corneal allograft rejection, **1348**

corneal deposits, Specular microscopic findings of corneal deposits in patients with Bietti's crystalline corneal retinal dystrophy: *letter*, **1095**

corneal dystrophy, Apolipoproteins J and E co-localise with amyloid in gelatinous drop-like and lattice type I corneal dystrophies, **1178**

corneal ectasia, Corneal ectasia after trabeculectomy with mitomycin C application: *letter*, **629**

corneal endothelium, Inadvertent exposure of corneal endothelium to 5-fluorouracil: *letter*, **376**

corneal epithelial cells, IL-4 regulates chemokine production induced by TNF-α in keratocytes and corneal epithelial cells, **1074**

corneal epithelium, Antimicrobial defensin peptides of the human ocular surface, **737**

corneal erosion syndrome, Recurrent corneal erosion syndrome: *letter*, **1312**

corneal fleck dystrophy, Corneal fleck dystrophy in an English family: *letter*, **1407**

corneal melting, Incidence of corneal melting in association with systemic disease in the Yorkshire Region, 1995–7, **941**

corneal opacification, Management of corneal opacification associated with epibulbar choristomata: *letter*, **1404**

corneal scars, Late dehiscence of healed corneal scars: *letter*, **987**

corneal surgery, A new surgical technique for deep stromal, anterior lamellar keratoplasty, **327**

corneal topography, Proposed classification for topographic patterns seen after penetrating keratoplasty, **403**

corneal transplantation, Mycophenolate mofetil versus cyclosporin A in high risk keratoplasty patients: a prospectively randomised clinical trial, **1268**
The triple procedure: in the bag placement versus ciliary sulcus placement of the intraocular lens, **458**

corneal transplants, Effect of trephination technique on the ultrastructure of corneal transplants: guided trephine system *v* posterior punch technique, **1172**

corneal ulcers, Infectious keratitis in leprosy, **173**

corneal wound healing, Corneal wound healing following laser in situ keratomileusis (LASIK): a histopathological study in rabbits, **1302**

cortical plasticity, The "thin man" phenomenon: a sign of cortical plasticity following inferior homonymous paracentral scotomas, **137**
cortical visual impairment, Chronic cortical visual impairment in children: aetiology, prognosis, and associated neurological deficits, **670**
Cortically visually impaired children: *letter,* **759**
corticosteroids, Diagnosis of corticosteroid resistant ocular sarcoidosis by chorioretinal biopsy: *letter,* **504**
New developments in sustained release drug delivery for the treatment of intraocular disease: *perspective,* **1225**
Randomised controlled trial of corticosteroid regimens in endothelial corneal allograft rejection, **1348**
Visual performance in giant cell arteritis (temporal arteritis) after 1 year of therapy, **796**
cranial nerve, Fluctuating oculomotor hyperfunction and hypofunction caused by aneurysmal compression of the third cranial nerve: *letter,* **1204**
cup/disc ratio, Vertical cup/disc ratio in relation to optic disc size: *letter,* **994**
cyclodialysis, Ocular ball bullet injury: detection of gonioscopically unrecognisable cyclodialysis by ultrasound biomicroscopy: *letter,* **1306**
cyclophotocoagulation, "Cyclodiode": results of a standard protocol, **311**
cyclosporin, New developments in sustained release drug delivery for the treatment of intraocular disease: *perspective,* **1225**
cyclosporin A, Mycophenolate mofetil versus cyclosporin A in high risk keratoplasty patients: a prospectively randomised clinical trial, **1268**
cystic fibrosis, Ocular signs and symptoms and vitamin A status in patients with cystic fibrosis treated with daily vitamin A supplements, **688**
cystoid macular oedema, Cystoid macular oedema and cytomegalovirus retinitis in patients with HIV disease treated with highly active antiretroviral therapy, **47**
Vitrectomy for cystoid macular oedema with attached posterior hyaloid membrane in patients with diabetes, **12**
cytokeratins, Culture and characterisation of epithelial cells from human pterygia, **1077**
cytokines, Detection of cytokine mRNA production in infiltrating cells in proliferative vitreoretinopathy using reverse transcription polymerase chain reaction, **1296**
Modulating phenotype and cytokine production of leucocytic retinal infiltrate in experimental autoimmune uveoretinitis following intranasal tolerance induction with retinal antigens, **478**
cytomegalovirus, Anterior uveitis associated with intravenous cidofovir use in patients with cytomegalovirus retinitis, **1153**
Cystoid macular oedema and cytomegalovirus retinitis in patients with HIV disease treated with highly active antiretroviral therapy, **47**
Cytomegalovirus retinitis after the initiation of highly active antiretroviral therapy: a 2 year prospective study, **652**
Treatment of immune recovery vitritis with local steroids, **540**

dacryocystography, Comparison of dacryocystography and lacrimal scintigraphy in the diagnosis of functional nasolacrimal duct obstruction, **1032**
dacryocystoplasty, Treatment of obstructive epiphora in adults by balloon dacryocystoplasty, **692**
dacryocystorhinostomy, Rhinostomies: an open and shut case?, **1300**
daily disposable contact lens wear, Acanthamoeba keratitis occurring with daily disposable contact lens wear: *letter,* **1088**
dark adaptation, Ocular signs and symptoms and vitamin A status in patients with cystic fibrosis treated with daily vitamin A supplements, **688**
data collection, Profile of patients presenting for cataract surgery in the UK: national data collection, **893**
deep sclerectomy, Deep sclerectomy with collagen implant: medium term results, **6**
"New" surgical treatments for glaucoma: *editorial,* **1**
defensins, Antimicrobial defensin peptides of the human ocular surface, **737**
dehiscence, Late dehiscence of healed corneal scars: *letter,* **987**
demyelinating disease, Acute onset comitant esotropia as presenting sign of demyelinating disease: *letter,* **1205**
dendritic cell, Dendritic cells and macrophages in the uveal tract of the normal mouse eye, **598**
dendritic cells, Cell subpopulations in failed human corneal grafts, **1364**
development, PAX6 expression in the developing human eye, **723**
dexamethasone, Intravitreal dexamethasone in exogenous bacterial endophthalmitis: results of a prospective randomised study, **1050**
diabetes, Diabetic versus non-diabetic colour vision after cataract surgery, **1042**
Population based assessment of diabetic retinopathy in an urban population in southern India, **937**
Preretinopic changes in the colour vision of juvenile diabetics, **43**
Should diabetic patients be screened for glaucoma?: *letter,* **1096**
Should diabetic patients be screened for glaucoma?: *perspective,* **369**
diabetes mellitus, Diabetes mellitus: a risk factor in patients with Graves' orbitopathy, **463**
diabetic diagnosis, Automated localisation of the optic disc, fovea, and retinal blood vessels from digital colour fundus images, **902**
diabetic maculopathy, Progress in diabetic maculopathy: *editorial,* **3**
diabetic patients, Visual outcome after phacoemulsification and IOL implantation in diabetic patients, **1036**
diabetic retinopathy, A role for hepatocyte growth factor in diabetic retinopathy?: *editorial,* **763**
Asymmetric diabetic retinopathy associated with Fuchs' heterochromic cyclitis: *letter,* **988**
Comparison of the levels of hepatocyte growth factor and vascular endothelial growth factor in aqueous fluid and serum with grades of retinopathy in patients with diabetes mellitus, **834**
Diabetic versus non-diabetic colour vision after cataract surgery, **1042**
Effect of panretinal photocoagulation on serum levels of laminin in patients with diabetes: a prospective study, **1056**
Effect of software manipulation (Photoshop) of digitised retinal images on the grading of diabetic retinopathy, **911**
Hypertension and diabetic retinopathy—what's the story?: *perspective,* **1083**
Immunolocalisation of the VEGF receptors FLT-1, KDR, and FLT-4 in diabetic retinopathy, **486**
Natural history of diabetic macular streak exudates: evidence from a screening programme, **563**
Quantitative assessment of macular thickness in normal subjects and patients with diabetic retinopathy by scanning retinal thickness analyser, **54**
Severe proliferative diabetic retinopathy associated with acromegaly: *letter,* **629**
Vitrectomy for cystoid macular oedema with attached posterior hyaloid membrane in patients with diabetes, **12**
diabetic tractional papillopathy, Diabetic tractional papillopathy: a new (and true) nosological entity?: *editorial,* **257**
diabetic vitreopapillary traction, Vitreopapillary traction in proliferative diabetic vitreoretinopathy, **261**
diagnosis, Importance of early diagnosis of retinoblastoma: *editorial,* **1315**
diagnostic delay, Delay in diagnosis of retinoblastoma: risk factors and treatment outcome, **1320**
diathermy, Inferior oblique myectomy using monopolar cutting diathermy resulting in bilateral retinal scarring: *letter,* **374**
diethylstilboestrol, Myopia in diethylstilboestrol exposed amblyopic subjects: *correspondence,* **126**
digital imaging, Effect of software manipulation (Photoshop) of digitised retinal images on the grading of diabetic retinopathy, **911**
diode laser, "Cyclodiode": results of a standard protocol, **311**
Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *commentary,* **1212**
Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *letter,* **987**
diode laser trans-scleral cyclophotocoagulation, Effect of diode laser trans-scleral cyclophotocoagulation in the management of glaucoma after intravitreal silicone oil injection for complicated retinal detachments, **713**
1,2-dioxygenase gene, Ocular ochronosis in alkaptonuria patients carrying mutations in the homogentisate 1,2-dioxygenase gene, **680**
dipeptidase, Increased lens dipeptidase activity in aging and cataract: *letter,* **885**
Dirofilaria, Surgically removed submacular nematode: *letter,* **1088**
disc coloboma, Retinoschisis associated with disc coloboma: *letter,* **124**
DNA, Use of polymerase chain reaction in detection of *Mycobacterium tuberculosis* complex DNA from vitreous sample of Eales' disease: *letter,* **994**
DNA fragmentation, Differential induction of proto-oncogene expression and cell death in ocular tissues following ultraviolet irradiation of the rat eye, **225**
donor cornea, Herpes simplex virus (HSV-1) infection in a donor cornea: *letter,* **1405**
donor-recipient harmonisation, "Orientation teeth" in non-mechanical laser corneal trephination for penetrating keratoplasty: 2.94 μm Er:YAG *v* 193 nm ArF excimer laser, **1008**
dopamine, Dopamine use is an indicator for the development of threshold retinopathy of prematurity, **425**
Down's syndrome, Amblyopia and visual acuity in children with Down's syndrome, **1112**
DRPLA gene, Corneal endothelial changes and trinucleotide repeat expansion of DRPLA gene: *letter,* **124**
drug resistance, Alterations in the conjunctival bacterial flora following a single dose of azithromycin in a trachoma endemic area, **1332**
dry eye, Decreased tear lactoferrin concentration in patients with chronic hepatitis C, **684**
Diseases associated with ocular surface abnormalities: the importance of reflex tearing, **89**

Double blind, randomised, placebo controlled, crossover, multicentre study to determine the efficacy of a 0.1% (w/v) sodium hyaluronate solution (Fermavisc) in the treatment of dry eye syndrome, **1121**
Dry eye after haematopoietic stem cell transplantation, **1125**
New treatment of dry eye: the effect of calcium ointment through eyelid skin delivery, **767**
Ocular signs and symptoms and vitamin A status in patients with cystic fibrosis treated with daily vitamin A supplements, **688**
dysthyroid orbitopathy, Gaze evoked amaurosis in dysthyroid orbitopathy: *letter*, **501**

Eales' disease, Use of polymerase chain reaction in detection of *Mycobacterium tuberculosis* complex DNA from vitreous sample of Eales' disease: *letter*, **994**
ectropion, Iopidine allergy causing lower eyelid ectropion progressing to cicatricial entropion: *letter*, **992**
Ehlers-Danlos syndrome, Visual loss after primary trabeculectomy with mitomycin C in Ehlers-Danlos syndrome: *letter*, **1202**
electric cataract, Bilateral electrical cataract: *letter*, **1091**
electron microscopy, Differential induction of proto-oncogene expression and cell death in ocular tissues following ultraviolet irradiation of the rat eye, **225**
electronic patient record, Information technology in ophthalmology—experience with an electronic patient record: *perspective*, **1264**
electroretinogram, Assessment of macular function by multifocal electroretinogram before and after macular hole surgery, **420**
Clinical course of acute zonal occult outer retinopathy in visual field and multifocal electroretinogram: *letter*, **1089**
eliprodil, Human retina contains polyamine sensitive [^{3}H]-ifenprodil binding sites: implications for neuroprotection?, **236**
employment prospects, Effect of amblyopia on employment prospects: *letter*, **380**
endophthalmitis, Intravitreal dexamethasone in exogenous bacterial endophthalmitis: results of a prospective randomised study, **1050**
Ochrobactrum anthropi endophthalmitis after vitreous surgery: *letter*, **502**
endoscopy, Endoscopic laser recanalisation of presaccal canalicular obstruction, **443**
endothelium, Corneal endothelial changes and trinucleotide repeat expansion of DRPLA gene: *letter*, **124**
entrapment, Early drusen formation in the normal and aging eye and their relation to age related maculopathy: a clinicopathological study, **358**
epibulbar choristomata, Management of corneal opacification associated with epibulbar choristomata: *letter*, **1404**
epidemiology, Chronic cortical visual impairment in children: aetiology, prognosis, and associated neurological deficits, **670**
epidermolysis bullosa, The eye in epidermolysis bullosa, **323**
epiphora, Epiphora due to Kaposi's sarcoma of the nasolacrimal duct: *letter*, **501**
Treatment of obstructive epiphora in adults by balloon dacryocystoplasty, **692**
epiretinal membranes, Perifoveal microcirculation in eyes with epiretinal membranes, **1329**
epithelial cells, Culture and characterisation of epithelial cells from human pterygia, **1077**
epithelial defect, Amniotic membrane transplantation for ocular surface reconstruction, **399**
esotropia, Early retreatment of infantile esotropia: comparison of reoperation and botulinum toxin, **783**
everting suture, Everting suture correction of lower lid involutional entropion, **1060**
excimer laser, Analysis of glycosaminoglycans in rabbit cornea after excimer laser keratectomy, **609**
exfoliation glaucoma, Course of exfoliation and simplex glaucoma after primary trabeculectomy, **305**
exophoria, Intermittent ptosis due to large exophoria: *letter*, **1308**
experimental animal model, New animal model for human ocular toxocariasis: ophthalmoscopic observation, **967**
experimental autoimmune uveoretinitis, Modulating phenotype and cytokine production of leucocytic retinal infiltrate in experimental autoimmune uveoretinitis following intranasal tolerance induction with retinal antigens, **478**
experimental immune mediated blepharoconjunctivitis, Suppression of induction of experimental immune mediated blepharoconjunctivitis by tolerogenic conjugates of the antigen and monomethoxypolyethylene glycol, **973**
experimental treatment, Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation, **168**
extracapsular cataract extraction, Audit of extracapsular cataract extraction and posterior chamber lens implantation as a routine treatment for age related cataract in east Africa, **897**
Bilateral electrical cataract: *letter*, **1091**
extracapsular cataract surgery, Results of small incision extracapsular cataract surgery using the anterior chamber maintainer without viscoelastic, **71**
extraocular muscle damage, Permanent extraocular muscle damage following botulinum toxin injection: *letter*, **1309**
eye camps, Evaluation of visual outcome of cataract surgery in an Indian eye camp, **343**
eye care services, Writing to our patients: *commentary*, **765**
eye injuries, Eye injuries in children: the current picture, **933**
eye melanoma, Risk factors for intraocular melanoma and occupational exposure: *editorial*, **1190**
eye patch, Is a tight patch necessary after trabeculectomy?, **1006**
eye surgery, Is a tight patch necessary after trabeculectomy?, **1006**
eyelid, Long term results after surgical basal cell carcinoma excision in the eyelid region, **85**
eyelid anatomy, Topographic anatomy of the eyelids, and the effects of sex and age, **347**
eyelid cancers, Incidence of eyelid cancers in Singapore from 1968 to 1995, **595**
eyes, AIDS related eye disease in Burundi, Africa, **339**

familial amyloidosis, Familial amyloidosis of the Finnish type: *letter*, **1311**
familial aniridia, Various phenotypic expressions of familial aniridia with a *PAX6* mutation: *letter*, **991**
Fas, Soluble Fas and Fas ligand in human tear fluid after photorefractive keratectomy, **1360**
Fas ligand, Soluble Fas and Fas ligand in human tear fluid after photorefractive keratectomy, **1360**
fibroblasts, Effect of the cytostatic agent idarubicin on fibroblasts of the human Tenon's capsule compared with mitomycin C, **961**
field loss development, Clinical factors influencing the visual prognosis of the fellow eyes of normal tension glaucoma patients with unilateral field loss, **1002**
filtration procedure, Filtration procedures supplemented with mitomycin C in the management of childhood glaucoma, **151**
filtration surgery, Cellular photoablation to control postoperative fibrosis in a rabbit model of filtration surgery, **1353**
finite element analysis, Simulation model of an eyeball based on finite element analysis on a supercomputer, **1106**
FK-506, Limbal allografting using FK-506: *letter*, **1409**
flavoproteins, Significance of serum antibodies reactive with flavoprotein subunit of succinate dehydrogenase in thyroid associated orbitopathy, **605**
flow cytometry, Modulating phenotype and cytokine production of leucocytic retinal infiltrate in experimental autoimmune uveoretinitis following intranasal tolerance induction with retinal antigens, **478**
fluorometholone, Efficacy of nedocromil 2% versus fluorometholone 0.1%: a randomised, double masked trial comparing the effects on severe vernal keratoconjunctivitis, **180**
5-fluorouracil, Combined effect of Interceed and 5-fluorouracil on delayed adjustable strabismus surgery, **788**
Inadvertent exposure of corneal endothelium to 5-fluorouracil: *letter*, **376**
focal dermal hypoplasia, Retinal neovascularisation in Goltz syndrome (focal dermal hypoplasia): *letter*, **1094**
focal narrowing, Follow up of focal narrowing of retinal arterioles in glaucoma, **285**
fornix, Correction of the inadequate lower fornix in the anophthalmic socket: *letter*, **881**
Fuchs' dystrophy, Confocal microscopy in cornea guttata and Fuchs' endothelial dystrophy, **185**
Fuchs' heterochromic cyclitis, Asymmetric diabetic retinopathy associated with Fuchs' heterochromic cyclitis: *letter*, **988**
Iris crystals in chronic uveitis, **703**
full field flicker, Temporal contrast sensitivity with peripheral and central stimulation in glaucoma diagnosis, **199**
fundus autofluorescence, Reproducibility of fundus autofluorescence measurements obtained using a confocal scanning laser ophthalmoscope, **276**
fundus fluorescent leucocyte angiography, Scanning laser ophthalmoscopy and fundus fluorescent leucocyte angiography: *perspective*, **1250**
Fungiflora Y, Utility of Fungiflora Y stain in rapid diagnosis of *Acanthamoeba keratitis*: *letter*, **632**

gadolinium, Correlation of histological findings with gadolinium enhanced MRI scans during healing of a PHEMA orbital implant in rabbits, **616**
gamma knife, Ocular arterial blood flow of choroidal melanoma eyes before and after stereotactic radiotherapy using Leksell gamma knife: 2 year follow up, **1324**
ganciclovir, New developments in sustained release drug delivery for the treatment of intraocular disease: *perspective*, **1225**
ganglion cell death, Ganglion cell death in glaucoma: what do we really know?: *perspective*, **980**
gastrinoma ocular metastasis, Somatostatin scan positive gastrinoma ocular metastasis: *letter*, **1093**
gaze evoked amaurosis, Gaze evoked amaurosis in dysthyroid orbitopathy: *letter*, **501**
gelatinase, Role of ocular matrix metalloproteinases in peripheral ulcerative keratitis, **1376**
gene mutation, Retinitis pigmentosa with visual fluctuations and arrestin gene mutation: *letter*, **1197**
genetic ophthalmology, Science! Why should the clinician care?: *editorial*, **638**

genetics, Phenotype of autosomal recessive congenital microphthalmia mapping to chromosome 14q32, **919**
genotypes, ATP binding cassette transporter retina genotypes and age related macular degeneration: an analysis on exudative non-familial Japanese patients, **613**
gerbils, New animal model for human ocular toxocariasis: ophthalmoscopic observation, **967**
giant cell (temporal) arteritis, Visual performance in giant cell arteritis (temporal arteritis) after 1 year of therapy, **796**
glaucoma, A traumatic "peripheral iridotomy" protects against pigment dispersion and glaucoma: *letter,* **376**
Acquired colour vision defects in glaucoma—their detection and clinical significance: *perspective,* **1396**
Automated perimetry by optometrists in patients at low risk of glaucoma: *letter,* **759**
Automated perimetry by optometrists in patients at low risk of glaucoma: *letter,* **759**
Cell and protein adhesion studies in glaucoma drainage device development, **1168**
Clinical factors influencing the visual prognosis of the fellow eyes of normal tension glaucoma patients with unilateral field loss, **1002**
Comparison between laser scanning tomography and computerised image analysis of the optic disc, **295**
Detection of optic disc change with the Heidelberg retina tomograph before confirmed visual field change in ocular hypertensives converting to early glaucoma, **290**
Effect of diode laser trans-scleral cyclophotocoagulation in the management of glaucoma after intravitreal silicone oil injection for complicated retinal detachments, **713**
Filtration procedures supplemented with mitomycin C in the management of childhood glaucoma, **151**
Follow up of focal narrowing of retinal arterioles in glaucoma, **285**
Ganglion cell death in glaucoma: what do we really know?: *perspective,* **980**
Glaucoma patients demonstrate faulty autoregulation of ocular blood flow during posture change, **809**
Inter- and intraobserver variation in the analysis of optic disc images: comparison of the Heidelberg retina tomograph and computer assisted planimetry, **664**
Is a tight patch necessary after trabeculectomy?, **1006**
Localised retinal nerve fibre layer defects in chronic experimental high pressure glaucoma in rhesus monkeys, **1291**
Mid-peripheral pattern electrical retinal responses in normals, glaucoma suspects, and glaucoma patients, **15**
Patients' perception of visual impairment in glaucoma: a pilot study, **546**
Peripapillary retinal blood flow in normal tension glaucoma, **466**
Phenotype of autosomal recessive congenital microphthalmia mapping to chromosome 14q32, **919**
Preperimetric glaucoma diagnosis by confocal scanning laser tomography of the optic disc, **299**
Retained intravitreal lens fragments after phacoemulsification: a clinicopathological correlation, **1135**
Retrospective analysis of risk factors for late presentation of chronic glaucoma, **24**
Ring melanoma—a rare cause of refractory glaucoma, **194**
Selective laser trabeculoplasty *v* argon laser trabeculoplasty: a prospective randomised clinical trial, **718**
Should diabetic patients be screened for glaucoma?: *letter,* **1096**
Should diabetic patients be screened for glaucoma?: *perspective,* **369**
Temporal contrast sensitivity with peripheral and central stimulation in glaucoma diagnosis, **199**
The Bristol Shared Care Glaucoma Study: reliability of community optometric and hospital eye service test measures, **707**
The healing optic nerve in glaucoma: transforming growth factor β and optic nerve head remodelling: *editorial,* **132**
Transforming growth factor β isoforms in human optic nerve heads, **209**
glaucoma drainage devices, Cell and protein adhesion studies in glaucoma drainage device development, **1168**
glaucoma filtering surgery, Effect of the cytostatic agent idarubicin on fibroblasts of the human Tenon's capsule compared with mitomycin C, **961**
glaucoma surgery, Deep sclerectomy with collagen implant: medium term results, **6**
"New" surgical treatments for glaucoma: *editorial,* **1**
Prognosis of primary ab externo surgery for primary congenital glaucoma, **317**
globe, Injury to the globe during periocular anaesthesia: *letter,* **378**
globe perforation, Globe perforation during botulinum toxin injection: *letter,* **503**
glucose intolerance, High incidence of glucose intolerance in Vogt–Koyanagi–Harada disease, **39**
glycosaminoglycans, Analysis of glycosaminoglycans in rabbit cornea after excimer laser keratectomy, **609**
Goltz syndrome, Retinal neovascularisation in Goltz syndrome (focal dermal hypoplasia): *letter,* **1094**
graft survival, The triple procedure: in the bag placement versus ciliary sulcus placement of the intraocular lens, **458**
graft versus host disease, Dry eye after haematopoietic stem cell transplantation, **1125**
Graves' orbitopathy, A single technique to correct various degrees of upper lid retraction in patients with Graves' orbitopathy, **81**
Diabetes mellitus: a risk factor in patients with Graves' orbitopathy, **463**
growth, Intraocular lenses in children: changes in axial length, corneal curvature, and refraction, **265**
growth factors, Concentration dependent effects of hydrogen peroxide on lens epithelial cells, **1064**
Growth factor staining patterns in the pig retina following retinal laser photocoagulation, **728**
growth hormone, Severe proliferative diabetic retinopathy associated with acromegaly: *letter,* **629**
guide dog owners, Ophthalmic and visual profile of guide dog owners in Scotland, **470**

HAART, Cystoid macular oedema and cytomegalovirus retinitis in patients with HIV disease treated with highly active antiretroviral therapy, **47**
Cytomegalovirus retinitis after the initiation of highly active antiretroviral therapy: a 2 year prospective study, **652**
Influence of highly active antiretroviral therapy on the development of CMV disease in HIV positive patients at high risk for CMV disease, **1186**
***Haemophilus influenzae*, *Haemophilus influenzae* associated scleritis,** **410**
hand held infrared automated refractor, Screening for refractive errors in children: accuracy of the hand held refractor Retinomax to screen for astigmatism, **157**
Harada's disease, Subtraction ICG angiography in Harada's disease, **822**
Heidelberg retina tomograph, Detection of optic disc change with the Heidelberg retina tomograph before confirmed visual field change in ocular hypertensives converting to early glaucoma, **290**
hepatitis B vaccine, Simultaneous administration of hepatitis B and polio vaccines associated with bilateral optic neuritis: *letter,* **1200**
hepatitis C virus, Decreased tear lactoferrin concentration in patients with chronic hepatitis C, **684**
hepatocyte growth factor, A role for hepatocyte growth factor in diabetic retinopathy?: *editorial,* **763**
Comparison of the levels of hepatocyte growth factor and vascular endothelial growth factor in aqueous fluid and serum with grades of retinopathy in patients with diabetes mellitus, **834**
herpes simplex virus, Detection of herpes simplex virus DNA in atypical epithelial keratitis using polymerase chain reaction, **957**
Herpes simplex virus (HSV-1) infection in a donor cornea: *letter,* **1405**
Hertel exophthalmometry, Hertel exophthalmometry: the most appropriate measuring technique: *letter,* **1097**
high pass resolution perimetry, Measurement of retinal nerve fibre layer by scanning laser polarimetry and high pass resolution perimetry in normal tension glaucoma with relatively high or low intraocular pressure, **353**
high performance liquid chromatography, Analysis of glycosaminoglycans in rabbit cornea after excimer laser keratectomy, **609**
high tension glaucoma, Optic nerve compression by the internal carotid artery in patients with normal tension and high tension glaucoma: *letter,* **1307**
highly active antiretroviral therapy, Cystoid macular oedema and cytomegalovirus retinitis in patients with HIV disease treated with highly active antiretroviral therapy, **47**
histology, Correlation of histological findings with gadolinium enhanced MRI scans during healing of a PHEMA orbital implant in rabbits, **616**
***Histoplasma capsulatum*,** Aetiological study of the presumed ocular histoplasmosis syndrome in the Netherlands, **535**
HIV, Conjunctival squamous cell carcinoma in Tanzania, **177**
Cystoid macular oedema and cytomegalovirus retinitis in patients with HIV disease treated with highly active antiretroviral therapy, **47**
Cytomegalovirus retinitis after the initiation of highly active antiretroviral therapy: a 2 year prospective study, **652**
Influence of highly active antiretroviral therapy on the development of CMV disease in HIV positive patients at high risk for CMV disease, **1186**
Late onset of Leber's hereditary optic neuropathy in HIV infection: *letter,* **1204**
Treatment of immune recovery vitritis with local steroids, **540**
homocysteine, Hyperhomocysteinaemia in young patients with non-arteritic anterior ischaemic optic neuropathy, **1287**
homocystinuria, Delayed diagnosis of homocystinuria as a cause of vascular retinal occlusion in young adults: *letter,* **1310**
homozygosity mapping, Homozygosity mapping and linkage analysis demonstrate that autosomal recessive congenital hereditary endothelial dystrophy (CHED) and autosomal dominant CHED are genetically distinct, **115**
horizontal torsion, "Orientation teeth" in non-mechanical laser corneal trephination for penetrating keratoplasty: 2.94 μm Er:YAG *v* 193 nm ArF excimer laser, **1008**
Horner's syndrome, Horner's syndrome in yolk sac tumour of the mediastinum: *letter,* **1406**

human corneal grafts, Cell subpopulations in failed human corneal grafts, **1364**
human eye, PAX6 expression in the developing human eye, **723**
Hyaluronan, Double blind, randomised, placebo controlled, crossover, multicentre study to determine the efficacy of a 0.1% (w/v) sodium hyaluronate solution (Fermavisc) in the treatment of dry eye syndrome, **1121**
hydrogen peroxide, Concentration dependent effects of hydrogen peroxide on lens epithelial cells, **1064**
hydroxychloroquine, Retinopathy after long term, standard doses of hydroxychloroquine: *letter,* **1201**
hypertension, Hypertension and diabetic retinopathy—what's the story?: *perspective,* **1083**
hypotony, Hypotonic maculopathy following pneumatic retinopexy: a UBM study: *letter,* **1090**

ICAM-1, Elevated serum levels of soluble ICAM-1 in uveitis patients predict underlying systemic disease: *correspondence,* **252**
Vitreous levels of intercellular adhesion molecule 1 (ICAM-1) as a risk indicator of proliferative vitreoretinopathy, **953**
idarubicin, Effect of the cytostatic agent idarubicin on fibroblasts of the human Tenon's capsule compared with mitomycin C, **961**
idiopathic intracranial hypertension, Subretinal haemorrhage in idiopathic intracranial hypertension: *letter,* **883**
image analysis, Automated localisation of the optic disc, fovea, and retinal blood vessels from digital colour fundus images, **902**
Comparison between laser scanning tomography and computerised image analysis of the optic disc, **295**
image processing, Grading nuclear cataract: reproducibility and validity of a new method, **1159**
image recognition, Automated localisation of the optic disc, fovea, and retinal blood vessels from digital colour fundus images, **902**
imaging, Inter- and intraobserver variation in the analysis of optic disc images: comparison of the Heidelberg retina tomograph and computer assisted planimetry, **664**
immune privilege, Dendritic cells and macrophages in the uveal tract of the normal mouse eye, **598**
immunoadhesins, Immunomodulation of autoimmune responses with monoclonal antibodies and immunoadhesins: treatment of ocular inflammatory disease in the next millennium: *perspective,* **1230**
immunocytochemistry, Differential induction of proto-oncogene expression and cell death in ocular tissues following ultraviolet irradiation of the rat eye, **225**
immunoglobulin, Iris crystals in chronic uveitis, **703**
immunohistochemistry, Analysis of glycosaminoglycans in rabbit cornea after excimer laser keratectomy, **609**
Cell subpopulations in failed human corneal grafts, **1364**
PAX6 expression in the developing human eye, **723**
immunohistology, Immunohistological findings in a patient with unusual late onset manifestation of ligneous conjunctivitis: *letter,* **878**
immunological investigations, Immunological investigations following an adverse reaction to oxybuprocaine eye drops: *letter,* **632**
immunomodulation, Immunomodulation of autoimmune responses with monoclonal antibodies and immunoadhesins: treatment of ocular inflammatory disease in the next millennium: *perspective,* **1230**
immunosuppressive agents, Mycophenolate mofetil versus cyclosporin A in high risk keratoplasty patients: a prospectively randomised clinical trial, **1268**
implant, New developments in sustained release drug delivery for the treatment of intraocular disease: *perspective,* **1225**
Paediatric pseudophakia—choosing the implant power: *editorial,* **258**
India, Evaluation of visual outcome of cataract surgery in an Indian eye camp, **343**
Population based assessment of diabetic retinopathy in an urban population in southern India, **937**
Randomised clinical trial of lensectomy versus lens aspiration and primary capsulotomy for children with bilateral cataract in south India, **524**
indocyanine green angiography, Indocyanine green angiographic features prognostic of visual outcome in the natural course of patients with age related macular degeneration, **429**
Indocyanine green angiography in choroidal tuberculomas: *letter,* **753**
Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation, **168**
Long term results of radiotherapy for subfoveal choroidal neovascularisation in age related macular degeneration, **923**
Subtraction ICG angiography in Harada's disease, **822**
infants, Dopamine use is an indicator for the development of threshold retinopathy of prematurity, **425**
infectious keratitis, Infectious keratitis in leprosy, **173**
inferior oblique myectomy, Inferior oblique myectomy using monopolar cutting diathermy resulting in bilateral retinal scarring: *letter,* **374**
inferior oblique overaction, Comparison of inferior oblique muscle weakening by anterior transposition or myectomy: a prospective study of 20 cases, **206**
inflammation, Elevated serum levels of soluble ICAM-1 in uveitis patients predict underlying systemic disease: *correspondence,* **252**
information technology, Information technology in ophthalmology—experience with an electronic patient record: *perspective,* **1264**
insulin-like growth factor I, Growth factor staining patterns in the pig retina following retinal laser photocoagulation, **728**
Severe proliferative diabetic retinopathy associated with acromegaly: *letter,* **629**
Interceed (TC7), Combined effect of Interceed and 5-fluorouracil on delayed adjustable strabismus surgery, **788**
intercellular adhesion molecule 1, Soluble ICAM-1 serum levels in patients with intermediate uveitis, **847**
interleukin 2, Suggestion for IL-2 treatment of conjunctival squamous carcinoma: *letter,* **995**
interleukin 4, IL-4 regulates chemokine production induced by TNF-α in keratocytes and corneal epithelial cells, **1074**
interleukin 8, Soluble ICAM-1 serum levels in patients with intermediate uveitis, **847**
intermediate uveitis, Ocular manifestations in children and adolescents with Lyme arthritis, **1149**
internal carotid artery, Optic nerve compression by the internal carotid artery in patients with normal tension and high tension glaucoma: *letter,* **1307**
interobserver variation, Inter- and intraobserver variation in the analysis of optic disc images: comparison of the Heidelberg retina tomograph and computer assisted planimetry, **664**
intracorneal haemorrhage, Spontaneous intracorneal haemorrhage: *letter,* **757**
intranasal tolerance, Modulating phenotype and cytokine production of leucocytic retinal infiltrate in experimental autoimmune uveoretinitis following intranasal tolerance induction with retinal antigens, **478**
intraocular disease, New developments in sustained release drug delivery for the treatment of intraocular disease: *perspective,* **1225**
intraocular foreign body, Simulation model of an eyeball based on finite element analysis on a supercomputer, **1106**
intraocular infestation, Intraocular infestation with the worm, *Thelazia callipaeda*: *letter,* **1194**
intraocular inflammation, Retained intravitreal lens fragments after phacoemulsification: a clinicopathological correlation, **1135**
intraocular inflammatory disease, Presumed ocular bartonellosis, **270**
intraocular lens, Anterior capsular phimosis following Acrysof lens insertion: *letter,* **989**
Intraocular lenses in children: changes in axial length, corneal curvature, and refraction, **265**
Posterior capsular opacification prevention: IOL design and material: *commentary,* **640**
The triple procedure: in the bag placement versus ciliary sulcus placement of the intraocular lens, **458**
Visual outcome after phacoemulsification and IOL implantation in diabetic patients, **1036**
intraocular mass, Orbital haemangiopericytoma simulating an intraocular mass: *letter,* **756**
intraocular pressure, Age over 46 years does not affect the pressure lowering effect of trabeculectomy in primary open angle glaucoma, **280**
Course of exfoliation and simplex glaucoma after primary trabeculectomy, **305**
Effect of diode laser trans-scleral cyclophotocoagulation in the management of glaucoma after intravitreal silicone oil injection for complicated retinal detachments, **713**
intravitreal methotrexate, Intravitreal chemotherapy for the treatment of recurrent intraocular lymphoma, **448**
involutional entropion, Everting suture correction of lower lid involutional entropion, **1060**
iridocorneal endothelial syndrome, Confocal microscopy in the iridocorneal endothelial syndrome, **697**
Ring melanoma—a rare cause of refractory glaucoma, **194**
iris, Dendritic cells and macrophages in the uveal tract of the normal mouse eye, **598**
Ultrasound biomicroscopy in juvenile xanthogranuloma of the iris: *letter,* **375**
iris crystals, Iris crystals in chronic uveitis, **703**
iris cysts, Iris cysts in children: classification, incidence, and management, **334**
iris depigmentation, A case of acquired iris depigmentation as a possible complication of levobunolol eye drops: *letter,* **1405**
ischaemic optic neuropathy, Hyperhomocysteinaemia in young patients with non-arteritic anterior ischaemic optic neuropathy, **1287**
isosorbide mononitrate, Effect of isosorbide mononitrate on the human optic nerve and choroidal circulations, **162**

Japan, ATP binding cassette transporter retina genotypes and age related macular degeneration: an analysis on exudative non-familial Japanese patients, **613**
juvenile xanthogranuloma, Ultrasound biomicroscopy in juvenile xanthogranuloma of the iris: *letter,* **375**

Kaposi's sarcoma, Epiphora due to Kaposi's sarcoma of the nasolacrimal duct: *letter,* **501**
keratitis, Acanthamoeba keratitis occurring with daily disposable contact lens wear: *letter,* **1088**
Ocular manifestations in children and adolescents with Lyme arthritis, **1149**
keratocytes, IL-4 regulates chemokine production induced by TNF-α in keratocytes and corneal epithelial cells, **1074**
Role of ocular matrix metalloproteinases in peripheral ulcerative keratitis, **1376**
keratomileusis, Corneal wound healing following laser in situ keratomileusis (LASIK): a histopathological study in rabbits, **1302**
keratoplasty, Mycophenolate mofetil versus cyclosporin A in high risk keratoplasty patients: a prospectively randomised clinical trial, **1268**
Peribulbar anaesthesia during keratoplasty: a prospective study of 100 cases, **104**
"Orientation teeth" in non-mechanical laser corneal trephination for penetrating keratoplasty: 2.94 μm Er:YAG *v* 193 nm ArF excimer laser, **1008**
Proposed classification for topographic patterns seen after penetrating keratoplasty, **403**
Kimura's disease, Kimura's disease: no evidence of clonality: *letter,* **880**
Orbital Kimura's disease in a white child: *letter,* **1198**

laboratory tests, Diagnosis of viral and chlamydial keratoconjunctivitis: which laboratory test?: *perspective,* **622**
lacrimal duct, Treatment of obstructive epiphora in adults by balloon dacryocystoplasty, **692**
lacrimal endoscopy, Endoscopy of the lacrimal system, **949**
lacrimal gland, Antimicrobial defensin peptides of the human ocular surface, **737**
Treatment of obstructive epiphora in adults by balloon dacryocystoplasty, **692**
lacrimal scintigraphy, Comparison of dacryocystography and lacrimal scintigraphy in the diagnosis of functional nasolacrimal duct obstruction, **1032**
lactoferrin, Decreased tear lactoferrin concentration in patients with chronic hepatitis C, **684**
lamellar keratoplasty, A new surgical technique for deep stromal, anterior lamellar keratoplasty, **327**
laminin, Effect of panretinal photocoagulation on serum levels of laminin in patients with diabetes: a prospective study, **1056**
laser, Corneal wound healing following laser in situ keratomileusis (LASIK): a histopathological study in rabbits, **1302**
Endoscopy of the lacrimal system, **949**
laser Doppler flowmeter, Peripapillary retinal blood flow in normal tension glaucoma, **466**
laser Doppler flowmetry, Effect of isosorbide mononitrate on the human optic nerve and choroidal circulations, **162**
laser imaging, Laser imaging of the retina: *perspective,* **1241**
laser photocoagulation, Dynamics of phosphorothioate oligonucleotides in normal and laser photocoagulated retina, **852**
Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation, **168**
laser pointers, Laser pointers revisited: a survey of 14 patients attending casualty at the Bristol Eye Hospital, **1164**
laser recanalisation, Endoscopic laser recanalisation of presaccal canalicular obstruction, **443**
laser trabeculoplasty, Immediate intraocular pressure response to selective laser trabeculoplasty, **29**
Selective laser trabeculoplasty *v* argon laser trabeculoplasty: a prospective randomised clinical trial, **718**
LASIK, LASIK for post penetrating keratoplasty astigmatism and myopia, **1013**
latanoprost, Bilateral optic disc oedema associated with latanoprost: *letter,* **1092**
late presentation, Retrospective analysis of risk factors for late presentation of chronic glaucoma, **24**
lattice degenerations, Treatment of retinal tears and lattice degenerations in fellow eyes in high risk patients suffering retinal detachment: a prospective study, **1046**
Leber's hereditary optic neuropathy, Late onset of Leber's hereditary optic neuropathy in HIV infection: *letter,* **1204**
Smoking as an aetiological factor in a pedigree with Leber's hereditary optic neuropathy, **577**
lens, Clinical and genetic heterogeneity in autosomal dominant cataract, **802**
Increased lens dipeptidase activity in aging and cataract: *letter,* **885**
lens aspiration, Randomised clinical trial of lensectomy versus lens aspiration and primary capsulotomy for children with bilateral cataract in south India, **524**
lens epithelial cell, Lens epithelial changes and mutated gene expression in patients with myotonic dystrophy, **452**
lens epithelial cells, Concentration dependent effects of hydrogen peroxide on lens epithelial cells, **1064**
lens nucleus, Grading nuclear cataract: reproducibility and validity of a new method, **1159**
lensectomy, Randomised clinical trial of lensectomy versus lens aspiration and primary capsulotomy for children with bilateral cataract in south India, **524**
leprosy, Infectious keratitis in leprosy, **173**
levator muscle, Unilateral ptosis due to isolated involvement of the levator muscle in acute orbital myositis: *letter,* **505**
Unilateral ptosis due to isolated involvement of the levator muscle in acute orbital myositis: *letter,* **631**
levobunolol eye drops, A case of acquired iris depigmentation as a possible complication of levobunolol eye drops: *letter,* **1405**
ligneous conjunctivitis, Immunohistological findings in a patient with unusual late onset manifestation of ligneous conjunctivitis: *letter,* **878**
limbal allograft, Limbal allografting using FK-506: *letter,* **1409**
limbal stem cell deficiency, Allo-limbal transplantation in patients with limbal stem cell deficiency, **414**
Allo-limbal transplantation in patients with limbal stem cell deficiency: *letter,* **1409**
limbal transplantation, Allo-limbal transplantation in patients with limbal stem cell deficiency, **414**
linkage, Clinical and genetic heterogeneity in autosomal dominant cataract, **802**
linkage analysis, Homozygosity mapping and linkage analysis demonstrate that autosomal recessive congenital hereditary endothelial dystrophy (CHED) and autosomal dominant CHED are genetically distinct, **115**
lipofuscin, Reproducibility of fundus autofluorescence measurements obtained using a confocal scanning laser ophthalmoscope, **276**
low vision rehabilitation, Head mounted video magnification devices for low vision rehabilitation: a comparison with existing technology: *perspective,* **495**
lutein, Macular pigment and age related macular degeneration: *perspective,* **867**
Lyme arthritis, Ocular manifestations in children and adolescents with Lyme arthritis, **1149**
lymphocytoma cutis, Lymphocytoma cutis with conjunctival lesions: *letter,* **882**

macrophage, Dendritic cells and macrophages in the uveal tract of the normal mouse eye, **598**
macrophages, Environmental scanning electron microscopic study of macrophages associated with the tunica vasculosa lentis in the developing rat eye, **1384**
macular degeneration, Early drusen formation in the normal and aging eye and their relation to age related maculopathy: a clinicopathological study, **358**
macular dystrophy, Macular dystrophy of malattia leventinese. A 25 year follow up: *letter,* **1195**
macular exudate, Natural history of diabetic macular streak exudates: evidence from a screening programme, **563**
macular hole, Assessment of macular function by multifocal electroretinogram before and after macular hole surgery, **420**
Estimation of the retinal nerve fibre layer thickness in the papillomacular area of long standing stage IV macular holes, **573**
Macular hole following YAG capsulotomy: *letter,* **755**
Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole, **944**
macular oedema, Quantitative assessment of macular thickness in normal subjects and patients with diabetic retinopathy by scanning retinal thickness analyser, **54**
macular pigment, Macular pigment and age related macular degeneration: *perspective,* **867**
macular thickness, Quantitative assessment of macular thickness in normal subjects and patients with diabetic retinopathy by scanning retinal thickness analyser, **54**
maculopathy, Hypotonic maculopathy following pneumatic retinopexy: a UBM study: *letter,* **1090**
magnetic resonance imaging, Correlation of histological findings with gadolinium enhanced MRI scans during healing of a PHEMA orbital implant in rabbits, **616**
Magnetic resonance imaging of colobomatous optic hypoplasia: *letter,* **755**
malattia leventinese, Macular dystrophy of malattia leventinese. A 25 year follow up: *letter,* **1195**
Malawi, Creation and testing of a practical visual function assessment for use in Africa: correlation with visual acuity, contrast sensitivity, and near vision in Malawian adults, **792**
MALT lymphoma, Ocular adnexal lymphoma—comparison of MALT lymphoma with other histological types, **742**
maple syrup urine disease, A case of reversible blindness in maple syrup urine disease: *letter,* **250**
matrix metalloproteinases, Role of ocular matrix metalloproteinases in peripheral ulcerative keratitis, **1376**
mediastinum, Horner's syndrome in yolk sac tumour of the mediastinum: *letter,* **1406**
meibomian gland dysfunction, Dry eye after haematopoietic stem cell transplantation, **1125**
Meretoja syndrome, Familial amyloidosis of the Finnish type: *letter,* **1311**

7-methylxanthine, Biochemical and ultrastructural changes in rabbit sclera after treatment with 7-methylxanthine, theobromine, acetazolamide, or l-ornithine, **1370**
MHC class II molecules, Cell subpopulations in failed human corneal grafts, **1364**
mice, New animal model for human ocular toxocariasis: ophthalmoscopic observation, **967**
microbial contamination, Microbial decontamination of human donor eyes with povidone-iodine: penetration, toxicity, and effectiveness, **1019**
microbial keratitis, Risk factors for treatment outcome of suspected microbial keratitis, **1027**
microphthalmia, Phenotype of autosomal recessive congenital microphthalmia mapping to chromosome 14q32, **919**
microsurgical instrumentation, Advancing microsurgical instrumentation into the 21st century: *commentary,* **1317**
microtrabeculectomy, Topographic and keratometric astigmatism up to 1 year following small flap trabeculectomy (microtrabeculectomy), **779**
mitochondria, Histochemical localisation of mitochondrial enzyme activity in human optic nerve and retina, **231**
mitochondrial DNA, Cone and rod dysfunction in the NARP syndrome, **190**
mitomycin C, Corneal ectasia after trabeculectomy with mitomycin C application: *letter,* **629**
Effect of the cytostatic agent idarubicin on fibroblasts of the human Tenon's capsule compared with mitomycin C, **961**
Filtration procedures supplemented with mitomycin C in the management of childhood glaucoma, **151**
Visual loss after primary trabeculectomy with mitomycin C in Ehlers-Danlos syndrome: *letter,* **1202**
modelling, Modelling uveal melanoma, **588**
molecular ophthalmology, Science! Why should the clinician care?: *editorial,* **638**
molecular therapy, Molecular therapy in ocular wound healing: *perspective,* **1219**
Monckeberg's sclerosis, Monckeberg's sclerosis in temporal artery biopsy specimens: *letter,* **1091**
monoclonal antibodies, Immunomodulation of autoimmune responses with monoclonal antibodies and immunoadhesins: treatment of ocular inflammatory disease in the next millennium: *perspective,* **1230**
monomethoxypolyethylene glycol, Suppression of induction of experimental immune mediated blepharoconjunctivitis by tolerogenic conjugates of the antigen and monomethoxypolyethylene glycol, **973**
multifocal electroretinogram, Assessment of macular function by multifocal electroretinogram before and after macular hole surgery, **420**
multifocal electroretinography, Multifocal electroretinography in patients with occult macular dystrophy: *letter,* **879**
mutations, Ocular ochronosis in alkaptonuria patients carrying mutations in the homogentisate 1,2-dioxygenase gene, **680**
Mycobacterium tuberculosis, Use of polymerase chain reaction in detection of *Mycobacterium tuberculosis* complex DNA from vitreous sample of Eales' disease: *letter,* **994**
mycophenolate mofetil, Mycophenolate mofetil versus cyclosporin A in high risk keratoplasty patients: a prospectively randomised clinical trial, **1268**
myectomy, Comparison of inferior oblique muscle weakening by anterior transposition or myectomy: a prospective study of 20 cases, **206**
myopia, LASIK for post penetrating keratoplasty astigmatism and myopia, **1013**
Myopia in diethylstilboestrol exposed amblyopic subjects: *correspondence,* **126**
myotonic dystrophy, Lens epithelial changes and mutated gene expression in patients with myotonic dystrophy, **452**

nailfold capillaries, Relation between blood flow velocities in the ophthalmic artery and in nailfold capillaries: *letter,* **506**
nanophthalmia, Image quality in polypseudophakia for extremely short eyes, **656**
NARP syndrome, Cone and rod dysfunction in the NARP syndrome, **190**
narrow angle, Pilocarpine induces an increase in the anterior chamber angular width in eyes with narrow angles, **553**
nasolacrimal duct, Epiphora due to Kaposi's sarcoma of the nasolacrimal duct: *letter,* **501**
nasolacrimal duct obstruction, Comparison of dacryocystography and lacrimal scintigraphy in the diagnosis of functional nasolacrimal duct obstruction, **1032**
natural history, Indocyanine green angiographic features prognostic of visual outcome in the natural course of patients with age related macular degeneration, **429**
N-butyl cyanoacrylate, Accidental instillation of N-butyl cyanoacrylate into the anterior chamber: *letter,* **884**
necrosis, *Haemophilus influenzae* associated scleritis, **410**
nedocromil, Efficacy of nedocromil 2% versus fluorometholone 0.1%: a randomised, double masked trial comparing the effects on severe vernal keratoconjunctivitis, **180**
neonatal herpes encephalitis, Acute retinal necrosis after neonatal herpes encephalitis: *letter,* **123**
neovascularisation, Angiogenic factors in human proliferative sickle cell retinopathy, **838**
Comparison of the levels of hepatocyte growth factor and vascular endothelial growth factor in aqueous fluid and serum with grades of retinopathy in patients with diabetes mellitus, **834**
nerve fibre analyser, Estimation of the retinal nerve fibre layer thickness in the papillomacular area of long standing stage IV macular holes, **573**
nerve fibre layer, Estimation of the retinal nerve fibre layer thickness in the papillomacular area of long standing stage IV macular holes, **573**
Netherlands, Aetiological study of the presumed ocular histoplasmosis syndrome in the Netherlands, **535**
neural network, Automated localisation of the optic disc, fovea, and retinal blood vessels from digital colour fundus images, **902**
neuroprotection, Human retina contains polyamine sensitive [^{3}H]-ifenprodil binding sites: implications for neuroprotection?, **236**
new technologies, Impact of new technologies in ophthalmology: *editorial,* **1211**
newsdesk, 5
136
260
389
513
642
766
892
1001
1105
1214
1319
nitric oxide, Effect of isosorbide mononitrate on the human optic nerve and choroidal circulations, **162**
NMDA receptors, Human retina contains polyamine sensitive [^{3}H]-ifenprodil binding sites: implications for neuroprotection?, **236**
non-cycloplegic refractive screening, Screening for refractive errors in children: accuracy of the hand held refractor Retinomax to screen for astigmatism, **157**
non-Hodgkin's lymphoma, Intravitreal chemotherapy for the treatment of recurrent intraocular lymphoma, **448**
non-mechanical trephination, "Orientation teeth" in non-mechanical laser corneal trephination for penetrating keratoplasty: 2.94 μm Er:YAG *v* 193 nm ArF excimer laser, **1008**
non-metallic substances, Long term ultrastructural changes in human corneas after tattooing with non-metallic substances, **219**
non-obese diabetic mouse, A new substrain of the non-obese diabetic mouse which develops cataracts (NOD/Ba/Lop19): *letter,* **759**
normal tension glaucoma, Measurement of retinal nerve fibre layer by scanning laser polarimetry and high pass resolution perimetry in normal tension glaucoma with relatively high or low intraocular pressure, **353**
Optic nerve compression by the internal carotid artery in patients with normal tension and high tension glaucoma: *letter,* **1307**
The well tempered crystal ball in normal tension glaucoma: *editorial,* **999**
numerical simulation, Simulation model of an eyeball based on finite element analysis on a supercomputer, **1106**

obituary, Ronald Francis Lowe, **128**
occult choroidal neovascularisation, Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation, **168**
occult macular dystrophy, Multifocal electroretinography in patients with occult macular dystrophy: *letter,* **879**
occult subfoveal neovascularisation, Radiotherapy for isolated occult subfoveal neovascularisation in age related macular degeneration: a pilot study, **646**
occupation, Risk factors for intraocular melanoma and occupational exposure: *editorial,* **1190**
Ochrobactrum anthropi, *Ochrobactrum anthropi* endophthalmitis after vitreous surgery: *letter,* **502**
ocular abnormalities, Bias: adding to the uncertainty: *editorial,* **637**
Bias due to incomplete follow up in a cohort study, **643**
Ocular abnormalities in a cohort of children born prematurely: effects of selection bias and possible confounding: *letter,* **1411**
ocular adnexal lymphoma, Ocular adnexal lymphoma—comparison of MALT lymphoma with other histological types, **742**
ocular allergy, Efficacy of nedocromil 2% versus fluorometholone 0.1%: a randomised, double masked trial comparing the effects on severe vernal keratoconjunctivitis, **180**
ocular blood flow, Glaucoma patients demonstrate faulty autoregulation of ocular blood flow during posture change, **809**
ocular complications, Ocular complications of acoustic neuroma surgery, **1389**
ocular genes, Science! Why should the clinician care?: *editorial,* **638**

ocular histoplasmosis, Aetiological study of the presumed ocular histoplasmosis syndrome in the Netherlands, **535**
ocular hypertension, Detection of optic disc change with the Heidelberg retina tomograph before confirmed visual field change in ocular hypertensives converting to early glaucoma, **290**
Should diabetic patients be screened for glaucoma?: *letter,* **1096**
Temporal contrast sensitivity with peripheral and central stimulation in glaucoma diagnosis, **199**
ocular infections, Identification and antibiotic susceptibility of coagulase negative staphylococci isolated in corneal/external infections, **771**
ocular inflammatory disease, Immunomodulation of autoimmune responses with monoclonal antibodies and immunoadhesins: treatment of ocular inflammatory disease in the next millennium: *perspective,* **1230**
ocular motor abnormalities, Brain injury and ocular motor abnormalities in surviving preterm infants: *editorial,* **509**
ocular ochronosis, Ocular ochronosis in alkaptonuria patients carrying mutations in the homogentisate 1,2-dioxygenase gene, **680**
ocular outcome, Risk factors for strabismus in children born before 32 weeks' gestation, **514**
ocular sarcoidosis, Diagnosis of corticosteroid resistant ocular sarcoidosis by chorioretinal biopsy: *letter,* **504**
ocular surface, Amniotic membrane transplantation for ocular surface reconstruction, **399**
Diseases associated with ocular surface abnormalities: the importance of reflex tearing, **89**
Much more than water: *editorial,* **384**
ocular surface disorders, Amniotic membrane transplantation: *perspective,* **748**
ocular toxocariasis, New animal model for human ocular toxocariasis: ophthalmoscopic observation, **967**
ocular toxoplasmosis, Diagnosis of an atypical case of ocular toxoplasmosis using the demonstration of intraocular antibody production and the polymerase chain reaction: *letter,* **753**
ocular trauma, Simulation model of an eyeball based on finite element analysis on a supercomputer, **1106**
ocular wound healing, Molecular therapy in ocular wound healing: *perspective,* **1219**
oculomotor hyperfunction, Fluctuating oculomotor hyperfunction and hypofunction caused by aneurysmal compression of the third cranial nerve: *letter,* **1204**
oculomotor hypofunction, Fluctuating oculomotor hyperfunction and hypofunction caused by aneurysmal compression of the third cranial nerve: *letter,* **1204**
ofloxacin, Penetration of topical, oral, and combined administered ofloxacin into the subretinal fluid, **1183**
Risk factors for treatment outcome of suspected microbial keratitis, **1027**
ointment, New treatment of dry eye: the effect of calcium ointment through eyelid skin delivery, **767**
opaque ocular media, Ultrasound guided cryotherapy for retinal tears in patients with opaque ocular media: *letter,* **628**
ophthalmic artery, Relation between blood flow velocities in the ophthalmic artery and in nailfold capillaries: *letter,* **506**
ophthalmic drapes, New equipment to prevent carbon dioxide rebreathing during eye surgery under retrobulbar anaesthesia, **1131**
ophthalmic medical assistants, Ophthalmic medical assistants: response: *commentary,* **512**
Ophthalmic medical assistants: *commentary,* **4**
Ophthalmic medical assistants: *letter,* **634**
ophthalmic photography, Effect of software manipulation (Photoshop) of digitised retinal images on the grading of diabetic retinopathy, **911**
ophthalmic profile, Ophthalmic and visual profile of guide dog owners in Scotland, **470**
optic canal mucocoele, Optic canal mucocoele from anterior clinoid pneumatisation: *letter,* **1306**
optic disc, Comparison between laser scanning tomography and computerised image analysis of the optic disc, **295**
Detection of optic disc change with the Heidelberg retina tomograph before confirmed visual field change in ocular hypertensives converting to early glaucoma, **290**
Inter- and intraobserver variation in the analysis of optic disc images: comparison of the Heidelberg retina tomograph and computer assisted planimetry, **664**
Peripapillary coloboma simulating double optic disc: *letter,* **1207**
Preperimetric glaucoma diagnosis by confocal scanning laser tomography of the optic disc, **299**
optic disc morphometry, Clinical factors influencing the visual prognosis of the fellow eyes of normal tension glaucoma patients with unilateral field loss, **1002**
optic disc oedema, Bilateral optic disc oedema associated with latanoprost: *letter,* **1092**
optic disc size, Measurement of optic disc size: *correspondence,* **252**
Vertical cup/disc ratio in relation to optic disc size: *letter,* **994**
optic nerve, Effect of aging on optic nerve appearance: a longitudinal study, **567**
Histochemical localisation of mitochondrial enzyme activity in human optic nerve and retina, **231**
Morphological variations of the peripapillary circle of Zinn–Haller by flat section, **862**
optic nerve compression, Optic nerve compression by the internal carotid artery in patients with normal tension and high tension glaucoma: *letter,* **1307**
optic nerve head, The healing optic nerve in glaucoma: transforming growth factor β and optic nerve head remodelling: *editorial,* **132**
The healing optic nerve in glaucoma: transforming growth factor β and optic nerve head remodelling: *editorial,* **132**
Transforming growth factor β isoforms in human optic nerve heads, **209**
optic nerve head circulation, Effect of isosorbide mononitrate on the human optic nerve and choroidal circulations, **162**
optic nerve head swelling, Paediatric neuro-Behçet's disease presenting with optic nerve head swelling: *letter,* **1096**
optic nerve ischaemia, Protein C and protein S deficiency associated with retinal, optic nerve, and cerebral ischaemia: *letter,* **754**
optic neuropathy, Hyperhomocysteinaemia in young patients with non-arteritic anterior ischaemic optic neuropathy, **1287**
Smoking as an aetiological factor in a pedigree with Leber's hereditary optic neuropathy, **577**
optical coherence tomography, OCT imaging of choroidal neovascularisation and its role in the determination of patients' eligibility for surgery, **438**
optical interface, A new surgical technique for deep stromal, anterior lamellar keratoplasty, **327**
optometrists, Automated perimetry by optometrists in patients at low risk of glaucoma: *letter,* **759**
Automated perimetry by optometrists in patients at low risk of glaucoma: *letter,* **759**
Retrospective analysis of risk factors for late presentation of chronic glaucoma, **24**
orbital haemangiopericytoma, Orbital haemangiopericytoma simulating an intraocular mass: *letter,* **756**
orbital implant, Correlation of histological findings with gadolinium enhanced MRI scans during healing of a PHEMA orbital implant in rabbits, **616**
orbital lymphangioma, Orbital lymphangioma: an analysis of 26 patients, **76**
orbital myositis, Unilateral ptosis due to isolated involvement of the levator muscle in acute orbital myositis: *letter,* **505**
Unilateral ptosis due to isolated involvement of the levator muscle in acute orbital myositis: *letter,* **631**
orientation teeth, "Orientation teeth" in non-mechanical laser corneal trephination for penetrating keratoplasty: 2.94 μm Er:YAG *v* 193 nm ArF excimer laser, **1008**
osteo-odonto-keratoprosthesis surgery, Osteon-odonto-keratoprosthesis surgery: *correspondence,* **127**
ovalbumin, Suppression of induction of experimental immune mediated blepharoconjunctivitis by tolerogenic conjugates of the antigen and monomethoxypolyethylene glycol, **973**
oxybuprocaine eye drops, Immunological investigations following an adverse reaction to oxybuprocaine eye drops: *letter,* **632**

p53, c-myc, p53, and *Bcl-2* expression and clinical outcome in uveal melanoma, **110**
pachymetry, Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system, **774**
paediatric pseudophakia, Intraocular lenses in children: changes in axial length, corneal curvature, and refraction, **265**
Paediatric pseudophakia—choosing the implant power: *editorial,* **258**
panretinal photocoagulation, Arterial blood flow characteristics in central retinal vein occlusion and effects of panretinal photocoagulation treatment: an investigation by colour Doppler imaging, **50**
Effect of panretinal photocoagulation on serum levels of laminin in patients with diabetes: a prospective study, **1056**
papilloedema, Choroidal folds and papilloedema, **1139**
paracentral scotomas, The "thin man" phenomenon: a sign of cortical plasticity following inferior homonymous paracentral scotomas, **137**
pars plana vitrectomy, Surgically removed submacular nematode: *letter,* **1088**
Vitrectomy for cystoid macular oedema with attached posterior hyaloid membrane in patients with diabetes, **12**
parvovirus infection, Uveitis associated with parvovirus infection: *letter,* **1403**
pathogenesis, Significance of serum antibodies reactive with flavoprotein subunit of succinate dehydrogenase in thyroid associated orbitopathy, **605**
patient profile, Profile of patients presenting for cataract surgery in the UK: national data collection, **893**
patient satisfaction, The need for cataract surgery: projections based on lens opacity, visual acuity, and personal concern, **62**
patients, Writing to our patients: *commentary,* **765**
pattern electrical retinal responses, Mid-peripheral pattern electrical retinal responses in normals, glaucoma suspects, and glaucoma patients, **15**
PAX6, PAX6 expression in the developing human eye, **723**

***PAX6* mutation,** Various phenotypic expressions of familial aniridia with a *PAX6* mutation: *letter,* **991**
pectoralis muscle, Retinal vascular abnormality in Poland's syndrome: *letter,* **1092**
penetrating injury, Laceration of the eye with a fishing hook: *letter,* **1194**
Penetrating injury of the eye: *editorial,* **1101**
penetrating keratoplasty, LASIK for post penetrating keratoplasty astigmatism and myopia, **1013**
Traumatic wound rupture after penetrating keratoplasty in Africa, **530**
penetrating ocular injury, Severe penetrating injury due to a burst compact disc in a child: *letter,* **628**
peribulbar anaesthesia, Peribulbar anaesthesia during keratoplasty: a prospective study of 100 cases, **104**
perifoveal microcirculation, Perifoveal microcirculation in eyes with epiretinal membranes, **1329**
periocular anaesthesia, Injury to the globe during periocular anaesthesia: *letter,* **378**
peripapillary coloboma, Peripapillary coloboma simulating double optic disc: *letter,* **1207**
peripheral blood, CD56+ T cells in the peripheral blood of uveitis patients, **1386**
peripheral iridotomy, A traumatic "peripheral iridotomy" protects against pigment dispersion and glaucoma: *letter,* **376**
peripheral ulcerative keratitis, Role of ocular matrix metalloproteinases in peripheral ulcerative keratitis, **1376**
phacoemulsification, Phacoemulsification combined with silicone oil removal through posterior capsulorhexis: *letter,* **1406**
Retained intravitreal lens fragments after phacoemulsification: a clinicopathological correlation, **1135**
Visual outcome after phacoemulsification and IOL implantation in diabetic patients, **1036**
pharmacokinetics, Intravitreal chemotherapy for the treatment of recurrent intraocular lymphoma, **448**
PHEMA, Correlation of histological findings with gadolinium enhanced MRI scans during healing of a PHEMA orbital implant in rabbits, **616**
phenotype, Clinical and genetic heterogeneity in autosomal dominant cataract, **802**
phenotypic expression, Various phenotypic expressions of familial aniridia with a *PAX6* mutation: *letter,* **991**
phosphorothioate oligodeoxynucleotide, Dynamics of phosphorothioate oligonucleotides in normal and laser photocoagulated retina, **852**
photocoagulation, Photocoagulation of subfoveal choroidal neovascular membranes in age related macular degeneration: the impact of the macular photocoagulation study in the United Kingdom and Republic of Ireland: *commentary,* **1103**
photorefractive keratectomy, Soluble Fas and Fas ligand in human tear fluid after photorefractive keratectomy, **1360**
pig, Growth factor staining patterns in the pig retina following retinal laser photocoagulation, **728**
pigment dispersion, A traumatic "peripheral iridotomy" protects against pigment dispersion and glaucoma: *letter,* **376**
pigmentary retinopathy, Cone and rod dysfunction in the NARP syndrome, **190**
pilocarpine, Pilocarpine induces an increase in the anterior chamber angular width in eyes with narrow angles, **553**
plasma endothelin-1, Plasma endothelin-1 concentrations in patients with retinal vein occlusions: *correspondence,* **127**
pneumatic retinopexy, Hypotonic maculopathy following pneumatic retinopexy: a UBM study: *letter,* **1090**
Poland's syndrome, Retinal vascular abnormality in Poland's syndrome: *letter,* **1092**
polio vaccine, Simultaneous administration of hepatitis B and polio vaccines associated with bilateral optic neuritis: *letter,* **1200**
polymerase chain reaction, Detection of herpes simplex virus DNA in atypical epithelial keratitis using polymerase chain reaction, **957**
Diagnosis of an atypical case of ocular toxoplasmosis using the demonstration of intraocular antibody production and the polymerase chain reaction: *letter,* **753**
Influence of highly active antiretroviral therapy on the development of CMV disease in HIV positive patients at high risk for CMV disease, **1186**
Polymerase chain reaction in the diagnosis of bacterial endophthalmitis: *letter,* **378**
Use of polymerase chain reaction in detection of *Mycobacterium tuberculosis* complex DNA from vitreous sample of Eales' disease: *letter,* **994**
polypseudophakia, Image quality in polypseudophakia for extremely short eyes, **656**
positive posterior pressure, Peribulbar anaesthesia during keratoplasty: a prospective study of 100 cases, **104**
posterior capsular opacification, Posterior capsular opacification prevention: IOL design and material: *commentary,* **640**
posterior capsulorhexis, Phacoemulsification combined with silicone oil removal through posterior capsulorhexis: *letter,* **1406**
posterior chamber lens implantation, Audit of extracapsular cataract extraction and posterior chamber lens implantation as a routine treatment for age related cataract in east Africa, **897**
posterior ciliary artery, Effect of acute intraocular pressure changes on short posterior ciliary artery haemodynamics, **33**
Morphological variations of the peripapillary circle of Zinn–Haller by flat section, **862**
posterior polymorphous dystrophy, Homozygosity mapping and linkage analysis demonstrate that autosomal recessive congenital hereditary endothelial dystrophy (CHED) and autosomal dominant CHED are genetically distinct, **115**
post-genomic era, Ophthalmology in the post-genomic era: *perspective,* **1215**
posture change, Glaucoma patients demonstrate faulty autoregulation of ocular blood flow during posture change, **809**
povidone-iodine, Microbial decontamination of human donor eyes with povidone-iodine: penetration, toxicity, and effectiveness, **1019**
preferred retinal locus, Full text reading with a central scotoma: pseudo regressions and pseudo line losses, **1341**
prematurity, Bias: adding to the uncertainty: *editorial,* **637**
Bias due to incomplete follow up in a cohort study, **643**
Ocular abnormalities in a cohort of children born prematurely: effects of selection bias and possible confounding: *letter,* **1411**
Ophthalmological follow up of preterm infants: a population based, prospective study of visual acuity and strabismus, **143**
Risk factors for strabismus in children born before 32 weeks' gestation, **514**
preoperative status, Outcome of cataract surgery considering the preoperative situation: a study of possible predictors of the functional outcome, **1272**
presaccal canalicular obstruction, Endoscopic laser recanalisation of presaccal canalicular obstruction, **443**
preterm infants, Brain injury and ocular motor abnormalities in surviving preterm infants: *editorial,* **509**
primary congenital glaucoma, Prognosis of primary ab externo surgery for primary congenital glaucoma, **317**
primary open angle glaucoma, Age over 46 years does not affect the pressure lowering effect of trabeculectomy in primary open angle glaucoma, **280**
Immediate intraocular pressure response to selective laser trabeculoplasty, **29**
primary trabeculectomy, Visual loss after primary trabeculectomy with mitomycin C in Ehlers-Danlos syndrome: *letter,* **1202**
proliferative diabetic vitreoretinopathy, Vitreopapillary traction in proliferative diabetic vitreoretinopathy, **261**
proliferative vitreoretinopathy, Detection of cytokine mRNA production in infiltrating cells in proliferative vitreoretinopathy using reverse transcription polymerase chain reaction, **1296**
Vitreous levels of intercellular adhesion molecule 1 (ICAM-1) as a risk indicator of proliferative vitreoretinopathy, **953**
prospective study, Ophthalmological follow up of preterm infants: a population based, prospective study of visual acuity and strabismus, **143**
protease inhibitors, Treatment of immune recovery vitritis with local steroids, **540**
protein, Cell and protein adhesion studies in glaucoma drainage device development, **1168**
protein C, Protein C and protein S deficiency associated with retinal, optic nerve, and cerebral ischaemia: *letter,* **754**
protein S, Protein C and protein S deficiency associated with retinal, optic nerve, and cerebral ischaemia: *letter,* **754**
proto-oncogene, Differential induction of proto-oncogene expression and cell death in ocular tissues following ultraviolet irradiation of the rat eye, **225**
pterygium, Culture and characterisation of epithelial cells from human pterygia, **1077**
ptosis, Intermittent ptosis due to large exophoria: *letter,* **1308**
Unilateral ptosis due to isolated involvement of the levator muscle in acute orbital myositis: *letter,* **505**
Unilateral ptosis due to isolated involvement of the levator muscle in acute orbital myositis: *letter,* **631**
punch technique, Effect of trephination technique on the ultrastructure of corneal transplants: guided trephine system *v* posterior punch technique, **1172**
pupillary abnormality, Pupillary abnormality: *letter,* **1207**

quality of life, Patients' perception of visual impairment in glaucoma: a pilot study, **546**
quality of life assessments, Measuring visual symptoms in British cataract patients: the cataract symptom scale, **519**
questionnaire, Measuring the effectiveness of cataract surgery: the reliability and validity of a visual function outcomes instrument, **66**

rabbits, Analysis of glycosaminoglycans in rabbit cornea after excimer laser keratectomy, **609**
radiotherapy, Long term results of radiotherapy for subfoveal choroidal neovascularisation in age related macular degeneration, **923**
Radiotherapy for isolated occult subfoveal neovascularisation in age related macular degeneration: a pilot study, **646**
radius of curvature, Reflective meniscometry: a non-invasive method to measure tear meniscus curvature, **92**
rat, Dynamics of phosphorothioate oligonucleotides in normal and laser photocoagulated retina, **852**

Environmental scanning electron microscopic study of macrophages associated with the tunica vasculosa lentis in the developing rat eye, **1384**
ray tracing analysis, Image quality in polypseudophakia for extremely short eyes, **656**
reading, Full text reading with a central scotoma: pseudo regressions and pseudo line losses, **1341**
red-free light, Red-free light in applanation tonometry: *letter,* **378**
reflective meniscometry, Reflective meniscometry: a non-invasive method to measure tear meniscus curvature, **92**
reflex tearing, Diseases associated with ocular surface abnormalities: the importance of reflex tearing, **89**
refraction, Intraocular lenses in children: changes in axial length, corneal curvature, and refraction, **265**
refractive surgery, Corneal wound healing following laser in situ keratomileusis (LASIK): a histopathological study in rabbits, **1302**
Refractive surgery: *editorial,* **1257**
refractory glaucoma, "Cyclodiode": results of a standard protocol, **311**
reliability, Measuring the effectiveness of cataract surgery: the reliability and validity of a visual function outcomes instrument, **66**
The Bristol Shared Care Glaucoma Study: reliability of community optometric and hospital eye service test measures, **707**
reoperation, Early retreatment of infantile esotropia: comparison of reoperation and botulinum toxin, **783**
reproducibility, Reproducibility of fundus autofluorescence measurements obtained using a confocal scanning laser ophthalmoscope, **276**
retina, ATP binding cassette transporter retina genotypes and age related macular degeneration: an analysis on exudative non-familial Japanese patients, **613**
Dynamics of phosphorothioate oligonucleotides in normal and laser photocoagulated retina, **852**
Histochemical localisation of mitochondrial enzyme activity in human optic nerve and retina, **231**
Human retina contains polyamine sensitive [^{3}H]-ifenprodil binding sites: implications for neuroprotection?, **236**
Laser imaging of the retina: *perspective,* **1241**
Modulating phenotype and cytokine production of leucocytic retinal infiltrate in experimental autoimmune uveoretinitis following intranasal tolerance induction with retinal antigens, **478**
Peripapillary retinal blood flow in normal tension glaucoma, **466**
retinal arterioles, Follow up of focal narrowing of retinal arterioles in glaucoma, **285**
retinal detachment, Detection of cytokine mRNA production in infiltrating cells in proliferative vitreoretinopathy using reverse transcription polymerase chain reaction, **1296**
Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole, **944**
Treatment of retinal tears and lattice degenerations in fellow eyes in high risk patients suffering retinal detachment: a prospective study, **1046**
retinal drusen, Early drusen formation in the normal and aging eye and their relation to age related maculopathy: a clinicopathological study, **358**
retinal dystrophy, Management of inherited outer retinal dystrophies: present and future: *perspective,* **120**
Specular microscopic findings of corneal deposits in patients with Bietti's crystalline corneal retinal dystrophy: *letter,* **1095**
retinal ischaemia, Protein C and protein S deficiency associated with retinal, optic nerve, and cerebral ischaemia: *letter,* **754**
retinal necrosis, Acute retinal necrosis after neonatal herpes encephalitis: *letter,* **123**
retinal neovascularisation, Retinal neovascularisation in Goltz syndrome (focal dermal hypoplasia): *letter,* **1094**
retinal nerve fibre layer, Localised retinal nerve fibre layer defects in chronic experimental high pressure glaucoma in rhesus monkeys, **1291**
Retinal nerve fibre layer thickness: *letter,* **1411**
retinal occlusion, Delayed diagnosis of homocystinuria as a cause of vascular retinal occlusion in young adults: *letter,* **1310**
retinal photocoagulation, Growth factor staining patterns in the pig retina following retinal laser photocoagulation, **728**
retinal pigment epithelium, Dynamics of phosphorothioate oligonucleotides in normal and laser photocoagulated retina, **852**
retinal response density, Assessment of macular function by multifocal electroretinogram before and after macular hole surgery, **420**
retinal scarring, Inferior oblique myectomy using monopolar cutting diathermy resulting in bilateral retinal scarring: *letter,* **374**
retinal tears, Treatment of retinal tears and lattice degenerations in fellow eyes in high risk patients suffering retinal detachment: a prospective study, **1046**
Ultrasound guided cryotherapy for retinal tears in patients with opaque ocular media: *letter,* **628**
retinal telangiectasis, Retinal vascular abnormality in Poland's syndrome: *letter,* **1092**
retinal toxicity, Amikacin retinal toxicity: *letter,* **1199**
retinal vasculitis, The pituitary-adrenal axis in idiopathic retinal vasculitis, **1393**
retinal vein occlusions, Plasma endothelin-1 concentrations in patients with retinal vein occlusions: *correspondence,* **127**
retinal vein thrombosis, Emergency contraception and retinal vein thrombosis: *letter,* **630**
retinitis, Anterior uveitis associated with intravenous cidofovir use in patients with cytomegalovirus retinitis, **1153**
retinitis pigmentosa, Retinitis pigmentosa with visual fluctuations and arrestin gene mutation: *letter,* **1197**
retinitis pigmentosa-like dystrophy, Phenotypic variations in a family with retinal dystrophy as result of different mutations in the *ABCR* gene, **914**
retinitis sclopeteria, Retinitis sclopeteria associated with airbag inflation: *letter,* **1094**
retinoblastoma, Delay in diagnosis of retinoblastoma: risk factors and treatment outcome, **1320**
Importance of early diagnosis of retinoblastoma: *editorial,* **1315**
Retinomax, Screening for refractive errors in children: accuracy of the hand held refractor Retinomax to screen for astigmatism, **157**
retinopathy, Automated localisation of the optic disc, fovea, and retinal blood vessels from digital colour fundus images, **902**
Population based assessment of diabetic retinopathy in an urban population in southern India, **937**
Retinopathy after long term, standard doses of hydroxychloroquine: *letter,* **1201**
retinopathy of prematurity, Dopamine use is an indicator for the development of threshold retinopathy of prematurity, **425**
Ophthalmological follow up of preterm infants: a population based, prospective study of visual acuity and strabismus, **143**
retinoschisis, Retinoschisis associated with disc coloboma: *letter,* **124**
retrobulbar haemodynamics, Effect of acute intraocular pressure changes on short posterior ciliary artery haemodynamics, **33**
rhegmatogenous retinal detachment, Vitreous levels of intercellular adhesion molecule 1 (ICAM-1) as a risk indicator of proliferative vitreoretinopathy, **953**
rhesus monkeys, Localised retinal nerve fibre layer defects in chronic experimental high pressure glaucoma in rhesus monkeys, **1291**
rheumatoid arthritis, Incidence of corneal melting in association with systemic disease in the Yorkshire Region, 1995–7, **941**
rhinostomies, Rhinostomies: an open and shut case?, **1300**
ring melanoma, Ring melanoma—a rare cause of refractory glaucoma, **194**
risk factors, Aetiological study of the presumed ocular histoplasmosis syndrome in the Netherlands, **535**
Diabetes mellitus: a risk factor in patients with Graves' orbitopathy, **463**
Risk factors for intraocular melanoma and occupational exposure: *editorial,* **1190**
Risk factors for treatment outcome of suspected microbial keratitis, **1027**
RP phenotypes, Difference between RP2 and RP3 phenotypes in X linked retinitis pigmentosa, **1144**
RT-PCR, Lens epithelial changes and mutated gene expression in patients with myotonic dystrophy, **452**
Russell bodies, Iris crystals in chronic uveitis, **703**

scanning electron microscopy, Environmental scanning electron microscopic study of macrophages associated with the tunica vasculosa lentis in the developing rat eye, **1384**
scanning laser ophthalmoscope, Full text reading with a central scotoma: pseudo regressions and pseudo line losses, **1341**
Perifoveal microcirculation in eyes with epiretinal membranes, **1329**
scanning laser ophthalmoscopy, Scanning laser ophthalmoscopy and fundus fluorescent leucocyte angiography: *perspective,* **1250**
scanning laser polarimetry, Measurement of retinal nerve fibre layer by scanning laser polarimetry and high pass resolution perimetry in normal tension glaucoma with relatively high or low intraocular pressure, **353**
scanning retinal thickness analyser, Quantitative assessment of macular thickness in normal subjects and patients with diabetic retinopathy by scanning retinal thickness analyser, **54**
sclera, Biochemical and ultrastructural changes in rabbit sclera after treatment with 7-methylxanthine, theobromine, acetazolamide, or l-ornithine, **1370**
scleral buckle, Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole, **944**
scleral perforation, Scleral perforation following trans-scleral cyclodiode: *letter,* **502**
scleritis, *Haemophilus influenzae* associated scleritis, **410**
Scotland, Ophthalmic and visual profile of guide dog owners in Scotland, **470**
screening, Effect of software manipulation (Photoshop) of digitised retinal images on the grading of diabetic retinopathy, **911**
Natural history of diabetic macular streak exudates: evidence from a screening programme, **563**
season of birth, Cataract and season of birth: *correspondence,* **126**
selection bias, Ocular abnormalities in a cohort of children born prematurely: effects of selection bias and possible confounding: *letter,* **1411**
serum antibodies, Significance of serum antibodies reactive with flavoprotein subunit of succinate dehydrogenase in thyroid associated orbitopathy, **605**

sex, Topographic anatomy of the eyelids, and the effects of sex and age, **347**
shared care, The Bristol Shared Care Glaucoma Study: reliability of community optometric and hospital eye service test measures, **707**
Sheridan–Gardiner vision test, Modified Sheridan–Gardiner vision test with a semitransparent card: *letter,* **1407**
sickle cell disease, Angiogenic factors in human proliferative sickle cell retinopathy, **838**
silicone oil, Effect of diode laser trans-scleral cyclophotocoagulation in the management of glaucoma after intravitreal silicone oil injection for complicated retinal detachments, **713**
Phacoemulsification combined with silicone oil removal through posterior capsulorhexis: *letter,* **1406**
simplex glaucoma, Course of exfoliation and simplex glaucoma after primary trabeculectomy, **305**
Singapore, Incidence of eyelid cancers in Singapore from 1968 to 1995, **595**
Sjögren's syndrome, New treatment of dry eye: the effect of calcium ointment through eyelid skin delivery, **767**
Treatment of dry eye by autologous serum application in Sjögren's syndrome, **390**
Sjögren's syndrome dry eye, Much more than water: *editorial,* **384**
small flap trabeculectomy, Topographic and keratometric astigmatism up to 1 year following small flap trabeculectomy (microtrabeculectomy), **779**
smoking, Smoking as an aetiological factor in a pedigree with Leber's hereditary optic neuropathy, **577**
somatostatin, Somatostatin scan positive gastrinoma ocular metastasis: *letter,* **1093**
specular microscopy, Specular microscopic findings of corneal deposits in patients with Bietti's crystalline corneal retinal dystrophy: *letter,* **1095**
squamous cell carcinoma, Conjunctival squamous cell carcinoma in Tanzania, **177**
Intraepithelial and invasive squamous cell carcinoma of the conjunctiva: analysis of 60 cases, **98**
steroids, Treatment of immune recovery vitritis with local steroids, **540**
strabismus, Ophthalmological follow up of preterm infants: a population based, prospective study of visual acuity and strabismus, **143**
Risk factors for strabismus in children born before 32 weeks' gestation, **514**
Streptococcus pneumoniae, Alterations in the conjunctival bacterial flora following a single dose of azithromycin in a trachoma endemic area, **1332**
Streptococcus, Viridans group *Streptococcus* subretinal abscess: *letter,* **373**
subfoveal choroidal neovascular membranes, Photocoagulation of subfoveal choroidal neovascular membranes in age related macular degeneration: the impact of the macular photocoagulation study in the United Kingdom and Republic of Ireland: *commentary,* **1103**
submacular nematode, Surgically removed submacular nematode: *letter,* **1088**
subretinal abscess, Viridans group *Streptococcus* subretinal abscess: *letter,* **373**
subretinal fluid, Penetration of topical, oral, and combined administered ofloxacin into the subretinal fluid, **1183**
subretinal haemorrhage, Subretinal haemorrhage in idiopathic intracranial hypertension: *letter,* **883**
subspecialisation, Trends in vitreoretinal surgery at a tertiary referral centre: 1987 to 1996, **396**
suction equipment, New equipment to prevent carbon dioxide rebreathing during eye surgery under retrobulbar anaesthesia, **1131**
suprachoroidal haemorrhage, Delayed suprachoroidal haemorrhage following trabeculectomy bleb needling: *letter,* **757**
Peribulbar anaesthesia during keratoplasty: a prospective study of 100 cases, **104**
survey, National cataract surgery survey 1997–8: a report of the results of the clinical outcomes, **1336**
sustained release, New developments in sustained release drug delivery for the treatment of intraocular disease: *perspective,* **1225**

T cells, CD56+ T cells in the peripheral blood of uveitis patients, **1386**
tamponading vitreous, Laceration of the eye with a fishing hook: *letter,* **1194**
tattooing, Long term ultrastructural changes in human corneas after tattooing with non-metallic substances, **219**
tear film, Much more than water: *editorial,* **384**
tear function, Diseases associated with ocular surface abnormalities: the importance of reflex tearing, **89**
tear kinetics, Reflective meniscometry: a non-invasive method to measure tear meniscus curvature, **92**
tear meniscus, Reflective meniscometry: a non-invasive method to measure tear meniscus curvature, **92**
tears, Decreased tear lactoferrin concentration in patients with chronic hepatitis C, **684**
Detection of herpes simplex virus DNA in atypical epithelial keratitis using polymerase chain reaction, **957**
New treatment of dry eye: the effect of calcium ointment through eyelid skin delivery, **767**
tears ocular surface, Treatment of dry eye by autologous serum application in Sjögren's syndrome, **390**
telemedicine, Telemedicine: *perspective,* **1254**
temporal artery, Monckeberg's sclerosis in temporal artery biopsy specimens: *letter,* **1091**
temporal contrast sensitivity, Temporal contrast sensitivity with peripheral and central stimulation in glaucoma diagnosis, **199**
tertiary referral, Trends in vitreoretinal surgery at a tertiary referral centre: 1987 to 1996, **396**
Thelazia callipaeda, Intraocular infestation with the worm, *Thelazia callipaeda*: *letter,* **1194**
thermotherapy, Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *commentary,* **1212**
Transpupillary thermotherapy of choroidal melanoma with or without brachytherapy: a dilemma: *letter,* **987**
"thin man" phenomenon The "thin man" phenomenon: a sign of cortical plasticity following inferior homonymous paracentral scotomas, **137**
"thin man" phenomenon The "thin man" phenomenon: imperfect filling in of visual space: *editorial,* **131**
thrombolysis, Acute central retinal vein occlusion successfully treated with intravenous thrombolysis: *letter,* **1196**
thyroid associated orbitopathy, Significance of serum antibodies reactive with flavoprotein subunit of succinate dehydrogenase in thyroid associated orbitopathy, **605**
tissue engineering, Closer to nature: new biomaterials and tissue engineering in ophthalmology: *perspective,* **1235**
tolerance, Suppression of induction of experimental immune mediated blepharoconjunctivitis by tolerogenic conjugates of the antigen and monomethoxypolyethylene glycol, **973**
topography, Evaluation of corneal thickness and topography in normal eyes using the Orbscan corneal topography system, **774**
Toxocara canis, New animal model for human ocular toxocariasis: ophthalmoscopic observation, **967**
trabeculectomy, Age over 46 years does not affect the pressure lowering effect of trabeculectomy in primary open angle glaucoma, **280**
Corneal ectasia after trabeculectomy with mitomycin C application: *letter,* **629**
Course of exfoliation and simplex glaucoma after primary trabeculectomy, **305**
Delayed suprachoroidal haemorrhage following trabeculectomy bleb needling: *letter,* **757**
Is a tight patch necessary after trabeculectomy?, **1006**
Prognosis of primary ab externo surgery for primary congenital glaucoma, **317**
Risk factors for failures of trabeculectomies performed without antimetabolites, **814**
trabeculotomy, Prognosis of primary ab externo surgery for primary congenital glaucoma, **317**
trachoma, Alterations in the conjunctival bacterial flora following a single dose of azithromycin in a trachoma endemic area, **1332**
Distribution of azithromycin for the treatment of trachoma: *commentary,* **134**
Eradication of trachoma worldwide: *editorial,* **1261**
transforming growth factor β, Growth factor staining patterns in the pig retina following retinal laser photocoagulation, **728**
The healing optic nerve in glaucoma: transforming growth factor β and optic nerve head remodelling: *editorial,* **132**
Transforming growth factor β isoforms in human optic nerve heads, **209**
trans-scleral cyclodiode, Scleral perforation following trans-scleral cyclodiode: *letter,* **502**
trauma, Traumatic wound rupture after penetrating keratoplasty in Africa, **530**
trephination, Effect of trephination technique on the ultrastructure of corneal transplants: guided trephine system *v* posterior punch technique, **1172**
trinucleotide repeat expansion, Corneal endothelial changes and trinucleotide repeat expansion of DRPLA gene: *letter,* **124**
triple procedure, The triple procedure: in the bag placement versus ciliary sulcus placement of the intraocular lens, **458**
tumour infiltrating lymphocytes, α/β− and γ/δ TCR^+ lymphocyte infiltration in necrotising choroidal melanomas, **1069**
tumour necrosis factor α, IL-4 regulates chemokine production induced by TNF-α in keratocytes and corneal epithelial cells, **1074**
tunica vasculosa lentis, Environmental scanning electron microscopic study of macrophages associated with the tunica vasculosa lentis in the developing rat eye, **1384**

ultrasound biomicroscopy, Hypotonic maculopathy following pneumatic retinopexy: a UBM study: *letter,* **1090**
Ocular ball bullet injury: detection of gonioscopically unrecognisable cyclodialysis by ultrasound biomicroscopy: *letter,* **1306**
Pilocarpine induces an increase in the anterior chamber angular width in eyes with narrow angles, **553**

Ultrasound biomicroscopic measurement of development of anterior chamber angle, **559**
Ultrasound biomicroscopy in juvenile xanthogranuloma of the iris: *letter*, **375**
ultrasound guided cryotherapy, Ultrasound guided cryotherapy for retinal tears in patients with opaque ocular media: *letter*, **628**
ultrasound technology, New applications in ultrasound technology: *perspective*, **1246**
ultrastructure, Biochemical and ultrastructural changes in rabbit sclera after treatment with 7-methylxanthine, theobromine, acetazolamide, or l-ornithine, **1370**
Long term ultrastructural changes in human corneas after tattooing with non-metallic substances, **219**
ultraviolet radiation, Differential induction of proto-oncogene expression and cell death in ocular tissues following ultraviolet irradiation of the rat eye, **225**
United Kingdom, Profile of patients presenting for cataract surgery in the UK: national data collection, **893**
upper lid retraction, A single technique to correct various degrees of upper lid retraction in patients with Graves' orbitopathy, **81**
uveal melanoma, *c-myc*, *p53*, and *Bcl-2* expression and clinical outcome in uveal melanoma, **110**
Modelling uveal melanoma, **588**
Ring melanoma—a rare cause of refractory glaucoma, **194**
uveitis, Acute myelogenous leukaemia in an adult presenting with uveitis: *letter*, **882**
CD56+ T cells in the peripheral blood of uveitis patients, **1386**
Dendritic cells and macrophages in the uveal tract of the normal mouse eye, **598**
Elevated serum levels of soluble ICAM-1 in uveitis patients predict underlying systemic disease: *correspondence*, **252**
Immunomodulation of autoimmune responses with monoclonal antibodies and immunoadhesins: treatment of ocular inflammatory disease in the next millennium: *perspective*, **1230**
Iris crystals in chronic uveitis, **703**
Oral vitamins C and E as additional treatment in patients with acute anterior uveitis: a randomised double masked study in 145 patients, **1277**
Soluble ICAM-1 serum levels in patients with intermediate uveitis, **847**
Uveitis associated with parvovirus infection: *letter*, **1403**

validity, Measuring the effectiveness of cataract surgery: the reliability and validity of a visual function outcomes instrument, **66**
vascular endothelial cell growth factor, Angiogenic factors in human proliferative sickle cell retinopathy, **838**
vascular endothelial growth factor, A role for hepatocyte growth factor in diabetic retinopathy?: *editorial*, **763**
Comparison of the levels of hepatocyte growth factor and vascular endothelial growth factor in aqueous fluid and serum with grades of retinopathy in patients with diabetes mellitus, **834**
Immunolocalisation of the VEGF receptors FLT-1, KDR, and FLT-4 in diabetic retinopathy, **486**
vasculitis, Incidence of corneal melting in association with systemic disease in the Yorkshire Region, 1995–7, **941**
VEGF receptors, Immunolocalisation of the VEGF receptors FLT-1, KDR, and FLT-4 in diabetic retinopathy, **486**
velocity, Perifoveal microcirculation in eyes with epiretinal membranes, **1329**
vernal keratoconjunctivitis, Efficacy of nedocromil 2% versus fluorometholone 0.1%: a randomised, double masked trial comparing the effects on severe vernal keratoconjunctivitis, **180**
video magnification devices, Head mounted video magnification devices for low vision rehabilitation: a comparison with existing technology: *perspective*, **495**
viral keratoconjunctivitis, Diagnosis of viral and chlamydial keratoconjunctivitis: which laboratory test?: *perspective*, **622**
viridans group, Viridans group *Streptococcus* subretinal abscess: *letter*, **373**
Viscoat, Combined effect of Interceed and 5-fluorouracil on delayed adjustable strabismus surgery, **788**
viscoelastic, Viscoelastic: *letter*, **760**
vision related functional index, A vision specific functional index for use in patients with age related macular degeneration, **1115**
vision research, Wellcome Trust support for vision research: *editorial*, **890**
vision screening, Preschool vision screening: negative predictive value for amblyopia, **676**
vision tests, Preschool vision screening: negative predictive value for amblyopia, **676**
visual acuity, Amblyopia and visual acuity in children with Down's syndrome, **1112**
Criteria for cataract surgery: the role of visual acuity and visual function: *editorial*, **510**
Oral vitamins C and E as additional treatment in patients with acute anterior uveitis: a randomised double masked study in 145 patients, **1277**
The need for cataract surgery: projections based on lens opacity, visual acuity, and personal concern, **62**
The triple procedure: in the bag placement versus ciliary sulcus placement of the intraocular lens, **458**
visual field, Clinical course of acute zonal occult outer retinopathy in visual field and multifocal electroretinogram: *letter*, **1089**
Detection of optic disc change with the Heidelberg retina tomograph before confirmed visual field change in ocular hypertensives converting to early glaucoma, **290**
visual field survival, Course of exfoliation and simplex glaucoma after primary trabeculectomy, **305**
visual fluctuations, Retinitis pigmentosa with visual fluctuations and arrestin gene mutation: *letter*, **1197**
visual function, A vision specific functional index for use in patients with age related macular degeneration, **1115**
Creation and testing of a practical visual function assessment for use in Africa: correlation with visual acuity, contrast sensitivity, and near vision in Malawian adults, **792**
Criteria for cataract surgery: the role of visual acuity and visual function: *editorial*, **510**
Measuring the effectiveness of cataract surgery: the reliability and validity of a visual function outcomes instrument, **66**
Measuring visual symptoms in British cataract patients: the cataract symptom scale, **519**
visual impairment, Patients' perception of visual impairment in glaucoma: a pilot study, **546**
Population based assessment of diabetic retinopathy in an urban population in southern India, **937**
visual loss, Visual loss after primary trabeculectomy with mitomycin C in Ehlers-Danlos syndrome: *letter*, **1202**
Visual performance in giant cell arteritis (temporal arteritis) after 1 year of therapy, **796**
visual outcome, Evaluation of visual outcome of cataract surgery in an Indian eye camp, **343**
Natural history of diabetic macular streak exudates: evidence from a screening programme, **563**
Ophthalmological follow up of preterm infants: a population based, prospective study of visual acuity and strabismus, **143**
visual profile, Ophthalmic and visual profile of guide dog owners in Scotland, **470**
visual prognosis, Indocyanine green angiographic features prognostic of visual outcome in the natural course of patients with age related macular degeneration, **429**
visual space, The "thin man" phenomenon: imperfect filling in of visual space: *editorial*, **131**
vitamin A, Ocular signs and symptoms and vitamin A status in patients with cystic fibrosis treated with daily vitamin A supplements, **688**
vitamin C, Oral vitamins C and E as additional treatment in patients with acute anterior uveitis: a randomised double masked study in 145 patients, **1277**
vitamin E, Oral vitamins C and E as additional treatment in patients with acute anterior uveitis: a randomised double masked study in 145 patients, **1277**
vitrectomy, Diabetic tractional papillopathy: a new (and true) nosological entity?: *editorial*, **257**
Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole, **944**
Retained intravitreal lens fragments after phacoemulsification: a clinicopathological correlation, **1135**
Vitreopapillary traction in proliferative diabetic vitreoretinopathy, **261**
vitreoretinal surgery, OCT imaging of choroidal neovascularisation and its role in the determination of patients' eligibility for surgery, **438**
Trends in vitreoretinal surgery at a tertiary referral centre: 1987 to 1996, **396**
Trends in vitreoretinal surgery—time to stop and think: *editorial*, **385**
vitreous haemorrhage, Laceration of the eye with a fishing hook: *letter*, **1194**
vitreous surgery, *Ochrobactrum anthropi* endophthalmitis after vitreous surgery: *letter*, **502**
vitritis, Treatment of immune recovery vitritis with local steroids, **540**
Vogt–Koyanagi–Harada disease, High incidence of glucose intolerance in Vogt–Koyanagi–Harada disease, **39**
Vogt–Koyanagi–Harada disease masquerading anterior ischaemic optic neuropathy: *letter*, **123**

website, The *BJO* goes full text on the web: *editorial*, **383**
Wegener's granulomatosis, Incidence of corneal melting in association with systemic disease in the Yorkshire Region, 1995–7, **941**
Wellcome Trust, Wellcome Trust support for vision research: *editorial*, **890**
wound healing, Soluble Fas and Fas ligand in human tear fluid after photorefractive keratectomy, **1360**
wound rupture, Traumatic wound rupture after penetrating keratoplasty in Africa, **530**

X linked retinitis pigmentosa, Difference between RP2 and RP3 phenotypes in X linked retinitis pigmentosa, **1144**
***x* ray microanalysis,** Microbial decontamination of human donor eyes with povidone-iodine: penetration, toxicity, and effectiveness, **1019**

YAG capsulotomy, Macular hole following YAG capsulotomy: *letter,* 755
yolk sac tumour, Horner's syndrome in yolk sac tumour of the mediastinum: *letter,* **1406**

zeaxanthin, Macular pigment and age related macular degeneration: *perspective,* **867**
Zinn–Haller circle, Morphological variations of the peripapillary circle of Zinn–Haller by flat section, **862**
zonal occult outer retinopathy, Clinical course of acute zonal occult outer retinopathy in visual field and multifocal electroretinogram: *letter,* **1089**